



Solaris 8 (SPARC Platform Edition) 2/04 Release Notes

Sun Microsystems, Inc.
4150 Network Circle
Santa Clara, CA 95054
U.S.A.

Part No: 817-5172-10
February 2004

Copyright 2004 Sun Microsystems, Inc. 4150 Network Circle, Santa Clara, CA 95054 U.S.A. All rights reserved.

This product or document is protected by copyright and distributed under licenses restricting its use, copying, distribution, and decompilation. No part of this product or document may be reproduced in any form by any means without prior written authorization of Sun and its licensors, if any. Third-party software, including font technology, is copyrighted and licensed from Sun suppliers.

Parts of the product may be derived from Berkeley BSD systems, licensed from the University of California. UNIX is a registered trademark in the U.S. and other countries, exclusively licensed through X/Open Company, Ltd.

Sun, Sun Microsystems, the Sun logo, docs.sun.com, AnswerBook, AnswerBook2, DiskSuite, HotJava, Java, JavaSpaces, JDK, JumpStart, OpenWindows, Solstice AdminSuite, Solstice AutoClient, Solaris Management Console, SunOS, Sun StorEdge, Sun Enterprise, Ultra, XView, and Solaris are trademarks, registered trademarks, or service marks of Sun Microsystems, Inc. in the U.S. and other countries. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. in the U.S. and other countries. Products bearing SPARC trademarks are based upon an architecture developed by Sun Microsystems, Inc. PostScript is a trademark or registered trademark of Adobe Systems, Incorporated, which may be registered in certain jurisdictions. Netscape is a trademark or registered trademark of Netscape Communications Corporation. Netscape Communicator is a trademark or registered trademark of Netscape Communications Corporation.

The OPEN LOOK and Sun™ Graphical User Interface was developed by Sun Microsystems, Inc. for its users and licensees. Sun acknowledges the pioneering efforts of Xerox in researching and developing the concept of visual or graphical user interfaces for the computer industry. Sun holds a non-exclusive license from Xerox to the Xerox Graphical User Interface, which license also covers Sun's licensees who implement OPEN LOOK GUIs and otherwise comply with Sun's written license agreements.

Federal Acquisitions: Commercial Software—Government Users Subject to Standard License Terms and Conditions.

DOCUMENTATION IS PROVIDED "AS IS" AND ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE DISCLAIMED, EXCEPT TO THE EXTENT THAT SUCH DISCLAIMERS ARE HELD TO BE LEGALLY INVALID.

Copyright 2004 Sun Microsystems, Inc. 4150 Network Circle, Santa Clara, CA 95054 U.S.A. Tous droits réservés.

Ce produit ou document est protégé par un copyright et distribué avec des licences qui en restreignent l'utilisation, la copie, la distribution, et la décompilation. Aucune partie de ce produit ou document ne peut être reproduite sous aucune forme, par quelque moyen que ce soit, sans l'autorisation préalable et écrite de Sun et de ses bailleurs de licence, s'il y en a. Le logiciel détenu par des tiers, et qui comprend la technologie relative aux polices de caractères, est protégé par un copyright et licencié par des fournisseurs de Sun.

Des parties de ce produit pourront être dérivées du système Berkeley BSD licenciés par l'Université de Californie. UNIX est une marque déposée aux Etats-Unis et dans d'autres pays et licenciée exclusivement par X/Open Company, Ltd.

Sun, Sun Microsystems, le logo Sun, docs.sun.com, AnswerBook, AnswerBook2, DiskSuite, HotJava, Java, JavaSpaces, JDK, JumpStart, OpenWindows, Solstice AdminSuite, Solstice AutoClient, Solaris Management Console, SunOS, Sun StorEdge, Sun Enterprise, Ultra, XView, et Solaris sont des marques de fabrique ou des marques déposées, ou marques de service, de Sun Microsystems, Inc. aux Etats-Unis et dans d'autres pays. Toutes les marques SPARC sont utilisées sous licence et sont des marques de fabrique ou des marques déposées de SPARC International, Inc. aux Etats-Unis et dans d'autres pays. Les produits portant les marques SPARC sont basés sur une architecture développée par Sun Microsystems, Inc. PostScript est une marque de fabrique d'Adobe Systems, Incorporated, laquelle pourrait être déposée dans certaines juridictions. Netscape Navigator est une marque de Netscape Communications Corporation. Netscape est une marque de Netscape Communications Corporation aux Etats-Unis et dans d'autres pays.

L'interface d'utilisation graphique OPEN LOOK et Sun™ a été développée par Sun Microsystems, Inc. pour ses utilisateurs et licenciés. Sun reconnaît les efforts de pionniers de Xerox pour la recherche et le développement du concept des interfaces d'utilisation visuelle ou graphique pour l'industrie de l'informatique. Sun détient une licence non exclusive de Xerox sur l'interface d'utilisation graphique Xerox, cette licence couvrant également les licenciés de Sun qui mettent en place l'interface d'utilisation graphique OPEN LOOK et qui en outre se conforment aux licences écrites de Sun.

CETTE PUBLICATION EST FOURNIE "EN L'ETAT" ET AUCUNE GARANTIE, EXPRESSE OU IMPLICITE, N'EST ACCORDEE, Y COMPRIS DES GARANTIES CONCERNANT LA VALEUR MARCHANDE, L'APTITUDE DE LA PUBLICATION A REPOUDRE A UNE UTILISATION PARTICULIERE, OU LE FAIT QU'ELLE NE SOIT PAS CONTREFAISANTE DE PRODUIT DE TIERS. CE DENI DE GARANTIE NE S'APPLIQUERAIT PAS, DANS LA MESURE OU IL SERAIT TENU JURIDIQUEMENT NUL ET NON AVENU.



040127@7940



Contents

Preface 9

1 Installation Issues 13

Issues You Need to Know About Before Installing Solaris 8 Software from DVD 14

Booting From the Solaris 8 2/04 DVD 14

Boot From Solaris DVD Fails on Systems With Toshiba SD-M1401 DVD-ROM (4467424) 14

Cannot Access Data on Solaris 8 2/04 DVD in Solaris 2.6 and Solaris 7 Operating Environment (4511090) 14

Solaris Web Start 3.0 Bugs You Need to Know About Before Using the Solaris 8 Installation CD 15

Initial Install Might Not Be Possible If Swap Slice Does Not Start At Cylinder 0 (4508297) 15

Default Install Might Be Disabled If Swap Slice Is Not on The Default Boot Disk (4527984) 16

Cannot Specify an Alternate Network Interface to Use During System Identification on Network Gateway Systems (4302896) 16

Issues You Need to Know About Before Installing Solaris 8 Software 17

Insufficient Space for Extra Languages During Upgrade (4414329) 17

Previous Versions of Solaris Management Console Software Are Not Compatible With Solaris Management Console 2.0 Software 18

Locale Installation Mechanism Change 20

Installation Bugs That Occur During an Installation From Solaris 8 1 of 2 CD 21

Solaris 8 Software 2 of 2 Installation Program Does Not Automatically Start When Using Custom JumpStart or `re-preinstall` (4556860) 21

Installation Progress Bar May Be Inaccurate (1266156) 22

Warnings May Occur When a File System Is Created (4189127) 22

Custom JumpStart Does Not Prompt for the Solaris 8 Software 2 of 2 CD (4304912)	23
Installation Bugs That Occur During an Upgrade	24
Live Upgrade Might Not Determine Boot Device (4525464)	24
Upgrade Fails if <code>/export</code> Is Near Capacity (4409601)	25
Unable to Remove <code>.save.SUNWcsr</code> After Upgrading (4400054)	25
Upgrading Diskless Client Servers and Clients (4363078)	25
Upgrading the JavaSpaces Datastore to Prevent Web-Based Enterprise Management (WBEM) Data Loss (4365035)	26
Relocated CDE From the Solaris 2.5.1 Operating Environment Orphaned by an Upgrade to the Solaris 8 Operating Environment (4260819)	27
Upgrading the Solaris 7 Operating Environment With WBEM 1.0 to the Solaris 8 Operating Environment Causes WBEM 2.0 to Fail (4274920)	27
<code>SUNWweudt</code> Partially Fails to Install During an Upgrade (4304305)	28
64-bit Packages Are Unnecessarily Installed During Upgrade From Solaris 2.6 or Solaris 7 Operating Environment (4323398)	28
64-Bit Solaris Issues	29
Sun UltraSPARC System (<code>sun4u</code>) May Need Boot Flash PROM Update	29
System Administration Bugs	30
<code>awk</code> and <code>nawk</code> Field Limitation Might Cause Installation of Additional Software to Fail (4533901)	30
Localization Bugs That Occur During Installation	31
Solaris Web Start Installation Kiosk Menu Not Localized for European Locales (4510925)	31
Error Messages May Occur During European Upgrade (4230247, 4225787)	31
2 Solaris Runtime Issues	33
Power Management Bugs	33
Power Management Resume Crashes After USB Devices Are Hot-Plugged (4507408)	33
USB Issues	34
Audio Applications Might Stop Working After a USB Audio Device Is Hot-Unplugged (4424286)	34
USB Speakers Might Not Produce Sound	34
Smart Card Bugs	34
System Does Not Respond to Smart Card (4415094)	34
Edit Config File Menu Item in Smart Cards Management Console Does Not Work (4447632)	35
Common Desktop Environment (CDE) Issues	35
Compiling Motif Programs on the Solaris 8 Operating Environment	35

Common Desktop Environment Bugs	36
OpenWindows File Manager Fails to Mount Diskette (4329368)	36
PDASync Cannot Delete Last Entry From the Desktop (4260435)	37
PDASync Does Not Support Data Exchange With the Multibyte Internationalized PDA Device (4263814)	37
System Administration Bugs	38
Remote Display of Solaris Management Console Hangs (4488117)	38
Web-Based Enterprise Management (WBEM) HTTP Service Does Not Automatically Start (4486999)	38
WBEM Event Delivery Fails When Lowercase Is Used (4441369)	39
Incorrect Error Message When Using <code>flarcreate -e</code> and <code>-E</code> (4404811)	39
Obsolete Files Still Present in Help System (4339515)	39
CIM_ERR_LOW_ON_MEMORY Error Occurs When Trying to Add Data With WBEM (4312409)	39
Java Runtime Bugs	40
<code>libjvm.so</code> Does Not Function Correctly When Using <code>dlopen</code> (4270715)	40
AnswerBook2 Bugs	41
The <code>ab2admin</code> Command Intermittently Indicates <code>command failed</code> Even Though the Command Succeeded (4242577)	41
<code>ab2cd</code> Script Displays an Erroneous Error Message (4256516)	41
Localization Issues	42
Use Font Downloader to Print From Any Non-ISO8859-1 Locale	42
Runtime Localization Bugs	42
The Euro Currency Symbol Is Not Adequately Supported in the UTF-8 and Greek Locales (4363812, 4305075)	42
<code>kkcv.sh</code> Dumps Core In Japanese Locale (4394340)	43
Warning Messages Might Appear When Launching Java Applications From Any UTF-8 Locale (4342801)	43
Some Greek Characters Are Not Available in CDE (4179411)	44
Cannot Print Extended Characters in Calendar Manager in All Partial Locales (4285729)	44
Cutting and Pasting Text Between Arabic and UTF-8 English Does Not Work (4287746)	44
The CDE Extras Drop-Down Menu Is Not Available for European Locales (4298547)	44
CTL Is Not Supported in Japanese and Asian UTF-8 Locales (4300239)	44
Cannot Add, Remove, or Modify Users in Solstice AdminTool in the Greek Locale (4302983)	45
Font Downloader Add and Cancel Buttons Are Incorrectly Labeled in the Italian Locale (4303549)	45

Missing Arabic Characters and Incompatibility Between the Sun Arabic Keyboard
and the Microsoft Arabic Keyboard (4303879) 46
Sorting in the European UTF-8 Locales Does Not Function Correctly
(4307314) 46
Applications Not Fully Localized (4304495, 4306619) 47

3 Late-Breaking News 49

Update Feature Documentation 49
Diskless Client Support 49
PIM Kernel Support 50
Configuring Runtime Search Paths 50

4 End-of-Software Support Statements 51

Current Release 51
HotJava Browser 51
Solaris Java Development Kit: JNI 1.0 Interface 51
Solstice AdminSuite 2.3/AutoClient 2.1 52
F3 Font Technology 52
XGL 52
Derived Type `paddr_t` 52
Changes to Application Programming Interfaces (APIs) for User Accounting
Data 52
`sysidnis(1M)` System Identification Program 53
Sun4c-Based Systems 53
SPARCstation Voyager 53
SPARC Xterminal 1 53
Future Releases 54
Perl Version 5.005_03 54
Early Access (EA) Directory 54
Emulex MD21 Disk Controller for ESDI Drives 54
`enable_mixed_bcp` Tunable 54
`SUNWebnfs` 54
`aspppd(1M)` Utility 55
JDK 1.2.2 and JRE 1.2.2 55
JDK 1.1.8 and JRE 1.1.8 55
GMT Zoneinfo Timezones 55
`s5fs` File System 55
`sendmail` Utility Features 56

AnswerBook2 Server	56
AdminTool	56
Solstice Enterprise Agents	56
XIL	56
Lightweight Directory Access Protocol (LDAP) Client Library	57
SUNWrdm	57
crash(1M) Utility	57
Kerberos Version 4 Client	57
adb(1) Map Modifiers and Watchpoint Syntax	57
OpenWindows Toolkits for Developers	58
OpenWindows Environment For Users	58
Federated Naming Service (FNS)/XFN Libraries and Commands	58
Crash Dump Options for Solaris ipcs(1) Command	58
Deprecate sendmail -AutoRebuildAliases Option	59
sun4d-Based Servers	59
5 Documentation Issues	61
Documentation Errata	61
Document Affected: "Backing Up a UFS Snapshot" in <i>Solaris 8 System Administration Supplement</i>	61
Document Affected: "OCF Client Properties Overview" in <i>Solaris Smart Cards Administration Guide</i>	62
Document Affected: "Setting Up a Smart Card (Tasks)" in <i>Solaris Smart Cards Administration Guide</i>	62
Document Affected: "OCF Client Properties Overview" in <i>Solaris Smart Cards Administration Guide</i> and "Additional Client Configuration Tasks" in <i>Solaris Smart Cards Administration Guide</i>	62
Document Affected: "Setting Up a Smart Card (Overview)" in <i>Solaris Smart Cards Administration Guide</i>	62
Document Affected: Localized New Features List (4389948)	63
Document Affected: <i>CDE User's Guide</i> in AnswerBook2 (4356456)	63
Documents Affected: AnswerBook2 Help Collection	63
Document Affected: "IPv6 Header Format" in <i>System Administration Guide, Volume 3</i>	63
Document Affected: "Priority Values" in <i>System Administration Guide, Volume 3</i>	64
Document Affected: "Implementing IPsec" in <i>System Administration Guide, Volume 3</i>	64
Document Affected: "NFS Parameters for the nfs Module" in <i>System Administration Guide, Volume 3</i> (4299091)	64

Document Affected: "NFS Parameters for the nfs Module" in *System Administration Guide, Volume 3* (4299091) 65

Document Affected: "NFS Parameters for rpcsec Parameters" in *System Administration Guide, Volume 3* (4299091) 65

A	Patch List	67
	Patch List	68

Preface

The *Solaris™ 8 (SPARC® Platform Edition) 2/04 Release Notes* contains installation problem details and other information that were not available until immediately before the release of the Solaris 8 2/04 operating environment.

Note – The information in this document pertains to the SPARC platform. This information also pertains to both the 64-bit and 32-bit address spaces unless specified in a special chapter, section, note, bulleted item, figure, table, example, or code example.

Who Should Use This Book

These notes are for users and system administrators who are installing and using the Solaris 8 2/04 operating environment.

The Solaris 8 2/04 release notes are available:

- In the Solaris 8 2/04 Release Documents Collection on the Solaris 8 2/04 Documentation CD
- In print with the product (installation issues and bugs only)
- On <http://docs.sun.com> (the most up-to-date information)

Related Books

You might need to refer to the following manuals when installing Solaris software:

- *Solaris 8 Start Here*
- *Solaris 8 2/04 What's New Supplement*
- *Solaris 8 Advanced Installation Guide*
- *Solaris 8 System Administration Supplement*

For information on current CERT advisories, see the official CERT web site at <http://www.cert.org>.

Solaris documentation is available on the Solaris 8 2/04 Documentation CD that is included with this product.

For some hardware configurations, you might need supplemental hardware-specific instructions for installing the Solaris operating environment. If your system requires hardware-specific actions at certain points, the manufacturer of your hardware has provided supplemental Solaris installation documentation. Refer to those materials for hardware-specific installation instructions.

Related Third-Party Web Site References

Third-party URLs are referenced in this document and provide additional, related information.

Note – Sun is not responsible for the availability of third-party Web sites mentioned in this document. Sun does not endorse and is not responsible or liable for any content, advertising, products, or other material on or available for such sites or resources. Sun will not be responsible or liable for any damage or loss caused or alleged to be caused by or in connection with use of or reliance on any such content, goods, or services that are available on or through any such sites or resources.

Accessing Sun Documentation Online

The docs.sun.comSM Web site enables you to access Sun technical documentation online. You can browse the docs.sun.com archive or search for a specific book title or subject. The URL is <http://docs.sun.com>.

Ordering Sun Documentation

Sun Microsystems offers select product documentation in print. For a list of documents and how to order them, see “Buy printed documentation” at <http://docs.sun.com>.

Typographic Conventions

The following table describes the typographic changes used in this book.

TABLE P-1 Typographic Conventions

Typeface or Symbol	Meaning	Example
AaBbCc123	The names of commands, files, and directories; on-screen computer output	Edit your <code>.login</code> file. Use <code>ls -a</code> to list all files. <code>machine_name%</code> you have mail.
AaBbCc123	What you type, contrasted with on-screen computer output	<code>machine_name%</code> su Password:
<i>AaBbCc123</i>	Command-line placeholder: replace with a real name or value	To delete a file, type rm <i>filename</i> .
<i>AaBbCc123</i>	Book titles, new words, or terms, or words to be emphasized.	Read Chapter 6 in <i>User's Guide</i> . These are called <i>class</i> options. You must be <i>root</i> to do this.

Shell Prompts in Command Examples

The following table shows the default system prompt and superuser prompt for the C shell, Bourne shell, and Korn shell.

TABLE P-2 Shell Prompts

Shell	Prompt
C shell prompt	machine_name%
C shell superuser prompt	machine_name#
Bourne shell and Korn shell prompt	\$
Bourne shell and Korn shell superuser prompt	#

Installation Issues

This chapter describes problems that relate to the installation of the Solaris 8 2/04 operating environment.

The following installation bug descriptions have been added to this chapter since this document was published on the Solaris 8 2/04 Documentation CD and in the Installation Kiosk on the Solaris 8 2/04 Installation CD.

- “Cannot Access Data on Solaris 8 2/04 DVD in Solaris 2.6 and Solaris 7 Operating Environment (4511090)” on page 14
- “Initial Install Might Not Be Possible If Swap Slice Does Not Start At Cylinder 0 (4508297)” on page 15
- “Default Install Might Be Disabled If Swap Slice Is Not on The Default Boot Disk (4527984)” on page 16
- “Solaris 8 Software 2 of 2 Installation Program Does Not Automatically Start When Using Custom JumpStart or re-preinstall (4556860)” on page 21
- “awk and nawk Field Limitation Might Cause Installation of Additional Software to Fail (4533901)” on page 30
- “Solaris Web Start Installation Kiosk Menu Not Localized for European Locales (4510925)” on page 31

Note – The name of this product is Solaris 8 2/04 , but code and path or package path names might use Solaris 2.8 or SunOS™ 5.8. Always follow the code or path as it is written.

Issues You Need to Know About Before Installing Solaris 8 Software from DVD

Booting From the Solaris 8 2/04 DVD

The Solaris 8 2/04 operating environment is now available on DVD. To install or upgrade from DVD, insert the Solaris 8 2/04 DVD into the DVD-ROM drive and boot the system from the `ok` prompt with the following command.

```
ok boot cdrom
```

Boot From Solaris DVD Fails on Systems With Toshiba SD-M1401 DVD-ROM (4467424)

If your system has a Toshiba SD-M1401 DVD-ROM drive with firmware revision 1007, the system cannot boot from the Solaris 8 2/04 DVD.

Workaround: Apply patch 111649 to update the Toshiba SD-M1401 DVD-ROM drive's firmware. Patch 111649 is included on the Solaris 8 Supplement CD in the following directory.

```
DVD_Firmware/Patches
```

See the README file in this directory for instructions on installing the patch. Be sure to read and follow all the cautions and warnings in this README file before you install the patch.

Cannot Access Data on Solaris 8 2/04 DVD in Solaris 2.6 and Solaris 7 Operating Environment (4511090)

If your system is running the Solaris 2.6 or Solaris 7 operating environment, Volume Management incorrectly mounts the Solaris 8 2/04 DVD. The Solaris 8 2/04 DVD will mount, but the data is inaccessible. As a result, you cannot setup an install server, perform a Live Upgrade, or access any data on the media.

Workaround: Choose one of the following workarounds.

- Apply the patches appropriate for your system.

TABLE 1-1 DVD patches for the Solaris 2.6 and Solaris 7 Operating Environments

Release	Patch ID
Solaris 2.6 operating environment	107618-03
Solaris 7 operating environment	107259-03

- Manually mount the Solaris 8 2/04 DVD. Do not use Volume Management to mount the Solaris 8 2/04 DVD. Follow these steps.

- Become superuser.
- Stop Volume Management.

```
# /etc/init.d/volmgt stop
```

- Manually mount the DVD.

```
# mkdir /mnt1
# mount -F hsfs -o ro /dev/dsk/c0t6d0s0 /mnt1
```

- Verify that the DVD is mounted and the data is accessible.

```
# cd /mnt1
# ls
```

The system returns the following information if the DVD is correctly mounted.

```
Copyright Solaris_8
```

Solaris Web Start 3.0 Bugs You Need to Know About Before Using the Solaris 8 Installation CD

Initial Install Might Not Be Possible If Swap Slice Does Not Start At Cylinder 0 (4508297)

When you install from the Solaris 8 Installation CD, the Solaris™ Web Start installation program might prompt you to use an existing swap slice to hold the installation software. However, the installation program does not indicate whether the existing swap slice starts at cylinder 0 or not. If you choose to use this slice and it does not begin at cylinder 0, installation might not be possible on some disk configurations.

Workaround: If you intend to perform an initial install, follow these steps.

Note – This will prevent any file system preservations on the disk.

1. During setup, answer **No** to all questions that prompt you to use an existing swap slice.
2. If prompted, select **None** from the list of alternatives, then answer **No** when you are prompted to re-select a slice to hold the Solaris installation software.
3. Select a disk to re-partition when you are prompted by the installer.
4. Choose a size when you are prompted to provide a size for the swap slice.
5. When the installer asks if the swap slice can start at the beginning of the disk, answer **Yes**.
6. Complete the installation.

For more information on re-partitioning disks or choosing a size for the swap slice, see the *Solaris 8 Advanced Installation Guide*.

Default Install Might Be Disabled If Swap Slice Is Not on The Default Boot Disk (4527984)

When you install from the Solaris 8 Installation CD and you choose a swap slice that is not on the default boot disk, the Default Install selection might be disabled. This problem can occur even when the swap slice starts at cylinder 0 and the default boot disk contains sufficient space for a Default Install. The following error message is displayed.

```
Note:Default install is not possible.The file system requires manual layout.
```

Workaround: Choose one of the following workarounds.

- If you are performing an initial install, choose the default boot disk as the location for the swap slice.
- Perform a Custom Install if your swap slice is not located on the default boot disk.

Cannot Specify an Alternate Network Interface to Use During System Identification on Network Gateway Systems (4302896)

A network gateway is used to communicate with other networks. A gateway system contains multiple network interface adapters and each adapter connects with a different network.

If you use the Solaris 8 Installation CD to install the Solaris 8 2/04 operating environment on a gateway system, Solaris Web Start 3.0 uses the primary interface to gather system information. You cannot instruct Solaris Web Start 3.0 to use an alternate network interface to gather information for system identification.

Workaround: To specify another interface for gathering system information, choose one of the following workarounds.

- Create a `sysidcfg` file that specifies the network interface to use during system identification. See “Guidelines for Preconfiguring With the `sysidcfg` File” in *Solaris 8 Advanced Installation Guide* and the man page `sysidcfg(4)` for information on how to create and modify a `sysidcfg` file.
- Use the Solaris 8 Software 1 of 2 CD to launch an Interactive Installation of the Solaris 8 2/04 operating environment. Specify that the system is networked, and then select the alternate network interface to use for system identification from the list that is provided.

Issues You Need to Know About Before Installing Solaris 8 Software

Insufficient Space for Extra Languages During Upgrade (4414329)

When you upgrade from the Solaris 2.6 and Solaris 7 operating environments using a CD or CD images, extra European languages might be installed for locales that are not present on the system. If there is insufficient space in the file system, the upgrade will not complete. Languages for locales that are present on the system may not be installed.

Workaround: Choose one of the following workarounds.

- Manually select the languages you want installed during the upgrade process. Follow these steps.
 1. When the Language CD install panel is displayed, click the Back button.
 2. Deselect the extra languages and continue with the upgrade.
- Use a combined net install image to upgrade from the Solaris 2.6 and Solaris 7 operating environments. Do not use CDs or CD images to upgrade.
- After upgrading, follow these steps.
 1. Login to the system.

2. Run `prodreg`.
3. Uninstall any extra languages.
4. Insert the Language CD into your CD-ROM drive and run the top level installer.
5. Choose Custom Install.
6. Select the languages you want installed.
7. Complete the Language CD installation by clicking the Next and Install Now buttons.

Previous Versions of Solaris Management Console Software Are Not Compatible With Solaris Management Console 2.0 Software

If you upgrade to the Solaris 8 2/04 , or compatible, operating environment and you have Solaris Management Console™ 1.0, 1.0.1, or 1.0.2 software installed, you must uninstall the Solaris Management Console software before you upgrade. Solaris Management Console 2.0 software is not compatible with any previous version of the console. Solaris Management Console software might exist on your system if you installed the SEAS 2.0 overbox, the SEAS 3.0 overbox, or the Solaris 8 Admin Pack.

Workaround: Choose one of the following workarounds.

- Before you upgrade, run `/usr/bin/prodreg` and perform a full uninstall of the Solaris Management Console software.
- If you did not uninstall Solaris Management Console 1.0, 1.0.1, or 1.0.2 software before you upgraded, you must remove all Solaris Management Console 1.0, 1.0.1., or 1.0.2 software packages. You must use `pkgrm` for package removal instead of `prodreg` and you must carefully follow the order of package removal. Follow these steps.

1. Become superuser.
2. In a terminal window, type the following commands.

```
# pkginfo |grep "Solaris Management Console"  
# pkginfo |grep "Solaris Management Applications"  
# pkginfo |grep "Solaris Diskless Client Management Application"
```

The package names in the output identify a Solaris Management Console 1.0 software package if the description does not start with "Solaris Management Console 2.0."

3. Use `pkgrm` to remove all instances of Solaris Management Console 1.0 software packages in the following order.

Note – Do not remove any package that has “Solaris Management Console 2.0” in the description. For example, `SUNWmc . 2` might indicate the Solaris Management Console 2.0 software.

Note – If the `pkginfo` output displays multiple versions of Solaris Management Console 1.0 software packages, use `pkgrm` to remove both packages. Remove the original package first and then the package that has been appended with a number. For example, if the `SUNWmcman` and `SUNWmcman . 2` packages appear in the `pkginfo` output, first remove `SUNWmcman` and then `SUNWmcman . 2`. Do not use `prodreg`.

```
# pkgrm SUNWmcman
# pkgrm SUNWmcapp
# pkgrm SUNWmcsvr
# pkgrm SUNWmcsvu
# pkgrm SUNWmc
# pkgrm SUNWmcc
# pkgrm SUNWmcsws
```

4. In a terminal window, type the following command.

```
# rm -rf /var/sadm/pkg/SUNWmcapp
```

The Solaris Management Console 2.0 software should now function. For future maintenance, or if the console does not function properly, remove the Solaris Management Console 2.0 software and reinstall it by following the next steps.

1. In a terminal window type the following commands.

```
# pkginfo |grep "Solaris Management Console"
# pkginfo |grep "Solaris Management Applications"
# pkginfo |grep "Solaris Diskless Client Management Application"
```

The package names in the output identify the remaining Solaris Management Console software packages that are installed on your system.

2. Use `pkgrm` to remove all Solaris Management Console 2.0 software packages in the following order.

Note – If your system has multiple instances of Solaris Management Console 2.0 software packages, such as `SUNWmc` and `SUNWmc . 2`, first remove `SUNWmc`, and then `SUNWmc . 2`. Do not use `prodreg`.

```
# pkgrm SUNWdclnt
# pkgrm SUNWmga
# pkgrm SUNWmgapp
```

```
# pkgrm SUNWmcdev
# pkgrm SUNWmcex
# pkgrm SUNWwbmc
# pkgrm SUNWmc
# pkgrm SUNWmcc
# pkgrm SUNWmccom
```

3. Insert the Solaris 8 Software (SPARC Platform Edition) 1 of 2 CD into your CD-ROM drive and type the following in a terminal window.

```
# cd /cdrom/sol_8_204_sparc/s0/Solaris_8/Product
# pkgadd -d . SUNWmccom SUNWmcc SUNWmc SUNWwbmc SUNWmcex SUNWmcdev \
  SUNWmgapp SUNWmga SUNWdc1nt
```

All previous versions of the Solaris Management Console software are now removed and the Solaris Management Console 2.0 software is functional.

Locale Installation Mechanism Change

The locale support installation mechanism has changed in the Solaris 8 operating environment. In the Solaris 2.5.1, 2.6, and 7 operating environments, the level of locale support that was installed depended on the software cluster that was chosen. The Solaris 8 operating environment includes a new installation interface that prompts you to select specific geographic regions for which you require locale support. Therefore, you can customize the configuration of your system at installation of the Solaris 8 operating environment with more freedom than in the Solaris 2.5.1, 2.6, and 7 operating environments.

Notice especially the following behaviors:

- You must select the locales to be installed during the initial installation in the Geographic Selection screen. C (POSIX locale) and en_US.UTF-8 (Unicode support) are the only locales that are automatically installed.
- When you upgrade from previous releases, some of the locales are automatically selected, depending on the available locales on the system to be upgraded. Note that English, French, German, Italian, Spanish, and Swedish partial locales were always present on the system in the Solaris 2.5.1, 2.6, and 7 operating environments.
- Unicode locales (UTF-8) have a feature to enable multilingual text input. Because these locales use Asian input methods that are provided by each individual locale, install those Asian locales for which you need to type text.

Installation Bugs That Occur During an Installation From Solaris 8 1 of 2 CD

Solaris 8 Software 2 of 2 Installation Program Does Not Automatically Start When Using Custom JumpStart or re-preinstall (4556860)

If you install using the custom JumpStart™ program or the `re-preinstall` command, when the Solaris 8 Software 1 of 2 CD completes, the Solaris 8 Software 2 of 2 CD installation program does not automatically start. The system will reboot normally, but the installation is not complete.

Workaround: If you are performing a custom JumpStart installation, or you are using the `re-preinstall` command, choose one of the following workarounds.

- Use a combined network image of the Solaris 8 Software CDs to perform the installation.
- After the installation program on the Solaris 8 Software 1 of 2 CD completes, follow these steps.
 1. Login as superuser.
 2. Verify that the file `/var/sadm/system/data/packages_to_be_added` exists. Type the following command.

```
# ls /var/sadm/system/data/
```

 - If the file `packages_to_be_added` is listed in the output of the `ls` command, go to the next step.
 - If the output of the `ls` command does not list `packages_to_be_added`, your installation is complete. Do not continue with the workaround.
 3. Insert the Solaris 8 Software 2 of 2 CD into the CD-ROM drive and type the following commands to start the installation program.

```
# volcheck
# cd /cdrom/cdrom0/Solaris_8/Tools/Installers
# ./solaris2
```
 4. After the Solaris 8 Software 2 of 2 installation completes, type the following command to determine if `/var/sadm/system/data/packages_to_be_added` exists.

```
# ls /var/sadm/system/data
```

 - If the file `packages_to_be_added` is listed in the output of the `ls` command, go to the next step.

- If the output of the `ls` command does not list `packages_to_be_added`, your installation is complete. Do not continue with the workaround.
- 5. Insert the Solaris 8 Languages CD into the CD-ROM drive and type the following commands.

```
# volcheck
# cd /cdrom/cdrom0
# ./installer
```
- 6. Choose the custom installation path in the Solaris 8 Languages CD installation program.
- 7. Select the languages that you require for your system and complete the installation.

Note – If you have more than one CD-ROM drive, the path might be `/cdrom/cdrom#`, where `cdrom#` is the CD-ROM drive into which you inserted the Solaris 8 Software 2 of 2 CD, or the Solaris 8 Languages CD.

Installation Progress Bar May Be Inaccurate (1266156)

The Installing Solaris Software - Progress bar sometimes indicates that an installation is complete when it is still in progress. The installation program might add packages for several minutes after the progress bar has indicated that the installation is complete.

Do not rely on the progress bar to indicate that the installation is complete. The installation displays the following message when the program has completed all installation operations.

```
Installation complete
```

Warnings May Occur When a File System Is Created (4189127)

One of the following warning messages might be displayed when a file system is created during installation.

```
Warning: inode blocks/cyl group (87) >= data blocks (63)
in last cylinder group. This implies 1008 sector(s) cannot be allocated.
```

Or

```
Warning: 1 sector(s) in last cylinder unallocated
```

The warning occurs when the size of the file system that is being created does not map exactly to the space on the disk that is being used. This discrepancy can result in unused space on the disk that is not incorporated into the indicated file system. This unused space is not available for use by other file systems.

Workaround: Ignore the warning message.

Custom JumpStart Does Not Prompt for the Solaris 8 Software 2 of 2 CD (4304912)

After you install the Solaris 8 Software 1 of 2 CD, a custom JumpStart installation does not prompt you to install the Solaris 8 Software 2 of 2 CD.

Workaround: Choose one of the following workarounds.

- If you are installing only the End User software group, you do not need to install the Solaris 8 Software 2 of 2 CD because the End User software and its basic locale support are on the Solaris 8 Software 1 of 2 CD.
- If you are installing the Entire Distribution plus OEM, Entire Distribution, or Developer software, and are using a custom JumpStart installation from a server, use a network install server that contains the Solaris 8 1 of 2, 2 of 2, and Languages CDs. See “Creating a Profile Server” in *Solaris 8 Advanced Installation Guide*.
- If you are installing the Entire Distribution plus OEM, Entire Distribution, or Developer software and are using a custom JumpStart installation from a diskette, follow these steps to install the Solaris 8 Software 2 of 2 and Languages CDs:
 1. After the custom JumpStart completes the installation of the Solaris 8 Software 1 of 2 CD, reboot the system.
 2. Log in to the system.
 3. Insert the Solaris 8 Software 2 of 2 CD.
 4. Execute the `installer` script and follow the instructions on the screen to install the remaining software.
 5. Insert the Solaris 8 Languages CD.
 6. Execute the `installer` script and follow the instructions on the screen to install any languages.

Installation Bugs That Occur During an Upgrade

Live Upgrade Might Not Determine Boot Device (4525464)

If you boot from a Solstice DiskSuite™ or a Solaris™ Volume Manager mirrored root, or a Veritas encapsulated root, the `lucreate` command might be unable to determine the boot device. The following error message is displayed.

```
WARNING: Unable to determine root device by accessing boot device settings directly.
ERROR: Unable to determine root device for current BE.
ERROR: Unable to determine the physical boot device for the current BE <...>.
Use the <-C> command line option to specify the physical boot device for the current BE
<...>
```

If you use `lucreate -C` to specify the physical boot device the command fails.

Workaround: Manually edit `/usr/sbin/lucreate` to enable Live Upgrade to determine the boot device from a Solstice DiskSuite or a Solaris Volume Manager mirrored root, or a Veritas encapsulated root. Follow these steps.

1. Make a backup copy of `/usr/sbin/lucreate`.
2. Open `/usr/sbin/lucreate` in a text editor.
3. Locate the following line in `/usr/sbin/lucreate`.

```
elif [ "${dpbe_pbeBootDev}" -eq "-" ] ; then
```

4. Change the previous line to the following.

```
elif [ "${dpbe_pbeBootDev}" = '-' ] ; then
```

5. Locate the following line in `/usr/sbin/lucreate`.

```
if [ "${OPTARG}" -ne "-" ] ; then
```

6. Change the previous line to the following.

```
if [ "${OPTARG}" != '-' ] ; then
```

7. Save the changes to `/usr/sbin/lucreate`.

The `lucreate` command can now determine the boot device and the `-C` option will function correctly.

You can remove the backup copy of `/usr/sbin/lucreate` when the upgrade completes.

Upgrade Fails if /export Is Near Capacity (4409601)

If the /export directory is near full capacity and you upgrade to the Solaris 8 2/04 operating environment, the space requirements for /export are miscalculated and the upgrade fails. The problem commonly occurs if a diskless client is installed, or if third-party software is installed in /export. The following message is displayed.

```
WARNING: Insufficient space for the upgrade.
```

Workaround: Before you upgrade, choose one of the following workarounds.

- Temporarily rename the /export directory until the upgrade completes.
- Temporarily comment out the /export line in the /etc/vfstab file until the upgrade completes.
- If /export is a separate file system, then unmount /export before you perform the upgrade.

Unable to Remove .save.SUNWcsr After Upgrading (4400054)

After upgrading from the Solaris 2.5.1 8/97 or 11/97 operating environment to the Solaris 8 operating environment, you might see the following error in /a/var/sadm/system/logs/upgrade_log.

```
rm: Unable to remove directory /a/var/sadm/pkg/.save.SUNWcsr: File exists
```

Workaround: To prevent the error, before you upgrade to the Solaris 8 operating environment, perform fsck on the root file system.

To resolve the error after you upgrade, perform fsck on the root file system.

Upgrading Diskless Client Servers and Clients (4363078)

If your system currently supports diskless clients that were installed with the AdminSuite 2.3 Diskless Client tool, you must first delete all existing diskless clients prior to installing the Solaris 8 2/04 operating environment. For specific instructions, see "How to Set Up Your Diskless Client Environment" in *Solaris 8 System Administration Supplement*.

If you attempt to install the Solaris 8 2/04 operating environment over existing diskless clients, the following error message appears.

The Solaris Version (Solaris 7) on slice <xxxxxxx> cannot be upgraded. There is an unknown problem with the software configuration installed on this disk.

Upgrading the JavaSpaces Datastore to Prevent Web-Based Enterprise Management (WBEM) Data Loss (4365035)

If you are upgrading from the Solaris 8 (Solaris WBEM Services 2.0), Solaris 8 6/00 (WBEM Services 2.1), Solaris 8 10/00 (WBEM Services 2.2), or Solaris 8 1/01 (WBEM Services 2.3) operating environments to the Solaris 8 2/04 operating environment (Solaris WBEM Services 2.4), you must convert any proprietary custom Managed Object Format (MOF) data to the new Reliable Log repository format that is used with Solaris WBEM Services 2.4. Failure to convert the data results in data loss.

Workaround: To convert WBEM data, before upgrading you must save the JavaSpaces™ software. After upgrading, you must run the `wbemconfig convert` command.

Before upgrading to the Solaris 8 2/04 operating environment, follow these steps to save the JavaSpaces software.

1. **Become superuser.**

2. **Save the JavaSpaces software.**

```
cp /usr/sadm/lib/wbem/outrigger.jar /usr/sadm/lib/wbem/outrigger.jar.tmp
```

3. **Check and record the version of the JDK™ software that is installed on your machine. For example:**

```
# /usr/bin/java -version
java version "1.2.1"
Solaris VM (build Solaris_JDK_1.2.1_04c, native threads, sunwjit)
```

You must be running the same version of the JDK software that was running when the original JavaSpaces datastore was created.

Note – After upgrading to the Solaris 8 2/04 operating environment, you must convert the WBEM data. For specific instructions, see “Upgrading the CIM Object Manager Repository” in *Solaris WBEM Services Administrator’s Guide*.

Relocated CDE From the Solaris 2.5.1 Operating Environment Orphaned by an Upgrade to the Solaris 8 Operating Environment (4260819)

This problem affects systems that run the Solaris 2.5.1 and the Solaris 2.5.1 unbundled CDE operating environments. However, these systems are only affected if the unbundled CDE has been relocated to a directory other than `/usr/dt`. The CDE relocation on these systems has been accomplished by creating a symbolic link in `/usr/dt` that points to the relocated CDE.

When you upgrade to the Solaris 8 operating environment, CDE is reinstalled in `/usr/dt`, and the link to the relocated version is removed. The relocated CDE is not removed and is therefore orphaned.

If the upgrade involves the reallocation of file systems, the upgrade might fail because the reallocation mechanism does not allow for the extra space that is needed in `/usr/dt` for the new version of CDE. This failure is not visible until the upgrade has been completed. If this failure occurs, the upgrade log includes several messages that indicate more space is needed for an upgrade.

Workaround: Uninstall the relocated CDE before you start upgrading to the Solaris 8 operating environment. You can uninstall by using the `install-cde` script from the Solaris 2.5.1 CDE CD. You should run this script with the `-uninstall` flag to remove CDE.

Upgrading the Solaris 7 Operating Environment With WBEM 1.0 to the Solaris 8 Operating Environment Causes WBEM 2.0 to Fail (4274920)

If you installed WBEM 1.0 from the Solaris Easy Access Server (SEAS) 3.0 CD on a system that runs the Solaris 7 operating environment, you must remove the WBEM 1.0 packages before upgrading to the Solaris 8 operating environment. The Solaris WBEM Services 2.0 do not start after you upgrade the Solaris 7 operating environment with WBEM 1.0 to the Solaris 8 operating environment. The Common Information Model (CIM) Object Manager fails to start. The following error message is displayed.

```
File not found: /opt/sadm/lib/wbem/cimom.jar
```

Workaround: Use the `pkgrm` command to remove the WBEM 1.0 packages before upgrading to the Solaris 8 operating environment.

1. Use the `pkginfo` command to check if the WBEM 1.0 packages are installed by typing the following.:

```
% pkginfo | grep WBEM
```

2. Become superuser.

3. Use the `pkgrm` command to remove all WBEM 1.0 packages by typing the following.

```
# pkgrm SUNWwbapi
# pkgrm SUNWwbcor
# pkgrm SUNWwbdev
# pkgrm SUNWwbdoc
# pkgrm SUNWwbn
```

SUNWeeudt Partially Fails to Install During an Upgrade (4304305)

The upgrade log might state that the `SUNWeeudt` package was only partially installed.

```
Doing pkgadd of SUNWeeudt to /.
ERROR: attribute verification of
</a/usr/dt/appconfig/types/ru_RU.KOI8-R/datatypes.dt>
failed pathname does not exist ...
```

```
Installation of <SUNWeeudt> partially failed.
pkgadd return code = 2
```

Workaround: Perform the following steps after the upgrade has been completed.

1. To remove the `SUNWeeudt` package, type the following.

```
# pkgrm SUNWeeudt
```

2. To add the `SUNWeeudt` package, type the following.

```
# pkgadd SUNWeeudt
```

64-bit Packages Are Unnecessarily Installed During Upgrade From Solaris 2.6 or Solaris 7 Operating Environment (4323398)

When you upgrade to the Solaris 8 2/04 operating environment from the Solaris 2.6 or Solaris 7 operating environment and do not select 64-bit support as an upgrade option, the following 64-bit packages are unnecessarily installed:

- `SUNWceoux`
- `SUNWeeoux`
- `SUNWneoux`
- `SUNWseoux`
- `SUNWweoux`

Workaround: After you complete the upgrade, remove these 64-bit packages by using the `pkgrm` command:

```
# pkgrm SUNWceoux SUNWeeoux SUNWneoux SUNWseoux SUNWweoux
```

64–Bit Solaris Issues

Sun UltraSPARC System (sun4u) May Need Boot Flash PROM Update

Note – If your system is already running 64-bit ready firmware, then the flash PROM update is not required.

If you want to run the 64-bit Solaris operating environment on an UltraSPARC™ system, you might need to update its flash PROM firmware. The Solaris 8 installation programs have an option for adding 64-bit support. This 64-bit support is selected by default when you install on Sun UltraSPARC systems. A 64-bit system only boots in the 64-bit mode by default if it has a CPU speed of 200 MHz or greater.

Note – If you choose to run the 32-bit Solaris operating environment on any Sun™ or UltraSPARC system, the flash PROM update is not needed.

The following table lists the UltraSPARC (sun4u) systems that are affected and the minimum firmware versions that are needed. *System type* is the equivalent of the output of the `uname -i` command. You can tell which firmware version you are running by using the `prtconf -v` command.

TABLE 1–2 Minimum Firmware Versions Required to Run 64–Bit Solaris Operating Environment on UltraSPARC Systems

System Type From <code>uname -i</code>	Minimum Firmware Version From <code>prtconf -v</code>
SUNW,Ultra-1-Engine	3.10.0
SUNW,Ultra-1	3.11.1
SUNW,Ultra-2	3.11.2
SUNW,Ultra-4	3.7.107
SUNW,Ultra-Enterprise	3.2.16

Note – If a system is not listed in the previous table, it does not need a flash PROM update.

For instructions on performing the flash PROM update by using the Solaris CD, refer to the *Solaris 8 on Sun Hardware Collection*. If you do not have this manual, you can obtain it at <http://docs.sun.com>.

System Administration Bugs

awk and nawk Field Limitation Might Cause Installation of Additional Software to Fail (4533901)

The 200 field limitation of the `awk` and `nawk` utilities might cause installations of additional software to fail. This problem occurs under the following circumstances.

- You install Veritas Volume Manager (VxVm) on a system running the Solaris 8 2/02 operating environment and Sun Enterprise™ Alternate Pathing
- You install Sun StorEdge™ Component Manager software on a system running the Solaris 8 2/02 operating environment

A message similar to the following text displays.

```
Installing VxVM for Solaris 8
awk: record 'Patch: 108528-13 Obs...' has too many fields
record number 12

      Alternate Pathing (AP) version 2.3.1 has been detected.

      This version of VxVM requires the following patch(es)
      to co-existwith AP 2.3.1:

          110722

      Install the above patch(es) before you continue the VxVM
      installation. This installation will now be aborted.

pkgadd: ERROR: request script did not complete successfully

Installation of <VRTSvxvm> failed.
No changes were made to the system.
```

Workaround: Contact your support channels to obtain the Solaris patch that increases the awk and nawk field limitation.

Localization Bugs That Occur During Installation

Solaris Web Start Installation Kiosk Menu Not Localized for European Locales (4510925)

If you use the Solaris 8 2/02 Installation CD to install in a European locale, the Kiosk menu that appears at the end of the installation process displays in the C locale.

Error Messages May Occur During European Upgrade (4230247, 4225787)

After upgrading from the Solaris 7 3/99, 5/99, 8/99, or 11/99 operating environment to the Solaris 8 2/04 operating environment, the following errors might appear in the upgrade logs.

```
Doing pkgadd of SUNWplow to /.
pkgadd: ERROR: unable to create package object
</a/usr/openwin/share/locale/de.ISO8859-15>.
    file type <s> expected <d> actual
    unable to remove existing directory at
</a/usr/openwin/share/locale/de.ISO8859-15>
....
Installation of <SUNWplow> partially failed.
pkgadd return code = 2

Doing pkgadd of SUNWpldte to /.
WARNING: /a/usr/dt/appconfig/types/de.ISO8859-15
may not overwrite a populated directory.
.....
pkgadd: ERROR: /a/usr/dt/appconfig/types/de.ISO8859-15
could not be installed.
.....
Installation of <SUNWpldte> partially failed.
pkgadd return code = 2
```

This warning occurs because the patch switches the affected directories in the upgrade logs from symbolic links to directories. The upgrade process then attempts to install an updated version of the package that does not include the change. These errors do not affect the operating environment on your system.

Workaround: Ignore these error messages.

Solaris Runtime Issues

This chapter describes known runtime problems.

Note – The name of this product is Solaris 8 2/04 , but code and path or package path names might use Solaris 2.8 or SunOS 5.8. Always follow the code or path as it is written.

Power Management Bugs

Power Management Resume Crashes After USB Devices Are Hot-Plugged (4507408)

If you hot-plug a USB device and then suspend your system, the system might crash during the resume phase.

Workaround: If a USB device has been hot-plugged, reboot the system before you perform a power management suspend.

USB Issues

Audio Applications Might Stop Working After a USB Audio Device Is Hot-Unplugged (4424286)

If you hot-unplug a USB audio device the links to `/dev/audio` are broken. As a result, some audio applications might not recognize audio devices, including on-board audio. Rebooting the system or hot-plugging the USB audio device has no effect.

Workaround: Perform the following steps after a USB audio device is hot-unplugged.

1. Become superuser.
2. Correct the broken links by typing the following on a command line.

```
# rm /dev/audio*
# /usr/sbin/devfsadm -c audio
```

For more information see `devfsadm(1M)`.

USB Speakers Might Not Produce Sound

Third-party USB speakers might not produce sound after the USB driver is attached. Increasing the speaker volume or hot-plugging the device might not have any effect.

Workaround: Power cycle the USB speakers.

Smart Card Bugs

System Does Not Respond to Smart Card (4415094)

If `ocfserv` terminates and the display is locked, the system remains locked even when a smart card is inserted or removed.

Workaround: Perform the following steps to unlock your system.

1. Use `rlogin` to connect to the system on which the `ocfserv` process terminated.

2. Kill the `dtsession` process by typing the following in a terminal window.

```
% kill dtsession
```

The `ocfserv` process restarts and smart card login and functionality will be restored.

Edit Config File Menu Item in Smart Cards Management Console Does Not Work (4447632)

The Edit Config File menu item in the Smart Cards Management Console does not edit smart card configuration files that are located in `/etc/smartcard/opencard.properties`. If the menu item is selected, a warning is displayed that indicates not to continue unless requested by technical support.

Workaround: Do not use the Edit Config File menu item in the Smart Cards Management Console. For information on smart card configuration, see *Solaris Smart Cards Administration Guide*.

Common Desktop Environment (CDE) Issues

Compiling Motif Programs on the Solaris 8 Operating Environment

A problem occurs when you compile a Motif program in the Solaris 8 operating environment under the following circumstances. When you link to a shared library that has been compiled in the Solaris 2.4, 2.5, 2.5.1 or 2.6 operating environments, the older library also uses the Motif Application Programming Interface (API).

The Motif program uses Motif version 2.1 and the old shared library uses Motif version 1.2. A core dump occurs. This is not a binary compatibility problem for applications that were compiled in the Solaris 2.4, 2.5, 2.5.1, 2.6 operating environments, which should run correctly in the Solaris 8 operating environment.

Workaround: If an older shared library links directly to the Motif library, and if you are compiling a program in the Solaris 8 operating environment that links to both Motif and that older shared library, use a line such as the following to compile:

```
cc foo.c -o program -DMOTIF12_HEADERS -I/usr/openwin/include \  
-I/usr/dt/include -lXm12 -lXt -lX11
```

In this line, *program* is the name of the program you are compiling.

Common Desktop Environment Bugs

OpenWindows File Manager Fails to Mount Diskette (4329368)

The OpenWindows™ File Manager fails to display a File Manager view that lists the contents of a floppy disk in certain circumstances. The problem occurs when you insert a floppy disk into the drive on a system that also has a SCSI removable media device. When you select Check for Floppy from the File menu in File Manager, File Manager mounts the floppy disk in the `/floppy` directory, but fails to display a File Manager view that lists the floppy disk contents.

Workaround: Choose one of the following workarounds.

- To view the contents of a floppy disk, follow these steps:
 1. Click on the `/` folder in the File Manager Iconic Path.
 2. Double-click on the `floppy` folder in the `/` display window.
 3. Double-click on the `floppy0` folder in the `/floppy` display window.
- To format a floppy disk, follow these steps:
 1. Unmount the floppy disk..

```
% volrmount -e floppy0
```

In this command, *floppy0* is the floppy disk's folder in the `/floppy` directory.
 2. Format the floppy disk.

```
% fdformat floppy0
```
- To create a new file system on a floppy disk, follow these steps:

Note – If you have already unmounted the floppy disk, go to step 2 of this workaround.

1. Unmount the floppy disk.

```
% volrmount -e floppy0
```

In this command, *floppy0* is the floppy disk's folder in the `/floppy` directory.
2. Create the appropriate file system on the floppy disk.
 - To create a new UFS file system on the floppy disk, use the `newfs` command:

```
% newfs /vol/dev/aliases/floppy0
```

- To create a PCFS file system on the floppy disk, use the `mkfs` command:

```
% mkfs -F pcfs /vol/dev/aliases/floppy0
```

3. Mount the floppy disk.

```
% volrmmount -i floppy0
```

- To eject the floppy disk, use the `eject` command.

```
% eject floppy0
```

To prevent this problem, apply patch 109463-01.

PDASync Cannot Delete Last Entry From the Desktop (4260435)

After you delete the last item from the desktop, the item is restored from the handheld device to the desktop when you synchronize your handheld device. Examples of items that you might delete and have restored are the last appointment in your Calendar or the last address in the Address Manager.

Workaround: Manually delete the last entry from the handheld device prior to synchronization.

PDASync Does Not Support Data Exchange With the Multibyte Internationalized PDA Device (4263814)

If you exchange multibyte data between a PDA device and Solaris CDE, the data might be corrupted in both environments.

Workaround: Back up your data on your personal computer with the PDA backup utility before you run the PDASync application. If you accidentally exchange multibyte data and corrupt that data, restore your data from the backup.

System Administration Bugs

Remote Display of Solaris Management Console Hangs (4488117)

When you remotely display the Solaris Management Console on the Solaris 8 7/01, or 2/04 operating environment, opening a dialog box in the console causes the console, including the open dialog box, to hang.

Workaround: Use the Solaris Management Console on your local system to connect to, and manage, a system running the Solaris 8 7/01, or 2/04 operating environment. Follow these steps.

1. Close the hung console window.
2. Start the Solaris Management Console on your local system.
3. Select Open Toolbox from the console menu.
4. Click the Server Toolbox tab and select, or enter, the name of the remote system you want to manage.
5. Click the Open button.

You can now use the console to manage the remote system.

Web-Based Enterprise Management (WBEM) HTTP Service Does Not Automatically Start (4486999)

The WBEM HTTP service in the Solaris 8 operating environment does not automatically start. If you want to use HTTP to connect to WBEM, you must manually start the WBEM HTTP service.

Workaround: To manually start the WBEM HTTP service, follow these steps.

1. Become superuser.
2. Stop the WBEM server if it is running.

```
# /etc/init.d/init.wbem stop
```
3. Set your classpath to include the following .jar files.

```
# CLASSPATH=/usr/sadm/lib/wbem/cimapi.jar:/usr/sadm/lib/xml.jar:\
/usr/sadm/lib/wbem/cimom.jar
# export CLASSPATH
```
4. Start the HTTP service.

```
# java com.sun.wbem.client.HttpService &  
5. Start the Common Information Model (CIM) Object Manager service.  
# /usr/sadm/lib/wbem/wbemconfig &
```

WBEM Event Delivery Fails When Lowercase Is Used (4441369)

If a Solaris provider generates indications and the class name is set to lowercase, the event delivery fails.

Workaround: Use uppercase characters to define indication class names.

Incorrect Error Message When Using flarcreate -e and -E (4404811)

If you run the `flarcreate` command with both the `-e` and `-E` options an error is encountered. The following message is displayed.

```
ERROR: Options -D and -f are mutually exclusive
```

The message should read as follows.

```
ERROR: Options -E and -e are mutually exclusive
```

Workaround: Ignore the error message. Do not use the `-e` and `-E` options together.

Obsolete Files Still Present in Help System (4339515)

After selecting Help -> Information from the Front Panel, a list of obsolete files is returned. The correct file is `S8FCSreleasenotes`.

CIM_ERR_LOW_ON_MEMORY Error Occurs When Trying to Add Data With WBEM (4312409)

The following error message is displayed when memory is low:

```
CIM_ERR_LOW_ON_MEMORY  
You cannot add more entries when the CIM Object Manager has run low on memory.  
You must reset the CIM Object Manager Repository.
```

Workaround: To reset the CIM Object Manager Repository, follow these steps.

1. Become superuser.
2. Stop the CIM Object Manager.

```
# /etc/init.d/init.wbem stop
```
3. Remove the JavaSpaces log directory.

```
# /bin/rm -rf /var/sadm/wbem/logr
```
4. Restart the CIM Object Manager.

```
# /etc/init.d/init.wbem start
```

Note – You lose any proprietary definitions in your datastore. You must recompile the MOF files that contain those definitions by using the `mofcomp` command. For example:

```
# /usr/sadm/bin/mofcomp -u root -p root_password your_mof_file
```

Java Runtime Bugs

`libjvm.so` Does Not Function Correctly When Using `dlopen` (4270715)

`libjvm.so` does not function correctly if it is brought into the process using `dlopen`. It must be linked into the executable when that object is created.

Workaround: Explicitly name `libjvm.so` (`-ljvm`) and `libjava.so` (`-ljava`) as dependencies when you create an executable.

AnswerBook2 Bugs

The ab2admin Command Intermittently Indicates command failed Even Though the Command Succeeded (4242577)

If the ab2admin command fails, the error message contains additional information besides `command failed`. For example, it might also include `path not found` or `invalid ID`.

Workaround: If the message `command failed` is displayed, ensure that the operation failed. For example, if the command you submitted should have deleted a collection from the AnswerBook2™ database, type the following command to verify that the collection is displayed in the database.

```
# ab2admin -o list
```

You can frequently ignore the message `command failed` when no additional information is provided.

ab2cd Script Displays an Erroneous Error Message (4256516)

During the startup of an AnswerBook2 server, the ab2cd script might display the following erroneous error message.

```
sort: can't read /tmp/ab1_sort.XXX: No such file or directory
```

This error message states that the ab2cd script has not located any of the AnswerBook (Display PostScript™) collections on the CD.

Workaround: Ignore the error message.

Localization Issues

Use Font Downloader to Print From Any Non-ISO8859-1 Locale

Perform the following steps to print from any non-ISO8859-1 locale by using the Font Downloader.

1. Log in to CDE.
2. Type `fd1` at the command line to start the Font Downloader.
3. Specify the printer by selecting Add from the Printer menu.
4. Select Font Bundle from the Download menu.

The font bundles are then downloaded to the specified printer, depending on what codeset is needed for printing.

Runtime Localization Bugs

The Euro Currency Symbol Is Not Adequately Supported in the UTF-8 and Greek Locales (4363812, 4305075)

The euro currency symbol is not generated when you press ALTGr+E in the UTF-8 locales.

Workaround: Choose one of the following workarounds.

- Perform the following steps to enter the euro currency symbol in the UTF-8 locales.
 1. Select Lookup in the UTF-8 Input Mode Selection window.
 2. Select Currency Symbols.
 3. Select the Euro symbol.
- Log in to any ISO8859-15 locale and use Alt+E to access the Euro.

Note – In the Greek locale type, `dumpcs` at the console prompt. Then copy and paste the euro currency symbol.

kkcv.sh Dumps Core In Japanese Locale (4394340)

kkcv is an input method server for Japanese 4.x Binary Compatibility (BCP) applications. When LDAP is used, kkcv dumps core repeatedly with the error message:

```
cssd: The process "kkcv.sh" has been killed by sig#134, core dumped
```

This problem occurs in all locales when 'ja' locale is installed by using the Languages CD.

Workaround: If you do not need to use the Japanese BCP feature, configure your system not to start input method servers for BCP applications:

1. Copy `/usr/lib/css.d/cs00.sh` to `/etc/css.d`.

```
# cp -p /usr/lib/css.d/cs00.sh /etc/css.d
```

2. Edit `/etc/css.conf` and comment out the line of `/usr/lib/css.d` with '#'.

```
# /etc/css.conf
```

3. Restart the CS monitor daemon.

```
# sh /etc/init.d/loc.ja.cssd stop
# sh /etc/init.d/loc.ja.cssd start
```

Warning Messages Might Appear When Launching Java Applications From Any UTF-8 Locale (4342801)

LucidaSansLat4 font aliases are not available, so related error messages might appear when you launch a Java application from any UTF-8 locale.

Workaround: Log in to the ISO-1 equivalent of the locale and launch the Java application from there.

Some Greek Characters Are Not Available in CDE (4179411)

Some dead-key combinations do not work correctly in CDE. Also, names of months do not function correctly in the Calendar Manager in the Greek locale.

Cannot Print Extended Characters in Calendar Manager in All Partial Locales (4285729)

If you attempt to print extended characters when you use Calendar Manager in a partial locale, the extended characters do not print correctly.

Cutting and Pasting Text Between Arabic and UTF-8 English Does Not Work (4287746)

You cannot cut or paste Arabic text between an application or window that is running under `en_US.UTF-8` in Arabic input mode and an application or window running under `ar_EY.ISO8859-6` in Arabic input mode.

The CDE Extras Drop-Down Menu Is Not Available for European Locales (4298547)

When you right-click in any CDE application for a European locale, the CDE Extras drop-down menu does not display any options.

CTL Is Not Supported in Japanese and Asian UTF-8 Locales (4300239)

Complex Text Language (CTL) support for entering Hebrew, Arabic, or Thai has been implemented in `en_US.UTF-8` and European UTF-8 locales, but is not supported in `ja_JP.UTF-8`, `ko.UTF-8`, also known as `ko_KR.UTF-8`, `zh.UTF-8`, which is also known as `zh_CN.UTF-8`, and `zh_TW.UTF-8` locales.

Workaround: Use the `en_US.UTF-8` locale if you need to enter Thai, Arabic, or Hebrew by using CTL. If you want to enter those languages in Asian and Japanese UTF-8 locales, do the following.

1. Create a symbolic link to common CTL modules. In the instance of `ja_JP.UTF-8`, use the following commands.:

```

# cd /usr/lib/locale/ja_JP.UTF-8
# mkdir LO_LTYPE ; cd LO_LTYPE
# ln -s ../../common/LO_LTYPE/umle.layout.so.1 \
ja_JP.UTF-8.layout.so.1
# mkdir sparcv9 ; cd sparcv9
# ln -s ../../common/LO_LTYPE/sparcv9/umle.layout.so.1 \
ja_JP.UTF-8.layout.so.1

```

2. Edit the `/usr/openwin/lib/locale/ja_JP.UTF-8/XLC_LOCALE` file by commenting out the `load_option delay_nocheck` line from Thai, Arabic, or Hebrew entries. For example, in the Thai language, use the following.

```

# fs14 class (Thai)
  fs14 {
    charset      TIS620.2533-0:GR
    font {
      # load_option delay_nocheck <--- comment out
      primary    TIS620.2533-0:GR
    }
  }

```

Cannot Add, Remove, or Modify Users in Solstice AdminTool in the Greek Locale (4302983)

The Add, Modify, and Remove User screens are blank in the Greek locale of the Solstice AdminTool software.

Workaround: In superuser mode, copy the following file.

```

# cp /usr/openwin/lib/locale/C/app-defaults/Admin \
/usr/openwin/lib/locale/el_GR.ISO8859-7/app-defaults/Admin

```

You can now add, remove, and modify user information in the Greek locale.

Font Downloader Add and Cancel Buttons Are Incorrectly Labeled in the Italian Locale (4303549)

When you are in the Italian locale and you are using the Font Downloader, both the Add and Cancel buttons in the Add Printer dialog box are incorrectly labeled. Both buttons are labeled A.

- The left button should be labeled *Aggiungi* (Add).
- The right button should be labeled *Annulla* (Cancel).

Missing Arabic Characters and Incompatibility Between the Sun Arabic Keyboard and the Microsoft Arabic Keyboard (4303879)

The following table describes the differences between the Sun Solaris Arabic keyboard and the Microsoft Arabic keyboard.

TABLE 2-1 Differences Between Sun and Microsoft Arabic Keyboards

Key	Sun Keyboard Layout	Microsoft Keyboard Layout
T	T	Arabic Lam_alef with Hamza below
U	U	Right single quotation mark
I	I	Arabic multiplication sign
O	O	Arabic division sign
A	;	Arabic Kasra
S	S	Arabic Kasratan
Z	Z	Tilde
X	X	Arabic Sukun
C	Arabic Kasratan	Left curly brace
V	Arabic Kasra	Right curly brace
M	Sukun	Single low quotation mark
<	<	Arabic comma

Sorting in the European UTF-8 Locales Does Not Function Correctly (4307314)

Sorting in the European UTF-8 locales produces unexpected results.

Workaround: Before you attempt to sort in a FIGGS UTF-8 locale, set the `LC_COLLATE` variable to the ISO-1 equivalent.

```
# echo $LC_COLLATE
> es_ES.UTF-8
# setenv LC_COLLATE es_ES.IS08859-1
Then start sorting.
```

Applications Not Fully Localized (4304495, 4306619)

The following applications are not fully localized. Some parts are not fully translated.

- Smart Card application (4304495)
- SEAM application messages (4306619)

Late-Breaking News

This chapter includes information on new features that arrived too late to be included in the Solaris 8 documentation set. For information on new features in the Solaris 8 2/04 operating environment, refer to the Solaris 8 2/04 Update AnswerBook Collection on <http://docs.sun.com>.

Update Feature Documentation

Some features in this Update release might not have documentation other than man pages. For additional reference, refer to the Solaris 9 operating environment documentation on <http://docs.sun.com>.

Prior to the release of the Solaris 9 operating environment, follow the links for documentation on the Solaris 9 operating environment Early Access Web site at <http://www.sun.com/solaris/programs/solaris9ea>.

When accessing Solaris 9 documentation during the beta period, you might be asked to accept a restricted usage license.

Diskless Client Support

The Solaris 8 2/04 operating environment includes diskless client support. Support in this release is limited to SPARC architecture diskless clients from either SPARC or Intel architecture (IA) servers.

PIM Kernel Support

The Solaris 8 operating environment includes kernel support for the PIM protocol that is described in RFC 2362. The Solaris 8 operating environment does not include the routing daemons. For users who are using the Solaris 8 operating environment to route their multicast network traffic, implementations of the PIM protocol Sparse mode and Dense mode are at <http://netweb.usc.edu/pim>.

Configuring Runtime Search Paths

You can now modify the runtime linker's search paths with the `-z nodefaultlib` option to the `ld` command and with runtime configuration files that are created by the new utility `crle(1)`.

End-of-Software Support Statements

This chapter lists end-of-support statements.

Current Release

This section describes end-of-software support statements that apply to the Solaris 8 2/04 operating environment.

HotJava Browser

The HotJava™ browser is no longer supported.

Solaris Java Development Kit: JNI 1.0 Interface

The 1.0 version of the Java Native Interface (JNI 1.0) is no longer supported by the Solaris Java Development Kit version 1.2 (JDK™ 1.2).

Support in the Solaris Java Development Kit (JDK) for the 1.0 version of the Java Native Interface (JNI 1.0) has been removed. JNI 1.0 is also known as the Native Method Interface (NMI).

Solstice AdminSuite 2.3/AutoClient 2.1

Solstice AdminSuite™ 2.3 software is no longer supported. Any attempt to run Solstice AdminSuite 2.3 to configure a Solstice AutoClient or diskless client results in a failure for which no patch is available or planned. Solaris 8 2/04 includes new commands for diskless client management. See `smosservice(1M)` and `smdiskless(1M)` for more information.

F3 Font Technology

F3 fonts and the TypeScaler rasterizer, the Sun proprietary scalable font technology, is no longer supported. Sun continues to support the industry standard font formats, Type1 and TrueType.

XGL

XGL is no longer supported.

Derived Type `paddr_t`

The `paddr_t` data type in `sys/types.h` is not supported in the 64-bit compilation environment. This data type is currently only available in the 32-bit compilation environment.

Changes to Application Programming Interfaces (APIs) for User Accounting Data

Two sets of application programming interfaces (API) enable user accounting data to be accessed by applications. The preferred set of programming interfaces for accessing and manipulating user accounting information is described on the `getutxent(3C)` man page. These interfaces are more capable and more portable than the older `getutent(3C)` routines.

Older applications can access the underlying accounting files directly. The files `/var/adm/utmp` and `/var/adm/wtmp` and the corresponding symbolic links `/etc/utmp` and `/etc/wtmp` are no longer supported. The format of the data that is contained in these files constrains the future evolution of the Solaris operating environment. Applications that use these files should be updated to use the documented and supported APIs.

Applications that are already using the `getutent(3C)` family of routines might be unaffected on small system configurations. However, in future releases these interfaces might return errors when you use them on very large system configurations. For this reason, use the `getutxent(3C)` routines for old code and new code instead of the `getutent(3C)` APIs.

`sysidnis(1M)` System Identification Program

`sysidnis(1M)` is no longer supported. `sysidnis(1M)` is the System Identification program responsible for configuring name services during installation and upgrade, and after unconfiguration that uses `sys-unconfig(1M)`.

`sysidnis(1M)` has been replaced by `sysidns(1M)`.

Sun4c-Based Systems

The following Sun4c—based architecture systems and servers that are based on these systems are no longer supported.

- SPARCstation™ SLC
- SPARCstation ELC
- SPARCstation IPC
- SPARCstation IPX
- SPARCstation 1
- SPARCstation 1+
- SPARCstation 2

Note – All hardware options (such as SCSI devices) and supported configurations that are dependent on the Sun4c-based architecture are no longer supported.

SPARCstation Voyager

SPARCstation Voyager™ systems are no longer supported.

SPARC Xterminal 1

SPARC Xterminal 1™ systems are no longer supported.

Future Releases

This section describes end-of-software support statements that apply to future releases of the Solaris operating environment.

Perl Version 5.005_03

The default version of Perl might be changed to a version that is not binary compatible with the current default (5.005_03) in a future release of the Solaris operating environment. Customer-installed modules need to be rebuilt and reinstalled against the new version. Modify any scripts that require the use of version 5.005_03 to explicitly use the 5.005_03 version of the interpreter (`/usr/perl5/5.005_03/bin/perl`) instead of the default version (`/bin/perl` or `/usr/perl5/bin/perl`).

Early Access (EA) Directory

The name of the EA directory might be changed in a future minor release of the Solaris operating environment media.

Emulex MD21 Disk Controller for ESDI Drives

The MD21 disk controller for ESDI drives might no longer be supported in a future release.

`enable_mixed_bcp` Tunable

The `enable_mixed_bcp` tunable might no longer be supported in a future release. In the Solaris 8 operating environment the `/etc/system` variable `enable_mixed_bcp` can be set to 0 to disable dynamic linking of partially statically linked SunOS 4.0 and compatible executables. The system uses dynamic linking for these executables by default. In a future release, dynamic linking may always be used for these executables, and the `enable_mixed_bcp` tunable may be removed from the system. This change would not affect binary compatibility for SunOS 4.0 and compatible executables in any way.

SUNWebnfs

The SUNWebnfs package might no longer be included on future releases of Solaris operating environment media.

The library and documentation are available for download from <http://www.sun.com/webnfs>.

aspppd(1M) Utility

The `aspppd(1M)` utility might no longer be supported in a future release. Use the `pppd(1M)` utility with Solaris PPP 4.0 that is included in the Solaris 8 operating environment.

JDK 1.2.2 and JRE 1.2.2

Version 1.2.2 of the JDK and version 1.2.2 of the JRE might no longer be supported in a future release. Near-equivalent functionality is supported by Java 2 Standard Edition, version 1.3 and compatible versions. All current and previous versions of the JDK and JRE are available for download from <http://java.sun.com>.

JDK 1.1.8 and JRE 1.1.8

Version 1.1.8 of the JDK and version 1.1.8 of the JRE may no longer be supported in a future release. Near-equivalent functionality is supported by Java 2 Standard Edition, version 1.3 and compatible versions. All current and previous versions of the JDK and JRE are available for download from <http://java.sun.com>.

GMT Zoneinfo Timezones

The `/usr/share/lib/zoneinfo/GMT[+-]*` time zones might no longer be supported in a future release. These files might be removed from `/usr/share/lib/zoneinfo`. Replace usage of the zoneinfo timezones with the equivalent `Etc/GMT[+-]*` file. See `zoneinfo(4)` and `environ(5)` for more information.

s5fs File System

The `s5fs` file system might no longer be supported in a future release. The `s5fs` file system supports the installation of Interactive UNIX applications. Support for the installation of Interactive UNIX applications is no longer required in the Solaris operating environment.

sendmail Utility Features

Some features of the `sendmail` utility might no longer be supported in a future release. The affected features are modifications that are specific to Sun and are nonstandard. These features include special syntax and semantics for V1/Sun configuration files, the remote mode feature, and the three `sun-reverse-alias` features.

More information about these features and migration issues is located at <http://www.sendmail.org/vendor/sun/solaris9.html>.

AnswerBook2 Server

The AnswerBook2 server may no longer be supported in a future release. Solaris documentation will continue to be available on the Solaris Documentation CD in online formats. All Solaris documentation is also available at <http://docs.sun.com>.

AdminTool

AdminTool (`admintool`), including `swmtool`, might no longer be supported in a future release. These tools performs user management, printer management, software package management, serial port management, group management, and host management.

The print management function is currently available in the Solaris 8 operating environment (see `/usr/sadm/admin/bin/printmgr`).

Solstice Enterprise Agents

Solstice Enterprise Agents might no longer be supported in a future release.

XIL

XIL might no longer be supported in a future release. An application that uses XIL causes the following warning message to be displayed.

```
WARNING:  XIL OBSOLESCENCE
This application uses the Solaris XIL interface
which has been declared obsolete and may not be
present in versions of Solaris beyond Solaris 8.
Please notify your application supplier.
The message can be suppressed by setting the environment variable
"_XIL_SUPPRESS_OBSOLETE_MSG."
```


Lightweight Directory Access Protocol (LDAP) Client Library

LDAP client library, `libldap.so.3`, might no longer be included in a future release. The new version of this library, `libldap.so.4`, is compliant with the `draft-ietf-ldapext-ldap-c-api-04.txt` revision of the `ldap-c-api` draft from the Internet Engineering Task Force (IETF).

SUNWrdm

The `SUNWrdm` package, which formerly contained release notes and which was installed in `/usr/share/release_info`, might not be included on the Solaris Software CD in a future release.

For release notes, refer to the Release Notes on the Solaris Documentation CD, the printed Installation Release Notes, or the Release Notes on <http://docs.sun.com>.

crash(1M) Utility

The `crash(1M)` utility might no longer be supported in a future release. The `crash` command is a utility that examines system crash dump files, which is a capability that is superseded by the new `mdb(1)` utility. The `crash` command's interface has been structured around implementation details, such as slots, that have no relation to the Solaris operating system implementation.

"Transition From `crash`" in *Solaris Modular Debugger Guide* provides information for users who are making the transition from using `crash` to using `mdb`.

Kerberos Version 4 Client

The Kerberos version 4 client might be removed from a future release. This client includes the Kerberos version 4 support in the `kinit(1)`, `kdestroy(1)`, `klist(1)`, `ksrvtgt(1)`, `mount_nfs(1M)`, `share(1M)`, and `kerbd(1M)` commands. Support is also in the `kerberos(3KRB)` library, and in the ONC RPC programming API `kerberos_rpc(3KRB)`.

adb(1) Map Modifiers and Watchpoint Syntax

The `adb(1)` utility might be implemented as a link to the new `mdb(1)` utility in a future version of the Solaris 8 operating environment.

The `mdb(1)` man page describes the features of the new debugger, including its `adb(1)` compatibility mode. Even in this compatibility mode, differences between `adb(1)` and `mdb(1)` exist. These differences include the following.

- The text output format of some subcommands is different in `mdb(1)`. Macro files are formatted by using the same rules, but scripts that depend on the output of other subcommands might need to be modified.
- The watchpoint length specifier syntax in `mdb(1)` is different from the syntax that is described in `adb(1)`. The `adb(1)` watchpoint commands `:w`, `:a`, and `:p` enable an integer length (in bytes) to be inserted between the colon and the command character. In `mdb(1)`, the count should be specified following the initial address as a repeat count.

The `adb(1)` command `123:456w` is specified in `mdb(1)` as `123,456:w`.

- The `/m`, `/*m`, `?m`, and `?*m` format specifiers are not recognized or supported by `mdb(1)`.

OpenWindows Toolkits for Developers

OpenWindows XView™ and OLIT toolkits might no longer be supported in a future release. Therefore, consider migration to the Motif toolkit. To disable the warning message, use `#define OWTOOLKIT_WARNING_DISABLED` or `-D`.

OpenWindows Environment For Users

The OpenWindows environment might no longer be supported in a future release. Therefore, consider migration to the Common Desktop Environment (CDE).

Federated Naming Service (FNS)/XFN Libraries and Commands

The Federated Naming Service that is based on the X/Open XFN standard might no longer be supported in a future release.

Crash Dump Options for Solaris `ipcs(1)` Command

The capability of applying `ipcs(1)` command to system crash dumps by using the `-C` and `-N` command-line options might no longer be supported in a future release. Equivalent capability is now provided by the `mdb(1) ::ipcs` debugger command.

Deprecate `sendmail -AutoRebuildAliases` Option

The `-AutoRebuildAliases` option for the `sendmail(1M)` man page is deprecated and might no longer be supported in a future release.

`sun4d`-Based Servers

The following `sun4d`-based architecture servers might no longer be supported in a future release.

- SPARCserver™ 1000
- SPARCcenter™ 2000

Hardware options that are dependent on the `sun4d`-based architecture might no longer be supported in a future release.

Documentation Issues

This chapter describes known documentation problems.

The following documentation issues have been added to this chapter since this document was published on the Solaris 8 2/04 Documentation CD and in the Installation Kiosk on the Solaris 8 2/04 Installation CD.

- “Document Affected: “Backing Up a UFS Snapshot” in *Solaris 8 System Administration Supplement*” on page 61

Note – The name of this product is Solaris 8 2/04 , but code and path or package path names might use Solaris 2.8 or SunOS 5.8. Always follow the code or path as it is written.

Documentation Errata

Document Affected: “Backing Up a UFS Snapshot” in *Solaris 8 System Administration Supplement*

In the “Backing Up a UFS Snapshot” example, the following mount command is incorrect.

```
# mount -F UFS -o ro /dev/fssnap/1 /backups/home.bkup
```

The following is the correct mount command.

```
# mount -F ufs -o ro /dev/fssnap/1 /backups/home.bkup
```

Document Affected: “OCF Client Properties Overview” in *Solaris Smart Cards Administration Guide*

The following text from the “Valid and Default Card Types for Client Applications” section is incorrect and should be ignored:

For example, suppose you specify iButton, Cyberflex, and CardA as the validcards properties for Application B. Then you specify Cyberflex as the defaultcard property. If Application B accepts only its default card and the user tries to log in to Application B with CardA, then the system displays the message:

```
Waiting for Default Card
```

Login to Application B is blocked until the user inserts a Cyberflex card into the reader.

Document Affected: “Setting Up a Smart Card (Tasks)” in *Solaris Smart Cards Administration Guide*

The “Example--Creating User Information on a Smart Card (Command Line)” section has a property that is named `username`. The property name is incorrect. The property should read `user`.

Document Affected: “OCF Client Properties Overview” in *Solaris Smart Cards Administration Guide* and “Additional Client Configuration Tasks” in *Solaris Smart Cards Administration Guide*

The following note is missing from the “OCF Client Properties Overview” and “Additional Client Configuration Tasks” section.

Note – Do not set the Re-authentication timeout to zero.

Document Affected: “Setting Up a Smart Card (Overview)” in *Solaris Smart Cards Administration Guide*

The following note is missing from the “Setting Up a Smart Card (Overview)” chapter.

Note – Payflex cards do not support multiple profiles. Do not use Payflex cards in cases where a user needs to login to the desktop and one or more secure applications.

Document Affected: Localized New Features List (4389948)

The localized New Features List is not contained in the Installation Kiosk.

Workaround: For a localized list, see “What’s New at a Glance” in *Solaris 8 Desktop User Supplement*, *Solaris 8 System Administration Supplement*, *Solaris 8 Software Developer Supplement*, or *Solaris 8 Installation Supplement*.

Document Affected: *CDE User’s Guide* in AnswerBook2 (4356456)

Some graphics in the *CDE Users’s Guide* in the AnswerBook2 software are unreadable in the Spanish, Italian, and German locales.

Workaround: Refer to the *CDE User’s Guide* on <http://docs.sun.com> for readable graphics.

Documents Affected: AnswerBook2 Help Collection

The AnswerBook2 software has been upgraded to Version 1.4.3, but the documentation still refers to Version 1.4.2. Except for the number issue, the documentation is correct.

Document Affected: “IPv6 Header Format” in *System Administration Guide, Volume 3*

The 4-bit Priority field description reflects RFC 1883, which has been obsoleted by RFC 2460 (Solaris 8 implements RFC 2460). Consequently, the Priority field has been replaced by an 8-bit Traffic Class field. The IPv6 Header Format figure should identify the Traffic Class field instead of the Priority field. The Priority bulleted item on this page should also be replaced by the following Traffic Class description:

Traffic Class - 8 bit traffic class field.

This new value also reduces the number of bits that are allocated to the “Flow Label” field to 20 bits.

Document Affected: “Priority Values” in *System Administration Guide, Volume 3*

The 4-bit Priority field description reflects RFC 1883, which has been obsoleted by RFC 2460 (Solaris 8 implements RFC 2460). Consequently, the Priority field has been replaced by the 8-bit Traffic Class field. The Priority section should be replaced by the following Traffic Classes section.

Traffic Classes

Originating nodes and forwarding routers can use the 8-bit Traffic Class field in the IPv6 header to identify and distinguish between different classes or priorities of IPv6 packets.

The following general requirements apply to the Traffic Class field.

- The service interface to the IPv6 service within a node must provide a means for an upper-layer protocol to supply the value of the Traffic Class bits in packets that were originated by that upper-layer protocol. The default value must be zero for all 8 bits.
- Nodes that support a specific use of some or all of the Traffic Class bits can change the value of those bits in packets that they originate, forward, or receive, as required for that specific use. Nodes should ignore and leave unchanged any bits of the Traffic Class field for which they do not support a specific use.

Document Affected: “Implementing IPsec” in *System Administration Guide, Volume 3*

Step 10c in this procedure incorrectly omits the addition of the *up* parameter that is required in the line that is added to the `/etc/hostname.ip.tun0` file. Consequently, you must add the *up* parameter at the end of the line entry in this step.

Document Affected: “NFS Parameters for the nfs Module” in *System Administration Guide, Volume 3* (4299091)

Several corrections apply to this section.

- For the `nfs_32_time_ok` symbol, do the following.

- Change the symbol name to `nfs_allow_preepoch_time`.
- Change the description to, “This symbol controls whether the NFS client or server allows file timestamps that precede 1970.”
- No change to the default description.
- Delete the `nfs_acl_cache` symbol entry.
- Add an `nfs_disable_rmdir_cache` symbol entry.
 - Description: Some servers do not properly update the attributes of the directory when changes are made. To allow interoperability with these broken servers, set this variable to disable the `readdir` cache.
 - Default: Set to `off(0)`.
- For the `nfs_lookup_neg_cache` and `nfs3_lookup_neg_cache` symbols, do the following.
 - Change the default to 1. Ignore the comment about the directory name caching.
- For the `nrnode` symbol, do the following.
 - Change the default description to *set to ncsize*. By setting the variable to 1, you are effectively disabling the cache, not because an explicit check reveals whether or not the variable 1 but because you are creating a very small cache.
- For the `nfs_write_error_interval` symbol, do the following.
 - Change the description to, “This symbol controls how often NFS ENOSPC and EDQUOT write error messages are logged. The symbols units are in seconds.”
 - No change to the default description.

Document Affected: “NFS Parameters for the nfs Module” in *System Administration Guide, Volume 3* (4299091)

Delete the `nfsreadmap` symbol entry.

Document Affected: “NFS Parameters for rpcsec Parameters” in *System Administration Guide, Volume 3* (4299091)

For the `authdes_cachesz` symbol, do the following.

- Change the default description to, “Defaults to 1024”.
- Delete the `authkerb_cachesz` symbol entry.
- Delete the `authkerb_win` symbol entry.

Patch List

The patches listed in this appendix have been applied to the Solaris 8 2/04 operating environment in one of the following ways:

- SolStart

These patches are located in the `/var/sadm/patch` directory on an installed system.

- Freshbits technology

These patches were applied when the Solaris 8 2/04 operating environment was created. Therefore, these patches are not located in the `/var/sadm/patch` directory.

The `showrev -p` command provides a list of all patches applied to the installed system regardless of how they were applied. The Solaris 8 2/04 operating environment includes a known and tested level of patches; however, patches cannot be backed out of the Solaris 8 2/04 operating environment.

Note – The Solaris 8 2/04 operating environment contains special patches which perform tasks specific to the Solaris update release installation images. These patches are specific to each Solaris operating environment update release and do not apply to other systems or releases of the Solaris operating environment.

Do not attempt to download or install these patches on other systems or installations of the Solaris operating environment.

Patch List

■ 108434-13 – 32-Bit Shared library patch for C++

4199587 4205763 4271402 4285270 4318566 4338406 4347621 4351467 4353299 4358182 4368974
4375346 4380359 4381048 4383064 4384942 4386796 4388216 4391089 4398422 4409167 4413674
4418755 4423447 4432338 4448928 4462258 4466915 4467478 4485163 4486320 4493832 4496576
4496848 4518910 4520126 4522461 4528281 4531069 4589227 4614582 4618537 4619221 4619891
4624113 4627871 4641533 4660290 4668167 4679619 4680478 4686364 4709155 4710815 4302954
4698028 4699194 4704604 4708982 4745600 4747931 4749398 4749628 4750936 4756106 4794587
4797953 4806782 4820555 4851358 4825898 4828443 4853946 4856138 4861853

■ 108435-13 – 64-Bit Shared library patch for C++

4199587 4205763 4271402 4285270 4318566 4338406 4347621 4351467 4353299 4358182 4368974
4375346 4380359 4381048 4383064 4384942 4386796 4388216 4391089 4398422 4409167 4413674
4418755 4423447 4432338 4448928 4462258 4466915 4467478 4485163 4486320 4493832 4496576
4496848 4518910 4520126 4522461 4528281 4531069 4589227 4614582 4618537 4619891 4624113
4627871 4641533 4660290 4668167 4679619 4680478 4686364 4709155 4710815 4302954 4698028
4699194 4704604 4708982 4745600 4747931 4749398 4749628 4750936 4756106 4794587 4797953
4806782 4820555 4851358 4825898 4828443 4853946 4856138 4861853

■ 108528-29 – SunOS 5.8: kernel update patch

1231256 1256102 1264230 4009465 4015840 4031220 4044653 4049222 4093980 4103817 4107735
4111373 4152876 4159348 4166371 4169716 4178572 4182712 4184090 4184705 4203482 4203748
4208211 4209200 4218277 4224111 4224166 4226443 4226932 4233718 4233832 4234426 4235823
4236043 4239154 4242051 4247106 4252698 4253619 4253713 4254594 4255980 4256799 4259051
4259848 4261064 4261322 4261567 4262685 4262842 4262930 4264390 4265649 4266124 4269556
4269582 4269845 4271378 4271726 4271733 4271738 4272737 4273250 4273536 4275177 4276021
4277890 4278652 4278679 4278842 4278935 4279959 4281502 4282158 4282162 4282212 4284196
4285881 4286659 4286866 4288248 4290073 4290269 4290532 4290575 4290918 4291034 4291601
4292697 4293528 4293692 4294231 4294240 4294881 4295047 4295776 4296081 4296124 4296265
4296334 4296614 4296770 4296960 4296961 4297125 4297126 4297294 4298256 4298472 4298789
4298790 4298792 4298794 4298974 4299010 4299056 4299191 4299427 4299504 4299644 4299838
4299951 4300040 4300179 4300202 4300429 4300788 4300836 4300951 4301047 4301117 4301683
4302637 4302749 4302919 4303126 4303142 4303422 4303474 4303649 4303787 4304033 4304051
4304696 4304991 4305039 4305131 4305317 4305365 4305392 4305709 4305817 4306004 4306362
4306367 4306401 4306793 4306802 4307062 4307080 4307475 4307672 4307679 4307683 4307697
4307747 4307771 4307827 4308026 4308068 4308242 4308245 4308370 4308402 4308422 4308666
4308728 4308807 4309011 4309183 4309330 4309719 4309750 4309761 4309784 4309802 4309804
4309818 4309879 4310136 4310189 4310353 4310608 4310864 4310956 4311081 4311126 4311134
4311755 4311938 4311970 4312075 4312109 4312278 4312396 4312461 4312641 4312838 4312876
4312937 4313189 4313235 4313304 4313734 4313746 4313747 4314121 4314132 4314201 4314488
4314558 4314616 4314656 4314662 4314936 4315098 4315100 4315101 4316564 4316672 4316683
4317007 4317174 4317221 4317476 4317634 4317657 4317667 4317728 4317841 4318351 4318358
4318360 4318365 4318695 4318728 4318747 4318795 4319122 4319440 4319441 4319681 4319715
4319717 4319724 4320047 4320297 4320338 4320394 4320440 4320471 4320547 4320653 4320818
4321042 4321059 4321259 4321293 4321326 4321534 4321803 4321810 4322424 4322734 4322741
4323534 4323647 4323830 4323981 4324051 4324244 4324250 4324351 4324390 4324430 4324900
4324992 4325075 4325225 4325336 4325366 4325617 4325626 4325641 4325682 4325722 4325730
4325934 4325959 4326076 4326110 4326143 4326195 4326197 4326198 4326851 4327038 4327135
4327330 4327674 4327795 4328067 4328075 4328225 4328374 4328423 4328669 4328671 4328843

4329112 4329677 4329695 4330007 4330014 4330027 4330074 4330086 4330206 4330301 4330383
4330429 4330774 4330882 4330959 4331384 4331496 4331744 4331858 4331884 4332219 4332425
4332484 4332521 4332542 4332740 4333033 4333036 4333138 4333639 4333868 4333882 4333891
4333978 4333995 4334198 4334346 4334348 4334446 4334462 4334465 4334505 4334709 4335003
4335109 4335251 4335285 4335568 4335591 4335760 4335802 4335834 4335837 4335935 4336156
4336182 4336274 4336303 4336323 4336443 4336478 4336717 4336779 4336906 4337039 4337275
4337295 4337300 4337310 4337522 4337543 4337605 4337637 4337674 4337951 4338007 4338009
4338028 4338033 4338035 4338040 4338139 4338148 4338189 4338258 4338275 4338530 4338702
4338704 4338708 4338724 4339009 4339049 4339179 4339235 4339354 4339375 4339732 4340118
4340131 4340183 4340385 4340455 4340527 4340614 4340646 4340910 4340924 4340960 4340967
4341008 4341185 4341337 4341378 4341664 4341714 4342151 4342756 4343039 4343115 4343189
4343237 4343285 4343391 4343425 4343443 4343480 4343762 4343991 4344008 4344042 4344513
4344914 4345163 4345667 4345825 4346088 4346167 4346190 4346261 4346319 4346494 4346495
4346666 4346837 4346875 4346976 4346998 4347223 4347240 4347358 4347359 4347965 4348040
4348738 4349102 4349272 4349393 4349603 4349747 4349757 4350263 4350354 4350574 4350726
4350849 4351116 4351181 4351869 4351877 4351971 4352049 4352174 4352284 4352438 4352522
4352611 4352770 4353353 4353432 4353449 4353719 4353836 4354331 4354397 4354498 4354564
4354755 4354802 4354869 4354995 4355025 4355205 4355206 4355538 4355903 4356439 4356587
4356615 4356641 4356821 4357092 4357097 4357216 4357217 4357245 4357371 4357552 4357646
4357714 4357897 4357919 4358080 4358151 4358170 4358192 4358385 4358414 4358416 4358736
4358831 4358837 4359287 4359294 4359440 4359501 4359524 4359797 4359812 4359983 4360818
4360843 4360867 4361074 4361175 4361705 4362122 4362141 4362327 4362522 4362948 4362950
4362966 4362970 4362979 4362980 4362983 4362985 4362986 4363051 4363225 4363646 4363678
4363751 4363846 4363907 4363985 4364006 4364048 4364129 4364167 4364314 4364556 4365022
4365247 4365330 4365336 4365374 4365604 4365733 4365739 4366422 4366444 4366798 4367126
4367538 4367556 4367584 4367617 4367625 4367773 4367903 4368026 4368057 4368109 4368576
4368758 4368921 4369058 4369175 4369240 4369300 4369543 4369993 4370121 4370123 4370146
4370148 4370240 4370374 4370475 4370505 4370572 4370674 4370718 4371112 4371183 4371549
4371615 4371697 4371769 4371774 4371775 4371777 4371778 4371826 4371970 4371993 4372173
4372341 4372356 4372359 4372457 4372567 4372629 4372725 4373012 4373183 4373222 4373322
4373331 4374117 4374157 4374333 4374518 4374566 4374731 4374774 4374859 4374912 4374973
4375011 4375059 4375172 4375247 4375285 4375416 4375461 4375699 4375728 4375772 4375863
4375901 4375920 4376089 4376094 4376101 4376503 4376886 4376956 4377012 4377215 4377598
4377629 4377827 4377831 4379054 4379314 4379810 4380103 4380262 4380301 4380319 4380682
4380688 4380916 4381076 4381517 4381564 4381708 4381743 4381821 4381900 4382190 4382336
4382379 4382488 4382663 4382693 4382913 4383099 4383218 4383260 4383806 4384009 4384012
4384212 4384220 4384391 4384394 4384445 4384521 4384675 4384731 4384776 4385132 4385229
4385694 4385718 4385799 4385912 4385972 4386042 4386047 4386088 4386092 4386436 4386445
4386544 4386595 4386685 4386762 4386857 4387010 4387034 4387223 4387227 4387474 4387783
4387820 4387852 4387923 4387925 4387926 4388263 4388913 4389036 4389250 4389866 4389946
4390212 4390248 4390721 4390777 4390987 4391048 4391655 4391799 4392071 4392082 4392586
4392663 4392804 4393407 4393594 4393806 4393883 4394023 4394295 4394372 4394823 4395481
4395736 4396092 4397335 4398255 4398298 4398373 4398885 4399968 4400130 4400262 4400356
4400359 4400361 4400743 4401168 4401262 4401747 4401837 4401865 4401980 4402359 4402387
4402431 4402452 4402894 4403052 4403129 4403503 4403696 4404021 4404281 4404295 4404426
4404488 4404992 4405240 4405395 4406476 4406484 4406571 4406572 4406576 4406578 4406963
4406965 4407010 4407492 4407818 4408028 4408326 4408504 4408832 4408953 4409005 4409089
4409265 4409372 4409825 4409888 4410128 4410299 4410397 4411079 4411148 4411361 4411847
4411982 4411983 4412606 4412945 4413136 4413198 4413203 4413207 4413285 4413411 4413562
4414117 4414175 4414411 4414434 4414500 4414580 4414594 4414620 4414743 4415297 4415454
4416101 4416245 4416565 4416636 4417083 4417257 4417289 4417371 4417599 4417600 4417653
4418109 4418145 4418312 4418314 4418396 4418691 4418718 4418721 4418792 4419168 4419540
4420075 4420680 4421115 4421127 4421142 4421299 4421352 4421869 4421992 4422016 4422232
4422498 4422504 4422982 4423315 4423572 4423730 4424175 4424205 4424286 4424890 4425092
4425189 4425322 4425523 4425717 4426772 4427055 4427063 4427593 4427954 4428145 4428317

4428375 4428382 4428554 4428696 4428907 4429023 4429538 4429673 4429882 4430068 4430085
4430216 4430242 4430274 4430416 4430719 4430831 4431402 4431409 4431508 4431763 4432071
4432138 4432295 4432412 4432540 4433029 4433415 4433520 4433558 4433640 4433768 4434030
4434131 4434338 4434612 4436289 4439142 4440248 4440330 4440528 4440543 4441058 4441543
4445279 4445809 4445905 4446108 4446122 4446467 4446725 4446858 4447056 4448673 4449060
4449141 4449360 4449640 4449844 4451023 4451088 4451116 4451120 4451140 4451354 4451503
4451553 4451678 4451730 4451879 4451880 4451883 4451967 4452433 4452600 4452756 4453074
4453614 4453697 4453988 4454152 4454327 4454654 4454748 4455010 4455088 4455475 4455850
4456307 4456645 4456658 4456934 4457611 4457722 4457852 4458013 4458210 4458271 4458436
4458516 4458518 4459534 4459820 4460322 4460375 4460876 4460882 4460897 4461093 4461149
4461330 4461525 4461872 4462132 4462509 4463166 4463711 4463830 4464192 4464336 4464444
4464593 4465347 4465376 4465852 4466085 4466418 4466463 4466741 4466910 4466948 4467132
4467264 4467793 4468133 4468171 4468181 4468402 4468440 4468441 4468450 4468559 4468717
4469049 4469372 4470110 4470185 4470329 4470641 4471325 4471639 4471739 4471862 4472272
4472682 4472882 4474532 4474994 4475208 4476246 4476531 4476732 4477262 4477282 4477317
4477346 4477836 4477894 4477967 4477991 4478087 4478097 4478323 4478393 4478661 4479002
4479004 4479006 4479235 4479830 4479846 4479856 4480169 4480376 4480459 4480752 4481583
4481993 4482012 4482435 4483007 4483685 4483884 4484338 4484446 4484613 4484810 4484819
4484980 4484997 4485424 4485861 4485871 4486130 4486265 4486434 4486906 4487110 4487325
4487376 4487669 4488194 4488588 4488613 4488780 4488861 4489046 4489520 4489639 4489708
4489916 4490112 4490164 4490540 4490838 4491362 4491410 4492125 4492510 4492771 4493095
4493561 4494069 4494153 4495259 4495444 4495989 4496189 4496354 4497102 4497163 4497218
4497296 4497425 4497520 4498111 4498385 4498831 4499652 4499744 4500054 4500454 4500536
4500828 4500963 4501030 4501102 4501325 4501464 4502800 4502851 4503736 4504237 4504341
4504608 4504686 4505131 4505265 4506324 4506375 4506612 4506939 4507281 4507408 4507961
4507971 4508537 4508574 4508664 4508788 4508927 4509339 4509342 4510040 4510422 4510426
4510506 4510628 4510780 4510804 4511312 4511315 4511527 4511822 4512855 4513511 4513877
4514435 4514933 4514969 4515008 4515117 4515309 4515719 4517655 4518973 4519064 4519271
4519273 4519276 4519289 4519713 4520368 4520669 4520798 4520900 4520998 4521066 4521465
4521521 4521525 4522416 4522884 4522901 4522939 4523157 4523992 4524005 4525149 4525457
4525588 4526027 4526052 4527496 4528269 4528927 4529110 4529715 4532555 4532787 4535062
4545704 4545767 4548943 4554741 4587389 4587859 4599256 4599397 4607341 4613881 4614574
4614646 4614854 4615194 4615271 4615297 4615405 4616363 4617247 4617490 4618950 4619238
4619267 4619870 4620735 4621278 4621280 4621729 4622143 4625162 4625392 4626999 4627156
4627314 4627620 4629569 4630089 4630579 4630608 4630833 4630839 4631216 4632643 4633655
4633750 4634031 4634082 4634907 4635048 4635484 4636186 4637031 4637187 4638234 4638346
4639269 4639827 4640297 4640542 4640559 4641546 4641562 4642161 4642754 4643255 4644822
4646161 4646188 4647983 4649104 4649851 4651323 4652917 4652995 4653044 4653919 4655634
4656736 4656795 4657510 4658527 4660073 4661192 4661403 4661424 4661738 4662085 4662795
4662866 4663287 4664249 4664740 4665200 4666799 4669486 4672974 4673299 4673645 4674788
4675868 4676535 4676707 4677620 4678396 4680447 4682197 4682258 4683307 4684649 4685978
4686943 4687199 4687260 4687362 4687850 4691127 4691577 4691670 4692023 4692542 4694382
4694445 4694532 4695771 4695786 4696700 4697555 4698325 4699850 4701854 4703343 4703422
4703981 4705227 4707113 4708822 4709147 4709659 4710160 4711217 4711576 4713110 4713409
4714688 4714771 4715000 4715506 4715664 4716320 4716885 4718366 4718370 4718737 4719669
4720277 4721042 4721209 4721396 4722799 4722897 4725286 4726041 4726045 4726053 4726056
4726567 4727825 4728147 4729034 4729275 4729683 4729990 4731122 4731167 4731286 4732328
4733504 4733632 4734122 4734180 4735093 4736802 4737372 4737409 4737656 4738143 4738280
4740300 4740422 4740766 4740769 4742219 4744680 4744747 4744825 4745039 4745393 4745795
4746113 4746543 4747018 4747691 4747703 4748411 4748510 4748617 4748843 4749268 4749542
4749934 4750429 4753969 4756923 4756968 4757216 4757217 4757311 4757409 4757685 4757718
4759439 4760403 4760434 4760836 4761490 4761972 4762184 4763047 4763284 4764078 4764184
4764198 4764210 4764351 4765183 4766103 4767009 4768631 4769133 4769224 4769411 4770236
4771216 4772038 4772117 4772813 4772938 4773186 4773620 4775190 4776141 4776340 4776603
4780607 4780968 4781213 4782814 4784039 4784529 4784977 4785268 4785300 4785498 4785538

4787183 4788470 4789750 4789964 4791004 4791375 4791734 4791797 4792494 4792953 4793178
4793485 4793905 4796100 4796798 4797477 4797520 4797833 4798122 4799057 4799482 4800205
4800519 4800643 4801542 4801624 4803265 4804524 4804998 4805159 4805889 4806125 4806176
4806727 4808080 4808860 4808976 4809071 4809516 4809677 4809862 4810029 4812284 4812495
4813672 4816791 4818004 4820332 4820647 4820668 4820881 4821560 4822207 4823616 4823794
4823964 4824054 4824684 4824763 4827687 4828270 4828441 4828570 4828704 4828785 4828994
4829007 4829827 4830094 4830207 4832104 4832896 4832963 4833032 4833626 4834066 4834149
4834344 4834383 4835422 4835953 4836074 4836134 4836606 4836611 4837250 4838367 4838627
4839059 4840813 4841551 4841712 4841716 4842738 4844296 4845500 4847136 4847174 4847372
4847429 4847746 4849297 4849433 4850672 4852595 4854121 4854496 4854840 4855160 4856452
4858443 4859105 4860142 4860534 4861488 4861807 4863187 4864707 4865101 4865592 4865678
4866849 4868185 4869166 4869242 4869362 4869396 4874549 4875818 4876234 4880360 4880598
4881576 4881577 4883138 4886961 4889600 4889606 4895681 4898564 4901725 4910649 4921227
4922555 4927078 4942715

■ 108569-08 – X11 6.4.1: platform support for new hardware

4335033 4346835 4376310 4376485 4414947 4427178 4731970 4726510

■ 108576-45 – SunOS 5.8: Expert3D IFB Graphics Patch

4275102 4281768 4281786 4287694 4288477 4288903 4292508 4294341 4294348 4297823 4299666
4299963 4303922 4304337 4304542 4306459 4306528 4307008 4307648 4308321 4309471 4310445
4311205 4312416 4312755 4312920 4314581 4316968 4318209 4319009 4320218 4325797 4327729
4329466 4330211 4330221 4331089 4332169 4334722 4336101 4338179 4338885 4339551 4339999
4342292 4342520 4343337 4343794 4345131 4345441 4345824 4346269 4349383 4350874 4351258
4353265 4354581 4359327 4361200 4362248 4362609 4366380 4367838 4368895 4370226 4371825
4373831 4374490 4374934 4375322 4377730 4379613 4380904 4381091 4381752 4381790 4382690
4383456 4384560 4386795 4393312 4399009 4404698 4412550 4412574 4416323 4419902 4420598
4426717 4426775 4429698 4431025 4440066 4441764 4449235 4450207 4450379 4452885 4458947
4459530 4459952 4465049 4468389 4470030 4471316 4472924 4474216 4476845 4478662 4478986
4479572 4480218 4481517 4481854 4483731 4486597 4488800 4493315 4494062 4494513 4494968
4497748 4499349 4500381 4501768 4501895 4502154 4503401 4504538 4504578 4506630 4507956
4511541 4511922 4512536 4512870 4514157 4515693 4523654 4526614 4527602 4528486 4532844
4607107 4616286 4625116 4625535 4631513 4635964 4645735 4649811 4650501 4652111 4652804
4654897 4670235 4659006 4671006 4663042 4624812 4663732 4664981 4651919 4697564 4703423
4668373 4655393 4675933 4698167 4691212 4617170 4720843 4731406 4733511 4773758 4744109
4789305 4773187 4799602 4819025 4811078 4796686 4800990 4821124 4770590 4829271 4835610
4834943 4841559 4842523 4834826 4849515 4807363 4855275 4838855 4859777 4860483 4855696
4891694 4878341 4514222 4892346 4890601 4904242 4904716

■ 108604-34 – SunOS 5.8: Elite3D AFB Graphics Patch

4234045 4294963 4300089 4303885 4308725 4314165 4317186 4318450 4318781 4326599 4300698
4331783 4332163 4337138 4345380 4346269 4301100 4383203 4398494 4403310 4358552 4390300
4391869 4422952 4433198 4445453 4445769 4454559 4455292 4472330 4464991 4489232 4489335
4494704 4493563 4507956 4519346 4392071 4620605 4643786 4699627 4700550 4702026 4651358
4747203 4750896 4685879 4790842 4825115 4888713

■ 108605-35 – SunOS 5.8: Creator 8 FFB Graphics Patch

4234045 4294963 4303885 4308725 4314165 4317186 4318781 4326599 4300698 4331783 4327149
4335445 4343038 4343163 4343439 4343491 4346269 4383203 4398494 4403310 4334848 4358552
4391869 4415264 4422952 4404365 4433197 4445451 4445768 4455292 4438455 4472330 4489232
4489335 4494704 4464548 4493563 4507956 4519346 4392071 4620605 4649465 4663332 4643786
4699627 4700550 4702026 4651358 4747203 4750896 4766485 4685879 4790842 4779687 4798233

■ 108606-33 – SunOS 5.8: M64 Graphics Patch

4346365 4346366 4323033 4330240 4339896 4344317 4339609 4348035 4348038 4355633 4357093
4346269 4353922 4337456 4344114 4359222 4382556 4388408 4359199 4412237 4417526 4426011
4423176 4426121 4426749 4431083 4444228 4286595 4463182 4456668 4472746 4476572 4476723
4477592 4468374 4481649 4492263 4514116 4402405 4521187 4530475 4616475 4632595 4531901
4668719 4672129 4682681 4452851 4633941 4684877 4692693 4737335 4749353 4769331 4735033
4809395 4810073 4823882 4692955 4788379 4850359 4910937

■ **108609-01 – SunOS 5.8: Buttons/Dials Patch**

4299526

■ **108623-03 – SunOS 5.8: Thai Wordbreak Iterator module**

4389752 4616111

■ **108652-74 – X11 6.4.1: Xsun patch**

4281374 4292395 4286682 4300866 1221324 4308554 4306350 4312517 4287741 4297581 4297830
4299495 4306774 4308640 4308661 4308670 4311088 4312780 4312893 4305597 4310813 4293861
4311804 4318777 4311685 4317727 4314304 4310120 4299667 4310536 4330738 4332966 4107762
4323892 4333070 4185418 4336308 4314423 4346749 4332982 4312537 4323164 4338851 4356114
4355797 4356265 4345609 4380139 4379301 4201153 4364219 4383751 4373395 4296832 4363016
4366826 4351398 4351928 4357191 4384470 4386513 4379921 4266226 4303123 4315367 4332582
4344578 4345315 4362714 4384349 4401442 4388540 4322639 4351432 4425100 4389859 4415638
4356377 4421358 4423990 4430205 4422000 4408780 4420281 4428762 4068021 4102547 4423292
4434695 4459544 4434893 4396244 4453642 4194112 4421610 4450179 4478311 4483090 4477841
4474581 4479234 4476990 4368044 4477807 4494869 4482021 4343071 4320990 4496504 4482616
4509969 4509983 4506567 4510977 4441374 4499671 4502887 4520014 4520338 4524149 4546095
4305157 4497193 4623586 4625611 4627956 4629621 4520766 4524611 4480444 4644966 4646705
4649617 4661987 4642632 4693407 4692623 4675725 4531892 4355782 4533330 4644622 4546804
4663998 4707141 4710958 4710402 4677235 4703884 4638864 4729267 4675755 4523365 4502667
4760672 4726752 4762797 4740417 4342128 4334254 4780894 4742744 4787692 4809081 4784311
4758226 4809776 4818111 4716007 4422011 4491526 4607396 4831697 4805863 4833086 4785372
4787416 4838222 4847054 4880222 4248632 4846090 4680913 4855596 4843234 4781056 4889164

■ **108693-06 – Solstice DiskSuite 4.2.1: Product patch**

4245611 4298103 4286503 4308079 4289828 4285224 4259974 4330572 4319412 4292555 4317655
4317508 4298595 4323134 4380223 4429893 4361013 4435615 4452985 4459656 4467367 4469980
4471653 4477775

■ **108711-04 – Solaris 8: Missing Catalan Locale Support**

4305956 4328876 4337258

■ **108712-01 – CDE 1.4; Cannot print extended characters from dtcm in Partial locales**

4306687

■ **108714-08 – CDE 1.4: libDtWidget patch**

4289349 4321189 4360030 4521757 4776648

■ **108723-01 – SunOS 5.8: /kernel/fs/lofs and /kernel/fs/sparcv9/lofs patch**

4126922

■ **108725-14 – SunOS 5.8: st driver patch**

4027074 4180382 4258164 4258222 4270641 4271247 4273477 4303253 4305944 4313732 4319238
4335834 4336105 4347576 4347741 4351714 4358054 4358442 4360365 4387086 4397319 4412239
4415539 4423303 4425268 4458591 4469348 4485415 4495684 4505124 4509125 4509126 4509162
4546605 4624524 4651679 4672504 4722426 4728530 4734019 4734033 4756712 4761337 4774943
4799891 4804362 4806385 4809961 4819888 4819983 4821401 4854282 4861895 4866891

■ **108727-25 – SunOS 5.8: /kernel/fs/nfs and /kernel/fs/sparcv9/nfs patch**

4044295 4193748 4249187 4276984 4293528 4331346 4338770 4349744 4356040 4356440 4392477
4400897 4400900 4407669 4409175 4414389 4415297 4417407 4427971 4465488 4486764 4492255
4495032 4517840 4658316 4664740 4680195 4725574 4768760 4774462

■ **108734-02 – Polish UTF-8 Support Solaris 8**

4325497 4328876

■ **108735-03 – u.RU.KO18-R : Cannot cut and paste cyrrilic between dtapps**

4307614 4325497 4328876 4359095

■ **108773-18 – SunOS 5.8: IIIM and X Input & Output Method patch**

4803378 4805181 4805730 4828583 4823672 4515546 4686165 4698956 4643078 4664772 4617691
4650804 4471922 4629783 4617694 4604634 4645171 4295735 4476220 4468502 4476069 4471949
4471415 4470769 4470772 4446862 4391411 4387998 4432049 4412147 4413122 4409148 4390729
4391701 4379997 4366559 4363883 4306958 4305501 4304989 4301739 4307230 4307224 4295996
4325454 4313845 4342196 4332958 4339874 4518137 4507697 4510544 4497548 4517493 4524098
4529127 4519405 4593130 4726723 4721656 4721661 4776987 4772485 4777933

■ **108781-02 – SunOS 5.8: Get UDCTool to work for zh_TW**

4307173 4494067

■ **108806-17 – SunOS 5.8: Sun Quad FastEthernet qfe driver**

4807151 4790953 4772916 4760845 4681502 4738051 4727494 4704689 4717401 4719739 4451757
4367043 4411205 4664588 4655451 4292608 4645631 4517740 4502653 4434934 4486431 4493834
4499428 4467799 4469987 4369563 4473952 4437412 4348511 4424879 4392541 4412971 4411462
4401250 4400713 4372906 4382499 4321069 4321602 4306341 4301636 4794828 4838454 4779492
4792488 4876420

■ **108808-44 – SunOS 5.8: Manual Page updates for Solaris 8**

4860430 4939712 4956940 4956942 4956944 4956945 4956946 4833763 4515702 4766814 4616256
4663088 4519621 4521200 4525583 4427589 4510561 4514879 4515960 4516975 4517064 4518072
4519161 4519205 4459743 4509841 4511500 4393989 4483022 4485770 4505134 4376884 4414943
4420384 4420390 4420392 4420395 4427164 4450325 4450583 4459065 4483641 4485999 4486915
4487369 4487420 4487878 4493899 4494194 4494440 4495664 4496138 4496289 4496750 4496768
4496780 4497671 4497679 4499663 4492365 4466685 4184038 4310529 4453863 4462547 4462612
4474863 4476423 4478730 4479549 4482281 4482432 4483454 4178731 4263118 4385775 4385778
4407565 4476388 4308247 4371626 4449586 4469860 4471251 4150953 4290880 4297474 4326141
4372181 4373349 4421784 4428099 4432896 4452067 4452078 4452088 4459127 4463657 4468909
4402048 4416162 4424541 4460110 4461219 4456136 4357397 4449584 4450465 4405204 4434152
4427574 4377183 4380002 4397100 4406751 4417820 4419194 4427238 4312747 4389539 4414537
4401236 4409584 4414442 4401520 4406485 4373372 4396019 4396026 4400590 4195476 4310895
4311279 4311281 4311373 4311374 4312130 4314114 4314390 4317975 4323321 4323394 4325356
4338576 4345255 4345863 4347481 4351085 4352046 4353279 4356775 4358328 4359608 4360350
4360561 4365567 4365858 4367587 4369053 4370464 4372215 4372924 4375651 4375910 4375911
4375914 4376137 4377107 4377109 4377110 4379281 4379596 4379982 4381797 4381815 4383769
4383792 4384483 4384874 4385712 4385721 4385727 4385769 4386452 4386980 4388637 4388648

4388763 4394740 4398147 4398148 4398152 4398196 4398301 4331001

■ **108813-16 – SunOS 5.8: Sun Gigabit Ethernet 3.0**

4285590 4286596 4295731 4309515 4311852 4327077 4333896 4335247 4336578 4343651 4347663
4348511 4355771 4368504 4381305 4382499 4415127 4434934 4454143 4457937 4480717 4491399
4520535 4521459 4527681 4650055 4656013 4660429 4671573 4707744 4718277 4759414 4771770
4779489 4782136 4792353 4819970 4843595 4844596 4848485 4852341 4937693 4901165 4926374
4919572 4920721

■ **108820-02 – SunOS 5.8: nss_compat.so.1 patch**

4152876 4156580 4302441 4353836

■ **108823-01 – SunOS 5.8: compress/uncompress/zcat patch**

4295877

■ **108835-04 – CDE 1.4: dtcm patch**

4285729 4320553 4641721 4687131

■ **108869-22 – SunOS 5.8: snmpdx/mibiisa/libssasmp/snmpplib patch**

4299328 4301970 4309416 4330039 4333417 4359519 4361619 4368330 4377219 4382247 4390382
4391717 4392164 4395096 4402954 4404944 4412996 4414237 4449305 4451002 4451572 4452076
4469841 4489974 4493259 4513567 4515555 4563124 4625817 4633918 4639285 4639509 4639515
4639581 4640211 4640230 4643121 4691177 4706022 4787450 4870467

■ **108897-01 – X11 6.4.1 Xprint patch**

4305734

■ **108899-04 – SunOS 5.8: /usr/bin/ftp patch**

4294697 4500116 4621760 4658282

■ **108909-13 – CDE 1.4: Smart Card Administration GUI patch**

4301377 4301411 4310298 4330268 4350318 4353115 4292889 4328443 4343393 4358106 4359950
4358885 4288789 4300862 4304481 4364860 4428095 4428113 4488832 4748746

■ **108914-02 – SunOS 5.8: localisation updates for different components**

4331185

■ **108919-20 – CDE 1.4: dtlogin patch**

4072784 4293300 4293551 4299160 4302209 4317622 4328385 4346072 4379999 4421008 4423832
4427612 4449245 4452626 4452627 4457724 4479194 4504537 4511885 4519969 4648724 4667119
4668854 4750889 1261536 4768118 4687193 4840141

■ **108921-17 – CDE 1.4: dtwm patch**

4306589 4311842 4301522 4299651 4300013 4261430 4311753 4330496 4335592 4335971 4332153
4293551 4383544 4389935 4392829 4395985 4430931 4468742 4527435 4396864 4743546 4853367
4868035

■ **108923-01 – CDE 1.4: dtwm patch**

4261430 4310640 4311753

■ **108925-10 – Solaris 8: New Messages for new I18N projects(Sync with UR5 B6)**

4331886 4351024

- **108933-01 – Hex broken in Swedish dtcalc, Mistranslation in Spanish dtmail**

4308864 4304021

- **108940-57 – Motif 1.2.7 and 2.1.1: Runtime library patch for Solaris 8**

4299216 4294643 4320106 4318757 4322319 4299139 4312519 4322466 4327272 4327592 4336559
4327637 4322728 4342603 4343099 4350517 4334155 4367450 4362266 4350828 4400646 4383575
4393364 4406624 4386891 4412362 4340913 4317815 4414939 4424753 4449086 4441305 4449359
4437563 4454476 4451291 4459936 4461493 4472710 4463753 4479585 4471575 4497373 4496686
4404627 4506742 4516832 4517340 4506157 4530263 4497193 4522359 4480444 4633480 4512887
4521757 4663311 4664492 4411356 4679034 4698898 4615922 4475248 4661767 4699202 4713878
4712265 4748494 4757112 4752134 4743372 4717502 4756028 4750419 4768768 4781868 4782437
4484882 4782506 4833753 4839891 4818695 4816308 4887144 4891948 4892062

- **108949-07 – CDE 1.4: libDtHelp/libDtSvc patch**

4298416 4307660 4345282 1191725 4389935 4402567 4527363

- **108954-02 – SunOS 5.8: localisation updates for different components**
- **108956-01 – SunOS 5.8: htt_server dumps core on SCH's cm.so in utf-8 locales**

4314242

- **108962-01 – SunOS 5.8: XmlReader fails on an HTTP stream**

4314140

- **108964-06 – SunOS 5.8: /usr/sbin/snoop patch**

1110881 4218869 4247106 4297326 4297676 4304083 4313760 4315280 4317713 4321696 4321713
4321720 4321721 4321723 4321725 4321726 4322042 4322055 4322058 4322060 4322064 4322200
4322670 4328476 4419454

- **108968-08 – SunOS 5.8: vol/vold/rmmount/dev_pcmem.so.1 patch**

1206000 4108297 4145529 4205437 4211612 4254816 4255049 4280870 4285374 4286446 4292408
4292563 4296452 4298451 4298465 4298563 4298567 4303430 4304283 4304289 4305067 4306425
4307495 4307500 4307620 4307634 4312778 4313091 4314778 4355643 4365412 4392241 4637250
4705226

- **108970-01 – SunOS 5.8: /usr/lib/fs/pcfs/fsck and /usr/lib/fs/pcfs/mkfs patch**

4145536 4210625 4250242 4256652

- **108972-04 – SunOS 5.8: /sbin/fdisk patch**

4221693 4304790 4347145

- **108974-33 – SunOS 5.8: dada, uata, dad, sd, ssd and scsi drivers patch**

4102203 4231195 4231208 4237299 4262676 4263164 4271068 4271069 4275749 4279959 4284198
4285368 4285546 4291601 4295457 4297348 4302559 4303604 4304790 4305131 4305767 4313216
4313235 4318239 4325397 4325722 4325730 4328843 4328971 4329580 4329996 4335919 4337637
4337798 4343075 4343747 4346167 4347117 4348075 4349893 4352908 4353025 4353074 4354337
4356701 4357397 4361271 4361307 4362287 4364927 4365456 4367306 4367910 4375899 4382037
4382044 4384992 4387723 4388213 4393407 4397494 4402632 4402772 4405706 4407802 4409417
4417686 4419089 4419120 4432931 4470156 4471243 4472239 4474300 4474380 4477250 4480681
4500536 4511840 4512347 4516415 4530942 4615223 4625067 4628764 4636627 4643720 4655315

4656322 4656416 4673801 4739785 4741633 4765756 4770566 4776340 4788885 4793775 4812565
4818293 4820811 4831997 4848845

■ **108975-08 – SunOS 5.8: /usr/bin/rmformat and /usr/sbin/format patch**

4035460 4146130 4242879 4292212 4304790 4308431 4311553 4322206 4328893 4362287 4397736
4475614 4484419 4776340 4781880 4808195

■ **108977-02 – SunOS 5.8: libsmmedia patch**

4292214 4308431 4311553 4362287 4776340

■ **108981-12 – SunOS 5.8: /kernel/drv/hme and /kernel/drv/sparcv9/hme patch**

4151557 4167319 4247473 4305997 4327121 4327720 4363049 4364929 4369451 4370044 4372616
4372906 4382499 4398871 4587859 4613391 4725575 4789487

■ **108982-09 – SunOS 5.8: fctl/fp/fcp/usoc driver patch**

4270724 4278408 4291069 4294605 4295939 4298666 4298671 4298676 4298680 4298689 4298693
4298699 4299785 4300516 4300943 4300953 4302739 4303724 4303736 4304902 4305775 4306340
4306737 4319582 4320820 4323071 4324847 4325628 4326575 4326893 4329579 4331095 4331778
4334397 4336589 4336669 4336671 4342072 4342080 4342091 4342847 4343652 4343660 4344776
4344777 4353138 4353873 4353887 4353895 4353900 4353906 4355988 4357644 4363620 4364099
4368105 4368384 4372083 4372479 4372763 4373469 4373730 4377565 4377643 4383009 4410561

■ **108983-08 – SunOS 5.8: fcip patch**

4304890 4319582 4320876 4337691 4340152 4342080 4342091 4342847 4355959 4355971 4358603
4368384 4369500 4373906

■ **108984-08 – SunOS 5.8: qlc patch**

4264323 4278254 4300470 4300943 4300953 4302087 4304897 4319582 4324126 4324180 4324192
4324478 4326893 4327991 4328447 4330730 4334838 4335949 4336664 4336665 4336667 4337688
4344845 4353138 4353797 4353806 4353815 4353831 4353855 4355029 4357943 4360096 4360591
4360623 4363212 4364558 4366910 4367402 4368073 4369500 4375320 4377554 4377565 4380799
4394478

■ **108985-03 – SunOS 5.8: /usr/sbin/in.rshd patch**

4158689 4305888 4324375 4335632

■ **108987-13 – SunOS 5.8: Patch for patchadd and patchrm**

4115232 4278860 4292990 4299710 4303509 4304640 4311375 4319950 4330590 4348927 4350280
4351626 4356028 4379881 4384137 4388023 4399797 4414772 4419254 4421583 4458302 4470489
4471413 4480489 4495039 4495315 4499918 4500354 4521534 4527779 4559059 4620578 4623249
4678605 4706994 4723617 4725419 4728892 4731056 4732342 4737767 4744964 4750803 4759158
4767392

■ **108989-02 – SunOS 5.8: /usr/kernel/sys/acctctl and /usr/kernel/sys/exaccts patch**

4305365 4312278 4313746 4313747 4314201

■ **108993-31 – SunOS 5.8: LDAP2 client, libc, libthread and libnsl libraries patch**

1141585 1167742 1209758 1226166 1239168 1257084 1258570 1264523 4091466 4098801 4099654
4112707 4152876 4156580 4160415 4193683 4196528 4221365 4225913 4236427 4244731 4250887
4253630 4271957 4283726 4284795 4285623 4288299 4291278 4291844 4292524 4292683 4298024
4299191 4300228 4302592 4303962 4304367 4305365 4305389 4305859 4307551 4307676 4308622
4309140 4310353 4310379 4311360 4311948 4312278 4312667 4313135 4313746 4313747 4314201

4314913 4314993 4318178 4320661 4320901 4324788 4324815 4325063 4327396 4328476 4331401
4332046 4332595 4332614 4334488 4335956 4336332 4336933 4341150 4341272 4341290 4343006
4343787 4344726 4350332 4351510 4353601 4353836 4354007 4355205 4355206 4356567 4357266
4357778 4357827 4357885 4357912 4359656 4359677 4366956 4367192 4367496 4368163 4371624
4372508 4374039 4374142 4374692 4375449 4376585 4379906 4380494 4380626 4381908 4384709
4384816 4386274 4387986 4390345 4390347 4391115 4392250 4393363 4393399 4393752 4394576
4395379 4396628 4400361 4401864 4402453 4402909 4403938 4404805 4407002 4408502 4409411
4410142 4411652 4411880 4411929 4413203 4413227 4413363 4413411 4415143 4419454 4419882
4421186 4421485 4421547 4421548 4421549 4422968 4423126 4424606 4424844 4425090 4425163
4425392 4428257 4429802 4430473 4432953 4433015 4433072 4433373 4435628 4438470 4441422
4444569 4445697 4445802 4449557 4449613 4450103 4451547 4452064 4452232 4452634 4452726
4454327 4455654 4455838 4455896 4459155 4459797 4461391 4462175 4464111 4465316 4468559
4471199 4475044 4478852 4479187 4480119 4484035 4484522 4485436 4486616 4487986 4488249
4490889 4490965 4491093 4491094 4493323 4494324 4496343 4496617 4497853 4501153 4503048
4504155 4504772 4506569 4506578 4510302 4512099 4514506 4514508 4515843 4516011 4516885
4517003 4517584 4517632 4519798 4523940 4524527 4525671 4525851 4525971 4528422 4528665
4530367 4545738 4614041 4614945 4616609 4617135 4617318 4617356 4622736 4623957 4629623
4631449 4632611 4632928 4635556 4647410 4647927 4648085 4656546 4658569 4661997 4663077
4667173 4668699 4669963 4679005 4680691 4683015 4683311 4684558 4688450 4690775 4691127
4705942 4710928 4720818 4727726 4730459 4738852 4749274 4751386 4757282 4767215 4767276
4768140 4768343 4769150 4769166 4775285 4776571 4779333 4780109 4780417 4786566 4792396
4792908 4802414 4804971 4807184 4819289 4820798 4823090 4828271 4830525 4847047 4852270
4856115 4861279 4874749 4892237 4894746 4897700 4916612 4923449 4947516

■ 108995-06 – SunOS 5.8: /usr/lib/libproc.so.1 patch

4301023 4312278 4367773 4374045 4400361 4425392 4515521 4521582 4725696 4756192 4797219

■ 108999-01 – SunOS 5.8: PAM patch

4312278

■ 109003-01 – SunOS 5.8: /etc/init.d/acctadm and /usr/sbin/acctadm patch

4312278

■ 109007-13 – SunOS 5.8: at/atrm/batch/cron patch

1253973 4132950 4224166 4261967 4290575 4304184 4307306 4308525 4311626 4312278 4322741
4325997 4331401 4336689 4336959 4339611 4344275 4349180 4353965 4368876 4379735 4387131
4398611 4457028 4473022 4499864 4519829 4525250 4647684 4712958 4732828 4761401 4776480
4801947 4845277

■ 109009-02 – SunOS 5.8: /etc/magic and /usr/bin/file patch

4047399 4312278

■ 109011-01 – SunOS 5.8: /usr/bin/id and /usr/xpg4/bin/id patch

4312278

■ 109013-02 – SunOS 5.8: /usr/bin/lastcomm patch

4305365 4312278 4313746 4313747 4314201

■ 109015-01 – SunOS 5.8: /usr/bin/newtask patch

4312278

■ 109017-01 – SunOS 5.8: /usr/bin/pgrep and /usr/bin/pkill patch

- 4312278
 - **109019-02 – SunOS 5.8: /usr/bin/priocntl patch**
- 4312278 4409616
 - **109021-01 – SunOS 5.8: /usr/bin/projects patch**
- 4312278
 - **109023-02 – SunOS 5.8: /usr/bin/sparcv7/ps and /usr/bin/sparcv9/ps patch**
- 4312278 4559012
 - **109025-04 – SunOS 5.8: /usr/bin/sparcv7/truss and /usr/bin/sparcv9/truss patch**
- 4299191 4312278 4355205 4355206 4389754 4400361 4413411
 - **109027-01 – SunOS 5.8: /usr/bin/wracct patch**
- 4312278
 - **109029-02 – SunOS 5.8: perl patch**
- 4312278 4458516
 - **109031-01 – SunOS 5.8: projadd/projdel/projmod patch**
- 4312278
 - **109033-01 – SunOS 5.8: /usr/bin/sparcv7/prstat and /usr/bin/sparcv9/prstat patch**
- 4312278
 - **109035-02 – SunOS 5.8: useradd/userdel/usermod patch**
- 4312278 4361232
 - **109037-01 – SunOS 5.8: /var/yp/Makefile and /var/yp/nicknames patch**
- 4312278
 - **109043-02 – SunOS 5.8: sonode adb macro patch**
- 4224166 4290575 4322741
 - **109068-01 – Japanese CDE 1.4: Update Japanese CDE help files**
- 4302904
 - **109070-05 – SunOS 5.8: fix WBEM improper Japanese messages and update**
- 4302909 4380748 4417297 4472665
 - **109072-08 – CDE 1.4: (Japanese) sdtsmartcardadmin update**
- 4318088 4301377 4328596 4346028 4346738 4350168 4357755 4384414 4304481 4457450
 - **109077-12 – SunOS 5.8: dhcp server and admin patch**
- 4006121 4081088 4087704 4118738 4123989 4217448 4236794 4247106 4259606 4261028 4262563
- 4266337 4280050 4292039 4294562 4310649 4313817 4321169 4325569 4332717 4343883 4344207
- 4345227 4351640 4365946 4366907 4373015 4382760 4401269 4403345 4406599 4418313 4419584
- 4421892 4426477 4432319 4446827 4505987 4508131 4511706 4521340 4522844 4530944 4532329
- 4558710 4558735 4607084 4607088 4607109 4614323 4614349 4617212 4621740 4622445 4646306

4782691

- **109087-01 – SunOS 5.8: atok8 terminates "Shell widget modeShell has zero..."**

4297016 4301750

- **109091-06 – SunOS 5.8: /usr/lib/fs/ufs/ufsrestore patch**

4132365 4297558 4302943 4339366 4366956 4375449 4498121 4769786

- **109093-11 – SunOS 5.8: JFP message files patch**

4318917 4345727 4357764 4358930 4380324 4402947 4433611 4460436 4478033 4520372

- **109094-01 – SunOS 5.8: localisation updates for different components**
- **109128-01 – Provide conversion between codepages 1256 and ISO8859-6**

4301870

- **109131-10 – SunOS 5.8: JFP manpages patch**

4320935 4345069 4302905 4351981 4379437 4405735 4458124 4488432 4526431 4959343

- **109133-02 – SunOS 5.8 : Cut and Paste not functioning in ru_RU.KOI8-R locale**

4307614 4328876

- **109134-28 – SunOS 5.8: WBEM patch**

4209330 4297248 4309319 4314792 4318408 4329995 4332540 4333798 4333799 4336708 4336719
4336764 4346486 4346810 4346974 4352831 4355958 4355986 4356000 4357738 4358748 4358807
4358814 4358855 4359098 4359109 4359136 4359580 4359722 4360208 4361147 4362256 4362879
4363471 4363474 4364065 4364250 4364418 4364642 4364742 4364795 4364806 4365026 4365215
4365386 4365462 4365763 4365811 4365940 4366652 4366809 4367110 4367132 4368018 4368410
4368421 4368575 4368608 4368626 4368682 4368756 4368777 4369122 4369554 4370171 4370176
4370212 4370711 4371192 4371214 4371217 4371519 4372191 4372647 4372914 4373672 4374771
4376028 4376259 4377284 4377534 4377870 4377923 4377924 4377935 4377936 4377946 4377957
4377958 4377997 4378011 4378016 4378181 4378271 4378310 4378375 4378523 4378622 4378628
4378636 4378639 4378646 4378763 4378782 4378798 4378801 4379010 4379015 4379045 4379135
4379174 4379554 4379726 4379737 4379936 4380100 4380186 4380380 4380397 4380478 4380481
4380490 4380596 4380882 4380945 4381254 4381266 4381310 4381411 4381431 4381755 4382365
4382371 4382812 4383045 4383774 4383837 4385381 4385396 4385564 4385603 4385798 4387049
4387367 4387991 4388779 4389220 4390236 4391275 4391281 4391370 4391522 4392230 4395633
4396481 4396893 4396895 4396991 4397253 4398656 4400195 4403686 4403893 4404301 4406776
4407241 4407677 4416423 4417302 4417303 4417342 4445385 4459842 4460462 4461567 4464091
4480589 4483000 4498162 4500475 4505151 4526685 4620562 4782465

- **109142-07 – CDE 1.4: dtterm libDfTerm patch**

4308751 4340259 4355107 4308971 4093503 4387002 4414919

- **109145-01 – SunOS 5.8: /usr/sbin/in.routed patch**

4319852

- **109147-26 – SunOS 5.8: linker patch**

4040628 4077245 4103449 4187211 4204447 4210412 4213100 4219652 4235315 4239213 4243097
4248250 4250694 4255943 4270931 4287274 4289232 4291384 4297563 4300018 4300120 4303609
4306415 4309212 4310324 4310901 4311226 4312449 4313765 4316531 4318162 4321634 4322528
4322581 4324134 4324324 4324775 4327653 4329785 4334617 4335801 4336102 4336980 4338812

4340878 4341496 4343417 4343801 4344528 4346001 4346144 4346615 4349137 4349563 4351197
4351715 4352233 4352330 4354500 4355795 4356879 4357805 4358751 4358862 4366905 4367118
4367405 4368846 4369068 4371114 4372554 4377735 4377941 4381116 4381783 4385402 4390308
4391527 4393044 4394212 4394698 4401232 4401815 4402861 4404547 4413168 4413322 4418274
4421842 4429371 4432224 4433643 4446115 4446564 4447560 4448531 4450225 4450433 4452202
4452220 4453241 4453398 4455802 4460230 4461340 4461760 4461890 4462245 4462748 4463473
4465871 4467068 4468779 4469031 4469400 4469566 4469684 4470493 4470917 4475174 4475514
4481851 4482035 4485320 4488954 4491434 4492883 4496718 4496963 4497270 4499413 4503457
4503625 4503731 4503748 4503768 4504895 4505289 4506164 4510264 4513842 4515913 4516434
4518079 4518966 4519569 4521931 4522999 4523798 4524008 4524512 4524735 4524767 4526745
4526752 4529912 4532729 4533195 4546416 4587441 4616944 4619282 4620846 4621122 4621479
4622472 4624658 4630224 4633860 4638070 4642829 4651493 4651709 4654406 4655066 4662575
4664855 4668517 4669582 4671493 4696204 4698800 4701749 4706503 4707808 4710814 4714146
4715815 4716929 4728822 4730110 4730433 4731174 4731183 4733317 4733697 4735165 4736951
4739660 4743413 4744337 4744411 4745129 4745932 4746231 4753066 4754751 4755674 4765536
4766815 4770484 4770494 4772927 4774727 4775738 4778247 4778418 4779976 4783869 4787579
4790194 4792461 4793721 4796237 4802194 4804328 4806476 4811093 4811951 4811969 4816378
4817314 4824026 4825065 4825151 4825296 4826315 4830584 4830889 4831544 4831650 4834784
4838226 4845764 4845829 4865418 4870260 4872634 4900684 4906062

■ **109149-02 – SunOS 5.8: /usr/sbin/mkdevmaps and /usr/sbin/mkdevalloc patch**

1229659 4284187 4316613

■ **109152-02 – SunOS 5.8: /usr/4lib/libc.so.x.9 and libdbm patch**

4128267 4668699

■ **109154-20 – SunOS 5.8: PGX32 Graphics**

4313132 4329407 4340417 4340678 4344436 4347028 4357957 4383508 4372518 4377807 4398941
4373617 4352469 4396037 4417836 4417842 4417849 4431012 4467936 4470386 4420220 4500323
4500303 4502647 4517899 4506566 4522502 4502887 4633850 4688024 4728662 4740340 4800057
4776309 4715825 4897594 4897600 4802284 4898192 4863629

■ **109157-20 – SunOS 5.8: messages updates for Asian ko/zh/zh_TW locales**

4310521 4456703 4462609 4471092 4494563 4318940 4323845 4328230 4329574 4330139 4331912
4332965 4333317 4333730 4334002 4337487 4337974 4338375 4338505 4341638 4343790 4345089
4350770 4351383 4377372 4384713 4413585 4440717 4507045 4507047 4507060 4507076 4507079
4508269

■ **109159-03 – SunOS 5.8: Chinese iconv module updates**

4334099 4337362 4772950 4771047

■ **109165-13 – CDE 1.4: dtfile patch**

4257760 4256612 4256615 4256616 4256617 4297751 4259270 4287012 4292249 4303367 4297401
4302856 4305084 4305248 4303443 4291565 4308823 4306243 4291444 4286997 4310115 4302740
4301375 4312545 4314867 4312316 4310827 4292266 4316515 4314491 4317156 4317797 4314870
4322296 4318940 4325417 4335592 4331909 4331578 4339457 4343798 4353856 4346376 4406203
4280247 4362978 4629782

■ **109167-01 – CDE 1.4: Desktop Help Updates Patch**

4307183 4319636

■ **109169-12 – CDE 1.4: Window Manager Enhancements Patch**

4301525 4301229 4303415 4304468 4308078 4310419 4311506 4312315 4311916 4312250 4311992
4312375 4305293 4316508 4299329 4321374 4327961 4321817 4328036 4328268 4327801 4330458
4327967 4332309 4330198 4331955 4328255 4330445 4336342 4360521 4376807 4389935 4382452
4319599 4384360 4390631 4392829 4391179 4411689

■ **109176-05 – CDE 1.4: Japanese patch to sync base CDE update**

4322170 4346025 4365384 4373355 4410646 4512819

■ **109179-04 – SunOS 5.8: localisation updates for SmartCard and Removable Media**

4337729 4313061 4329376 4333754 4329372

■ **109189-05 – SunOS 5.8: ifp driver patch**

4275418 4285969 4294568 4309042 4329645 4329671 4333114 4356703 4365549 4384013 4390262
4779757

■ **109200-02 – SunOS 5.8: I10n updates: Removable Media, Window Mgr & Pam Proj**

4336934 4313061 4333002

■ **109202-05 – SunOS 5.8: /kernel/misc/gld and /kernel/misc/sparcv9/gld patch**

4197367 4356664 4467926 4824988 4825299

■ **109223-03 – SunOS 5.8: kpasswd, libgss.so.1 and libkadm5clnt.so.1 patch**

4308978 4360141 4829637

■ **109238-02 – SunOS 5.8: /usr/bin/sparcv7/ipcs and /usr/bin/sparcv9/ipcs patch**

4310353 4446945

■ **109244-02 – SunOS 5.8: SPECIAL PATCH: replace SUNWcstlx and SUNWucbtx pkginfos**

4298041

■ **109247-01 – Bad translation causes core dump in German install**

4324017

■ **109249-01 – Help not localised for the dhcpgmr**

4324311

■ **109255-01 – Unlocalised buttons on user-interface of dhcpgmr**

4324315

■ **109264-01 – Graphics missing from Help in Smart Card**

4324308

■ **109277-03 – SunOS 5.8: /usr/bin/iostat patch**

4313169 4359419 4511098 4679590

■ **109318-33 – SunOS 5.8: suninstall Patch**

4186765 4210386 4245794 4256556 4265363 4299103 4302899 4310379 4310705 4313039 4322703
4324404 4325840 4334036 4336779 4337779 4338255 4342090 4344764 4345757 4350971 4351009
4351486 4355192 4358804 4360631 4365737 4367081 4367650 4372310 4378277 4382446 4384102
4384301 4384377 4387795 4389127 4390941 4391651 4392519 4392524 4394060 4400744 4401306
4402955 4403108 4406142 4408096 4410691 4410698 4417149 4422464 4428478 4434830 4446215
4452998 4457094 4457761 4461708 4469749 4488118 4489088 4493749 4494980 4498776 4504840
4505207 4510807 4511259 4511323 4513792 4517808 4527717 4529514 4533342 4633210 4634913
4654964 4724529 4738751 4790205 4827060 4836084

■ **109320-06 – SunOS 5.8: LP Patch**

4187773 4188167 4235953 4260829 4263321 4265529 4281487 4302705 4303242 4309558 4310991
4319723 4324679 4325537 4337699 4342893 4343460 4351942 4367433 4374037 4381196 4383387
4386671 4390810 4411642 4422628 4434247 4446925 4488655 4499302 4501950 4504977 4512799
4529640 4640166

■ **109324-05 – SunOS 5.8: sh/jsh/rsh/pfsh patch**

4300733 4313399 4375814 4392404 4407470

■ **109326-13 – SunOS 5.8: libresolv.so.2 and in.named patch**

4136555 4253123 4284409 4300887 4324375 4349983 4353836 4365909 4409676 4444745 4451645
4500573 4525129 4646349 4700305 4708913 4777715 4928758

■ **109328-03 – SunOS 5.8: ypserv, ypxfr and ypxfrd patch**

4203989 4373365 4737417

■ **109354-19 – CDE 1.4: dtsession patch**

4239375 4344648 4316439 4335987 4293551 4389935 4392829 4353429 4386226 4448598 4463360
4379463 4349846 4430559 4452627 4484322 4489859 4502650 4534248 4701185 4314849 4743546
4763733 4788212

■ **109374-06 – SunOS 5.8: audioens driver patch**

4289079 4304954 4307758 4309820 4329870 4435601 4476805 4493395 4494100 4501846

■ **109384-07 – SunOS 5.8: libaio patch**

4222080 4253437 4457358 4502769 4514606 4636591 4665847 4785625

■ **109411-02 – SunOS 5.8: dtmail prints garbage strings**

4326649 4350277

■ **109441-05 – SunOS 5.8: UDC patch**

4312994 4342214 4393648 4407566 4899738

■ **109452-01 – SunOS 5.8: Window List, buttons unlocalised in Options dialog**

4329351

■ **109454-02 – SunOS 5.8: /kernel/fs/fifofs and /kernel/fs/sparcv9/fifofs patch**

4302216 4460375

■ **109458-03 – SunOS 5.8: /kernel/strmod/ldterm patch**

4152717 4250344 4587859

■ **109460-10 – SunOS 5.8: socal and sf drivers patch**

4137818 4259911 4285968 4296275 4300684 4301468 4303182 4304245 4307129 4307585 4322210
4327372 4327766 4328635 4330062 4381613 4384012 4420576 4451550 4492895 4589401 4643768
4657427 4805731

■ **109463-01 – OpenWindows 3.6.2 Filemgr Patch**

4329368

■ **109470-02 – CDE 1.4: Actions Patch**

4326649 4353583

■ **109529-06 – SunOS 5.8: luxadm, liba5k and libg_fc patch**

4174203 4239619 4255709 4261528 4267328 4278281 4299846 4300876 4306461 4306571 4308889
4309126 4319786 4322825 4325179 4328845 4331309 4332727 4342013 4346160 4351705 4353263
4354574 4358935 4359401 4364789 4375525 4375872 4384199 4430689

■ **109552-01 – SunOS 5.8: FIGSS-UTF.8, Removable media manager unlocalised**

4327983

■ **109564-01 – SunOS 5.8: Removable Media Mgr, Missing floppy error unlocalised**

4329409

■ **109568-03 – SunOS 5.8: sys-suspend need to support low power mode**

4278930 4355638 4358149 4361324

■ **109569-01 – OpenWindows 3.6.2: imagetool patch**

4297700

■ **109573-01 – SunOS 5.8: dhcpmgr help graphics not displayed correctly**

4330902

■ **109576-01 – SunOS 5.8: mountall and fsckall patch**

4260430

■ **109582-02 – CDE 1.4: sdtaudio patch**

4305400 4432159 4431982 4438451 4429797 4429821 4445064 4426084 4430200 4437137 4335622
4205093 4334951 4172865 4346390 4373526 4360130 4391013 4389881 4412645 4412646 4417212
4412604 4413156 4419366 4428810 4460927 4463491 4462800 4462462 4462191

■ **109607-02 – SunOS 5.8: /usr/include/iso/stdlib_iso.h patch**

4300780 4415144

■ **109609-01 – SunOS 5.8: UTF-8 Korean attached text becomes garbled**

4309015

■ **109613-06 – CDE 1.4: dtmail patch**

4133950 4336922 4362276 4372376 4398137 4712584 4715670

■ **109622-01 – SunOS 5.8: env LANG=zh_TW dtterm doesn't work in partial zh_TW.UTF-8**

4330770

- **109639-02 – SunOS 5.8: th locale has errors in / lacks some LC_CTYPE definitions**

4314263 4353504 4306111

- **109642-01 – SunOS 5.8: /usr/include/sys/dkio.h patch**

4304790

- **109657-09 – SunOS 5.8: isp driver patch**

4225880 4278975 4295141 4295185 4296113 4298594 4299298 4299727 4305985 4323441 4330876
4342019 4342469 4347100 4362676 4363019 4363024 4384300 4404617 4410464 4416394 4480473
4483647 4487557 4489615 4661696 4672156 4682951

- **109667-05 – SunOS 5.8: /usr/lib/inet/xntpd and /usr/sbin/ntpdate patch**

4279094 4312050 4320855 4330427 4379876 4434235

- **109679-01 – SunOS 5.8: /usr/share/lib/smartcard/ibutton.jar patch**

4330248

- **109692-03 – SunOS 5.8: Information: File contents are out of date**

4339515 4345433 4350242

- **109695-03 – SunOS 5.8: /etc/smartcard/opencard.properties patch**

4324685 4343216

- **109704-03 – SunOS 5.8: Japanese iconv patch**

4350293 4344163 4344139 4340250 4340245 4227824 4622363 4671351 4671363 4706863

- **109718-01 – SunOS 5.8: SPECIAL PATCH: class action replacement scripts (SU2)**
- **109727-01 – SunOS 5.8: /usr/sadm/admin/printmgr/classes/pmclient.jar patch**

4326665

- **109729-01 – SunOS 5.8: /usr/bin/cat patch**

4163406

- **109748-03 – CDE 1.4: sdtudiocontrol patch**

4324012 4324019 4295904 4262417 4294925 4259352 4303389 4410061 4412648 4422632 4426089
4426400 4430118

- **109750-03 – Solaris 8: translation update and sync with base team's PDA images**

4339505

- **109752-01 – Solaris 8: UI of admintool is lost in partail installation**

4347036

- **109755-01 – OpenWindows 3.6.1 (japanese): update for power mgt util for s28u2**

4345748

- **109764-04 – SunOS 5.8: /kernel/fs/hsfs and /kernel/fs/sparcv9/hsfs patch**

4082275 4305026 4328133 4356459

- **109766-02 – SunOS 5.8: SUNWjxmft and SUNWjxcft patch for 8/10 dot font.**

4345078 4400714

■ **109778-13 – SunOS 5.8: Misc loc have errors in CTYPE and lv colln monetary**

4314261 4380484 4346403 4345434 4356714 4352834 4294595 4059797 4522794 4522303 4641024
4734207 4754407 4812733 4836604 4868798 4879665 4875555 4868512 4637202 4908698

■ **109783-02 – SunOS 5.8: /usr/lib/nfs/nfsd and /usr/lib/nfs/lockd patch**

4305333 4325431 4492876

■ **109785-01 – SunOS 5.8: /etc/inittab patch**

4273366

■ **109793-23 – SunOS 5.8: su driver patch**

4242185 4284204 4293633 4305633 4329068 4329329 4331497 4333100 4334180 4351341 4352519
4354803 4356143 4357331 4358336 4362909 4374325 4394849 4397794 4399541 4427108 4461093
4464201 4494885 4587859 4646641 4666211 4697226 4707716 4734045 4747008 4764445 4766657
4776340 4781075 4897539

■ **109803-01 – SunOS 5.8: /usr/bin/du and /usr/xpg4/bin/du patch**

4306228

■ **109805-17 – SunOS 5.8: /usr/lib/security/pam_krb5.so.1 patch**

4330143 4351689 4360141 4360931 4373142 4391549 4406541 4435001 4457703 4485174 4499330
4508923 4526202 4630574 4640156 4657596 4699468 4775197 4830044 4865454

■ **109807-01 – SunOS 5.8: /usr/sbin/dumpadm patch**

4340246

■ **109809-01 – SunOS 5.8: timezone data patch for Australasia**

4313766

■ **109813-01 – SunOS 5.8: /usr/include/memory.h patch**

4313659

■ **109815-19 – SunOS 5.8: se, acebus, pcf8574, pcf8591 and scsb patch**

4304938 4308769 4319571 4320055 4333577 4335099 4335407 4338933 4341299 4342866 4343535
4343601 4344013 4345375 4346323 4353422 4353426 4353430 4354219 4354857 4354859 4358059
4358940 4364763 4365262 4367981 4368931 4375225 4376423 4379189 4383950 4384345 4385065
4391660 4393595 4396693 4401945 4402018 4409169 4410299 4412596 4412952 4417867 4417908
4418400 4418408 4420763 4421345 4424145 4437712 4455495 4463087 4467603 4587859 4626537
4730608 4735231 4813598 4849939

■ **109862-03 – X11 6.4.1 Font Server patch**

4314299 4323233 4335325 4335328 4336593 4345905 4764193

■ **109868-05 – SunOS 5.8: WOS Help File Update**

4338011 4350353 4419807

■ **109872-01 – SunOS 5.8: vis driver patch**

4269556

■ **109873-24 – SunOS 5.8: prtdiag and platform libprtdiag_psr.so.1 patch**

4118537 4130278 4248666 4258820 4285559 4286659 4302737 4319714 4326851 4332032 4336443
4337039 4338306 4339157 4339689 4339732 4341185 4342594 4352438 4353761 4353762 4357014
4361157 4362289 4362805 4363440 4363858 4363907 4363997 4364922 4366980 4366986 4367573
4369175 4370121 4370746 4372567 4373467 4373616 4378517 4380560 4381743 4382538 4384142
4384394 4386281 4386308 4386743 4387908 4391856 4396092 4397396 4397400 4398426 4399865
4401725 4402759 4404295 4404953 4404968 4404992 4408182 4408237 4409825 4409888 4410173
4410299 4413285 4421202 4422397 4423418 4430036 4431165 4431194 4435598 4451120 4453074
4454212 4454748 4464593 4469888 4474033 4481541 4482300 4483884 4485229 4487110 4489639
4495676 4504351 4507312 4509191 4515266 4519271 4526901 4531177 4532965 4546219 4616050
4625181 4636540 4654961 4658527 4661192 4664349 4665239 4673645 4697219 4697505 4711217
4715664 4718737 4721200 4726050 4729275 4749542 4771216 4773186 4773830 4776340 4780968
4782814 4784977 4796798 4801542 4806961 4808786 4810029 4820668 4827687 4828441 4828570
4830094 4833626 4834149 4834344 4835422 4841716 4843188 4852595 4895681 4897925 4901725
4934546 4935587

■ **109876-02 – SunOS 5.8: fd driver patch**

4271682 4333588 4336201 4382509

■ **109877-01 – SunOS 5.8: /usr/include/sys/dma_i8237A.h patch**

4333588

■ **109879-02 – SunOS 5.8: isadma driver patch**

4334446 4346495 4358337

■ **109881-02 – SunOS 5.8: 1394 adb macros patch**

4329522 4330882 4331744 4351774

■ **109882-06 – SunOS 5.8: eri header files patch**

4231424 4327054 4345671 4345969 4363777 4364842 4376935 4378440 4386437 4389260 4412127
4467555 4467562 4479894 4480970 4486544 4496082 4509547 4518457 4528597 4546894 4599774
4637678

■ **109883-02 – SunOS 5.8: /usr/include/sys/ecppsys.h patch**

1167460 4241460 4250652 4257428 4270674 4271686 4275074 4275092 4275119 4275200 4275205
4276209 4295173 4297052 4299441 4299456 4299460 4299467 4299470 4299621 4299631 4301029
4301079 4301556 4309750 4310788 4314412 4314419 4329805 4349418 4364900

■ **109885-14 – SunOS 5.8: glm patch**

4105425 4105459 4105493 4109696 4136950 4171405 4171423 4171429 4171438 4171717 4171731
4171733 4171738 4171747 4249502 4258589 4310491 4310501 4310502 4310508 4324244 4324250
4329411 4331145 4331147 4334348 4334505 4337546 4338033 4340982 4341851 4342624 4345567
4347753 4377141 4400052 4402996 4405933 4416758 4450607 4459104 4470577 4474925 4478315
4479986 4486385 4501545 4527136 4623973 4661880 4696162 4741149 4744095 4770492 4776340
4799457 4819026 4823893

■ **109887-17 – SunOS 5.8: smartcard and usr/sbin/ocfserv patch**

4252211 4259952 4260074 4275177 4288077 4290329 4293165 4293939 4298260 4305335 4306126
4315034 4322446 4330625 4332392 4341789 4341792 4343702 4343711 4346640 4352242 4352260
4352312 4352345 4353105 4355630 4361637 4369364 4389861 4390593 4396204 4401809 4418518
4420910 4423025 4423038 4423901 4423932 4426474 4429492 4434303 4445519 4449515 4451847
4454879 4462472 4480706 4487753 4506457 4509396 4513319 4516697 4523037 4523207 4524468

4524615 4524616 4524620 4528570 4554402 4620186 4620717 4622069 4622072 4624770 4624773
4628969 4629775 4630038 4646497 4647542 4655166 4676018 4682730 4734926 4776340 4827207

■ **109889-07 – SunOS 5.8: usr platform links and libc_psr patch**

4231424 4275177 4321184 4327624 4328624 4334502 4346495 4713409 4726055 4729990 4749542
4771216 4773186 4776340 4780968 4784977 4820668 4862734 4895681

■ **109890-01 – SunOS 5.8: pmserver.jar patch**

4308951

■ **109892-04 – SunOS 5.8: /kernel/drv/sparcv9/ecpp patch**

1167460 4241460 4250652 4257428 4270674 4271686 4275074 4275092 4275119 4275200 4275205
4276209 4295173 4297052 4299441 4299456 4299460 4299467 4299470 4299621 4299631 4301029
4301079 4301556 4308951 4309750 4310788 4314412 4314419 4328669 4328671 4329805 4332425
4334210 4334506 4337450 4344459 4345596 4347469 4347728 4349418 4364900 4375134 4380979
4776340

■ **109893-04 – SunOS 5.8: stc driver patch**

4211224 4255596 4309750 4321509 4587859

■ **109894-01 – SunOS 5.8: bpp patch**

4309750

■ **109896-21 – SunOS 5.8: USB and Audio Framework patch**

4042931 4178572 4179082 4204158 4207634 4246091 4257491 4271687 4278766 4282084 4282600
4284408 4284481 4288456 4290035 4290038 4290048 4291027 4292644 4295049 4295084 4297451
4297991 4298047 4299321 4299711 4300133 4300497 4301110 4302343 4302435 4303153 4303369
4303371 4304019 4304060 4304250 4304253 4304383 4304911 4304968 4305392 4305434 4305436
4305437 4305467 4305645 4305649 4305819 4306676 4307085 4307415 4307418 4307542 4308510
4308511 4309075 4309328 4309368 4309499 4309566 4309916 4311023 4311829 4312163 4312381
4313650 4314164 4314166 4315368 4317503 4317522 4317527 4317528 4317916 4318194 4318604
4320410 4321542 4323024 4326037 4326139 4326143 4327740 4328521 4328542 4328590 4329325
4329560 4329687 4330021 4331700 4331710 4331762 4331764 4331769 4331858 4332033 4332613
4332707 4332773 4333033 4333036 4333039 4333448 4333879 4336235 4336592 4337149 4337561
4337816 4338525 4338614 4339292 4339729 4339937 4341714 4341839 4342024 4342426 4342488
4343230 4343443 4343762 4344107 4344121 4344122 4346249 4346254 4346837 4346963 4347288
4348120 4348124 4348566 4349013 4349282 4349339 4350077 4350113 4350570 4350901 4351164
4351268 4351426 4351563 4351568 4351707 4352002 4352101 4352320 4352931 4353264 4353457
4353816 4353820 4353828 4357035 4357915 4359440 4359658 4359875 4361715 4361718 4361719
4362287 4362924 4363252 4363632 4363966 4364027 4364427 4364534 4364575 4364748 4364911
4365137 4365848 4366366 4366395 4366523 4366651 4366874 4367554 4367841 4368474 4368842
4369136 4369166 4369411 4369968 4370685 4370687 4370697 4372725 4373367 4374495 4374566
4374608 4374609 4374774 4374933 4375698 4375740 4375879 4375900 4376086 4376175 4377947
4378118 4378262 4378867 4379087 4380154 4380598 4381028 4382602 4382906 4384717 4384776
4384791 4385510 4387466 4387888 4388157 4388286 4388586 4388935 4391440 4391912 4392605
4393088 4393114 4393350 4393591 4393819 4393967 4398235 4400665 4402359 4402755 4404373
4404398 4404559 4408726 4409022 4410980 4411451 4412128 4412479 4415430 4416096 4417060
4417092 4417298 4418923 4419540 4420873 4423037 4423482 4423523 4426338 4426754 4433464
4437766 4440473 4442483 4446076 4447095 4449060 4449744 4451857 4451865 4452562 4454147
4457209 4463426 4463826 4464517 4465102 4471934 4478723 4490191 4507103 4587859 4622358
4655789 4660099 4660516 4663786 4670245 4701098 4702501 4706244 4714088 4735539 4737194
4740300 4741112 4749894 4750685 4757590 4765718 4776340 4777298 4781283 4785916 4786786
4787105 4788315 4790678 4790888 4800029 4800123 4801046 4804860 4811758 4812935 4827611

4827617 4829626 4834087 4834143 4836298 4838235 4841489 4844892 4845179 4847308 4852863
4854629

■ **109898-05 – SunOS 5.8: /kernel/drv/arp patch**

4291034 4299644 4302198 4308728 4311938 4363786 4365204 4427290

■ **109900-02 – SunOS 5.8: /etc/init.d/network and /sbin/ifparse patch**

4209200 4291034 4299644 4308728 4311938 4382115

■ **109902-03 – SunOS 5.8: /usr/lib/inet/in.ndpd patch**

4291034 4299644 4308728 4311938 4347223 4386544

■ **109910-01 – Help unlocalised for Winlst, Rem. Media Mgr. & Workspace Mgr.**

4329353 4329355 4339080

■ **109920-09 – SunOS 5.8: pcic and busra driver patch**

4059160 4243709 4286161 4337039 4341224 4347834 4352356 4352663 4362529 4367607 4374986
4397625 4483061 4501271 4518087 4776340 4853539

■ **109922-04 – SunOS 5.8: pcelx and pceser driver patch**

4090692 4243709 4286432 4308863 4308870 4320108 4339285 4352663 4358619 4409324 4465301
4483474 4483475 4517602 4587859

■ **109924-04 – SunOS 5.8: pcata driver patch**

4287520 4288878 4297067 4303758 4309269 4339281 4352663 4368791 4389494 4393151 4431548

■ **109926-02 – SunOS 5.8: /kernel/drv/pem and /kernel/drv/sparcv9/pem patch**

4243709 4303863 4332477 4352663

■ **109928-05 – SunOS 5.8: pcmem and pcmcia patch**

4231035 4243709 4265532 4280422 4303875 4306916 4332592 4337357 4339636 4348647 4352663
4355964 4371837 4373800 4390833 4415813 4417664 4424367 4425636 4443348 4443595 4446616

■ **109931-06 – CDE 1.4: sdtimage Patch**

4345373 4396192 4492924 4634906 4474936 4746059 4822709

■ **109933-02 – SunOS 5.8: mv, cp, ln patch**

4264701 4408576

■ **109936-01 – SunOS 5.8: /usr/bin/diff patch**

4338744

■ **109951-01 – SunOS 5.8: jserver buffer overflow**

4352777

■ **109960-01 – CDE 1.4: sdtperfmeter patch**

4341412 4290470 4280252

■ **109990-01 – SunOS 5.8: /usr/ccs/bin/dis patch**

4015840 4350263

- 4353523

 - 109992-01 – Thai prolog.ps is incorrect.
- 4015840 4301017 4350263

 - 109994-02 – SunOS 5.8: /usr/bin/sparcv7/adb and /usr/bin/sparcv9/adb patch
- 4354350 4375794 4405716 4449597 4481597 4512272

 - 110019-06 – SunOS 5.8: JFP install/sysadm messages patch
- 4355229

 - 110044-01 – SunOS 5.8: iswalpha() can't work well in zh.GBK locale
- 4310887

 - 110053-02 – Arabic locale has errors in / lacks some LC_CTYPE definitions
- 4357775

 - 110065-01 – SunOS 5.8: New features added to install
- 4341358 4335220 4367008

 - 110068-02 – CDE 1.4: PDASync patch
- 4341354

 - 110075-01 – SunOS 5.8: /kernel/drv/devinfo and /kernel/drv/sparcv9/devinfo patch
- 4354583 4336307 4370067 4372350 4374505 4374554

 - 110088-02 – CDE 1.4: DtPower patch
- 4305334 4472448

 - 110127-04 – SunOS 5.8: Generic Framebuffer configuration Graphics Patch
- 4351894 4364221 4493395 4501846

 - 110150-04 – SunOS 5.8: rasctrl driver patch
- 4287555 4356581 4400740 4725906

 - 110165-04 – SunOS 5.8: /usr/bin/sed patch
- 4352861 4352800

 - 110206-01 – sdtwinlst and sdtgwm utf8 unlocalised
- 4365341 4349294 4372839 4382327 4424042 4423667 4500186 4699746 4827215

 - 110221-07 – SunOS 5.8: Dcam1394 patch
- 4338099

 - 110251-01 – SunOS 5.8: Sort error in hu locale
- 4318294

 - 110269-01 – SunOS 5.8: /usr/lib/libnisdb.so.2 patch
- 110274-03 – SunOS 5.8: Figgs Custom install new features and install help

4367029

■ **110283-06 – SunOS 5.8: mkfs and newfs patch**

4297460 4333516 4339330 4344221 4374181 4380132 4425003 4476995 4721124

■ **110285-02 – SunOS 5.8: consconfig_dacf patch**

4350044 4903436

■ **110286-11 – OpenWindows 3.6.2: Tooltalk patch**

4334998 4379430 4363822 4417781 4499995 4518469 4522203 4476458 4668701 4707187 4713445
4871091

■ **110320-03 – SunOS 5.8: /kernel/misc/sparcv9/s1394 patch**

4358271 4362967 4415297 4452265 4465673 4465680 4465691 4465695 4465706 4471117 4471131
4483605 4498803 4620080 4719215 4723471 4723473 4743919 4776340 4780080 4780083 4799679

■ **110322-02 – SunOS 5.8: /usr/lib/netsvc/yp/ypbind patch**

4362647 4515621

■ **110326-02 – CDE 1.4: dtstyle patch**

4321874 4389935 4384360 4319599 4382452 4392829 4390631

■ **110335-02 – CDE 1.4: dtprintinfo patch**

4325603 4380805

■ **110364-02 – SunOS 5.8: Add L10N sdttypesbinder files**

4366984 4383627

■ **110368-02 – SunOS 5.8: pcf8574 driver patch for SUNW,Sun-Fire-280R**

4286659 4326851 4336443 4339732 4341185 4434341

■ **110369-05 – SunOS 5.8: sgcn patch**

4286659 4326851 4337039 4362703 4362745 4374123 4376376 4385014 4496870 4509755

■ **110370-03 – SunOS 5.8: SUNW,Sun-Fire usr platform links patch**

4286659 4326851 4337039 4414560 4435718

■ **110371-03 – SunOS 5.8: serengeti support, Update3, sgfru patch**

4286659 4326851 4337039 4386526 4463330

■ **110373-05 – SunOS 5.8: /platform/SUNW,Sun-Fire/kernel/drv/sparcv9/sgsbbc patch**

4286659 4319715 4319724 4326851 4337039 4339009 4351116 4352174 4353000 4354331 4354794
4363095 4363101 4367252 4370240 4398255 4401747 4406577 4409725 4417940 4421522 4428083
4491582 4492404 4505167 4860142

■ **110374-08 – SunOS 5.8: /platform/SUNW,Sun-Fire/kernel/drv/sparcv9/sgenv patch**

4286659 4319715 4319724 4326851 4337039 4339009 4345060 4346494 4351116 4354331 4370121
4375808 4379057 4379810 4386281 4386308 4386526 4401805 4404305 4416565 4422498 4434338

4451354 4451879 4453614 4458013 4458210 4459820 4461330 4466463 4467793 4468133 4468450
4470641 4477894 4478393 4489357

■ **110375-05 – SunOS 5.8: /platform/SUNW,Sun-Fire/kernel/drv/sparcv9/ssm patch**

4286659 4319715 4319724 4326851 4339009 4346494 4351116 4352284 4354331 4370146 4370148
4371549 4371993 4375901 4379810 4416565 4422498 4434338 4451354 4451879 4453614 4458013
4458210 4459820 4461330 4466463 4467793 4468133 4468450 4470641 4477894 4478393 4488194
4709170

■ **110376-01 – SunOS 5.8: littleneck support, usr_platform patch, S8 Update 3**

4286659 4326851 4336443 4339732 4341185

■ **110378-06 – SunOS 5.8: mipagent patch Mobile IP**

4278842 4302749 4310956 4313189 4317221 4320818 4324051 4335568 4360818 4370123 4370438
4375915 4375920 4376886 4377368 4377693 4377694 4378163 4378727 4379361 4382946 4382996
4382998 4383001 4383007 4386544 4390912 4391040 4392110 4406041

■ **110379-01 – SunOS 5.8: littleneck support, gpio patch**

4336443 4339732 4341185

■ **110380-04 – SunOS 5.8: ufssnapshots support, libadm patch**

4025718 4296770 4416430 4451305

■ **110381-01 – SunOS 5.8: ufssnapshots support, clri patch**

4296770

■ **110382-03 – SunOS 5.8: ufssnapshots support, fssnap kernel, S8 Update 3**

4296770 4413947 4769472

■ **110385-04 – SunOS 5.8: RCM modules patch**

4233832 4326110 4336779 4357245 4375059 4375416 4386544 4836686

■ **110386-03 – SunOS 5.8: RBAC Feature Patch**

4311781 4313955 4458070 4489486

■ **110387-05 – SunOS 5.8: ufssnapshots support, ufsdump patch**

4132365 4296770 4339366 4358666 4474014 4767221

■ **110388-01 – SunOS 5.8:**

4311781 4313955

■ **110389-05 – SunOS 5.8: cvc CPU signature**

4333639 4337039 4362110 4386544 4587859 4774015

■ **110394-01 – SunOS 5.8: German Euro locale appears different than any other locale**

4352827

■ **110407-02 – CDE 1.4 Sdttypes patch**

4313855 4329990 4357804 4365790 4374350

- **110416-03 – SunOS 5.8: ATOK12 patch**

4361738 4372858 4384092 4443974

- **110418-01 – 110423-03: SunOS 5.8: Japanese font patch**

4349869 4426597 4450211

- **110428-01 – SunOS 5.8: New Turkish UTF-8 locale**

4368177

- **110453-04 – SunOS 5.8: admintool Patch**

4327605 4354306 4447234 4509669

- **110457-05 – SunOS 5.8: scmi2c driver patch**

4282989 4349315 4401809 4435178 4468337 4469751 4627973

- **110458-02 – SunOS 5.8: libcurses patch**

4313067 4398331

- **110461-03 – SunOS 5.8: ttcompat patch**

4137086 4335144 4587859

- **110503-01 – SunOS 5.8: Polish locale monetary incorrect**

4380484

- **110511-05 – SunOS 5.8: rpc.nisd patch**

4280714 4326943 4411880 4411929 4471041 4686223

- **110603-01 – CDE 1.4: sdtname patch**

4149628 4235799

- **110605-02 – Motif 2.1.1 uil patch for Solaris 8**

4404810 4385838

- **110609-04 – SunOS 5.8: cdio.h and command.h USB header patch**

4358054 4369151 4458516 4749894 4750558 4776340

- **110611-01 – SunOS 5.8: lp.cat and postio ECP patch**

4310788 4329805 4349418 4364900

- **110614-02 – SunOS 5.8: ses driver patch**

4319620 4319764 4414946

- **110615-10 – SunOS 5.8: sendmail patch**

1119353 1254405 4086468 4304080 4317819 4329124 4329128 4329131 4332599 4344081 4344537
4357054 4361623 4367646 4368934 4374955 4384437 4388375 4402056 4419745 4419827 4462997
4481125 4487115 4493726 4497686 4527557 4651929 4655363 4756570 4809539 4835344 4839862
4925761

- **110662-12 – SunOS 5.8: ksh patch**

4140307 4223444 4286837 4356624 4379531 4407470 4422293 4446868 4457880 4457987 4473696
4524694 4702798 4750637 4786817 4790885 4801490

■ **110668-04 – SunOS 5.8: /usr/sbin/in.telnetd patch**

4366956 4375449 4483514 4516876 4523990 4527873 4798177

■ **110670-01 – SunOS 5.8: usr/sbin/static/rcp patch**

4366956 4375449

■ **110702-01 – SunOS 5.8: mknetid patch**

4169796

■ **110710-01 – SunOS 5.8: nscd patch**

4159699

■ **110716-02 – SunOS 5.8: Solaris Product Registry 3.0 patch**

4366927 4378201 4407526

■ **110723-06 – SunOS 5.8: /kernel/drv/sparcv9/eri patch**

4363777 4364842 4376935 4378440 4386437 4389260 4412127 4442017 4453340 4465984 4467555
4467562 4479894 4480970 4486544 4496082 4509547 4518457 4528597 4546894 4599774 4637678
4797731 4833490

■ **110724-01 – SunOS 5.8: liblayout patch**

4393355

■ **110745-01 – SunOS 5.8: toolbox syntax correction**

4391812 4391778 4391779 4391781

■ **110750-01 – SunOS 5.8: TCX Graphics Patch**

4349827

■ **110752-01 – SunOS 5.8: Uninstaller doesn't come up with error messages**

4389792

■ **110754-03 – SunOS 5.8: UR3 new features WBEM updates**

■ **110756-02 – SunOS 5.8: UR3 new features DCL updates**

4404182

■ **110758-03 – SunOS 5.8: UR3 new fatures SMC updates**

4398894 4404182

■ **110764-03 – SunOS 5.8: UR3 new features MGP updates**

4398893 4404182

■ **110766-03 – SunOS 5.8: s28_u4 SUNW0mp update**

■ **110794-05 – SunOS 5.8: dr_daemon patch**

4250626 4254422 4299508 4355886 4356318 4357762 4375745 4471303 4508839 4554798

■ **110797-02 – SunOS 5.8: UR4 New int**

4389039 4384498 4399740 4420102

- **110811-01 – SunOS 5.8: libnls patch**

4346460

- **110813-01 – SunOS 5.8: libxfn patch**

4346471

- **110815-01 – SunOS 5.8: libmp patch**

4346496

- **110817-01 – SunOS 5.8: appttrace and interceptors patch**

4307470 4344373

- **110820-10 – SunOS 5.8: /platform/SUNW,Sun-Fire-15000/kernel/drv/sparcv9/dman patch**

4352615 4356741 4356803 4363907 4378444 4381083 4384426 4387731 4388848 4399242 4405711
4406097 4406900 4406902 4408062 4408453 4410007 4413586 4413590 4413592 4413593 4415373
4416329 4418247 4420118 4421452 4431203 4431805 4432988 4452555 4461168 4461182 4461189
4461209 4465826 4472415 4487535 4487652 4492534 4504140 4525502 4525662 4527790 4528759
4559081 4587859 4640542 4704996 4707993

- **110821-02 – SunOS 5.8: iosram driver patch**

4363907 4414084

- **110822-01 – SunOS 5.8: mboxsc driver patch**

4363907

- **110823-04 – SunOS 5.8: fcode patch**

4363907 4405109 4411034

- **110824-04 – SunOS 5.8: fcpci driver patch**

4363907 4405109 4718370 4792953 4834066 4835953

- **110825-03 – SunOS 5.8: fcodem driver patch**

4363907 4405109

- **110826-09 – SunOS 5.8: platform/SUNW,Sun-Fire-15000/kernel/drv/sparcv9/schpc patch**

4363907 4389226 4389669 4393561 4393772 4398474 4412060 4415707 4438104 4445639 4472832
4481239 4640542 4682824 4700564 4728572 4729275 4848215

- **110828-02 – SunOS 5.8: sbbc driver patch**

4363907 4467769

- **110829-02 – SunOS 5.8: /platform/sun4u/kernel/tod/sparcv9/todstarcat patch**

4363907 4406849

- **110830-02 – SunOS 5.8: /platform/SUNW,Sun-Fire-15000/lib/cvcd patch**

4363907 4429680

- 4363907 4370761 4396065
 - **110831-02 – SunOS 5.8: /platform/SUNW,Sun-Fire-15000/kernel/drv/sparcv9/cvc patch**
- 4363907
 - **110832-01 – SunOS 5.8: cvcredir patch**
- 4363907
 - **110833-01 – SunOS 5.8: usr platform links**
- 4363907
 - **110835-06 – SunOS 5.8: platform/sun4u/kernel/misc/sparcv9/gptwo_cpu patch**
- 4363907 4405109 4451120 4453074 4464593 4483884 4642161 4658527 4673645 4810029 4841716 4901725
 - **110836-05 – SunOS 5.8: /platform/sun4u/kernel/misc/sparcv9/gptwocfg patch**
- 4363907 4405109 4418093 4682824
 - **110837-05 – SunOS 5.8: efcodes patch**
- 4363907 4393561 4393772 4398474 4405109 4495650 4682824 4722493
 - **110839-04 – SunOS 5.8: /usr/lib/rcm/modules/SUNW_ip_rcm.so patch**
- 4373331 4434131 4464318 4464717 4483661 4495446 4499458 4500842 4501013 4502951 4847585
 - **110840-03 – SunOS 5.8: bbc patch**
- 4369175 4381743 4389945 4706975
 - **110841-01 – SunOS 5.8: gptwo patch**
- 4369175 4381743
 - **110842-11 – SunOS 5.8: hpc3130 driver patch for SUNW,Sun-Fire-880**
- 4369175 4371073 4381743 4403481 4408237 4434341 4465733 4472722 4506746 4514513 4514865 4518973 4520822 4672995 4762081 4799299
 - **110844-02 – SunOS 5.8: /platform/sun4u/kernel/drv/sparcv9/lm75 patch**
- 4369175 4381743 4434341
 - **110845-03 – SunOS 5.8: /platform/sun4u/kernel/drv/sparcv9/lc1427 patch**
- 4369175 4381743 4396092 4404992 4409825 4409888 4434341
 - **110846-02 – SunOS 5.8: /platform/sun4u/kernel/drv/sparcv9/pcf8574 patch**
- 4369175 4381743 4434341
 - **110847-02 – SunOS 5.8: /platform/sun4u/kernel/drv/sparcv9/pcf8591 patch**
- 4369175 4381743 4434341
 - **110848-02 – SunOS 5.8: pcicfg patch**
- 4369175 4381743 4405109
 - **110851-02 – SunOS 5.8: /platform/sun4u/kernel/drv/sparcv9/ssc050 patch**

4369175 4381743 4403503 4410299

- **110852-03 – SunOS 5.8: /platform/sun4u/kernel/drv/sparcv9/ssc100 patch**

4369175 4381743 4434341 4480752

- **110853-02 – SunOS 5.8: SUNW,Sun-Fire-880 usr platform links patch**

4369175 4381743 4843188

- **110854-02 – SunOS 5.8: /platform/sun4u/kernel/drv/sparcv9/smbus_ara patch**

4369175 4381743 4434341

- **110856-01 – SunOS 5.8: /etc/inet/services patch**

4363907

- **110864-01 – SunOS 5.8:Need to back port fixes for SUNW_PKGLIST for ALC packages**

4402062

- **110867-01 – SunOS 5.8:Need to back port fixes for SUNW_PKGLIST for ALC packages**

4399082

- **110885-01 – SunOS 5.8: JFP Solaris Product Registry 3.0 patch**

4405721

- **110888-01 – SunOS 5.8 : s28u4_06,figgs,New and updated message strings**

4406660 4407100

- **110896-02 – SunOS 5.8: cachefs/mount patch**

4207874 4230685 4332446 4338920 4467621 4698882 4698886 4740460

- **110898-08 – SunOS 5.8: csh/pfcsh patch**

1227664 4302461 4374736 4384080 4402562 4404641 4407470 4479584 4494351 4708902

- **110900-09 – SunOS 5.8: /platform/sun4u/kernel/misc/sparcv9/pcicfg.e patch**

4393561 4393772 4398474 4407705 4422504 4422982 4425717 4456658 4461892 4482012 4496757
4711639 4716448 4717617 4718370 4787898 4792953 4834066 4835953

- **110901-01 – SunOS 5.8: /kernel/drv/sngen and /kernel/drv/sparcv9/sngen patch**

4319695 4325990

- **110903-05 – SunOS 5.8: edit, ex, vedit, vi and view patch**

4059978 4300381 4320573 4364594 4614041 4635504

- **110905-02 – SunOS 5.8: /usr/bin/find patch**

4333804 4354572 4445793

- **110907-01 – SunOS 5.8: /usr/include/arpa/inet.h patch**

4345816

4350331 4452732

- **110986-02 – SunOS 5.8: SMC help fix**

4354567 4366476 4384181

- **111008-06 – SunOS 5.8: Update Asia SUNWreg to sync with base changes for S8UR5**

4410946 4414341 4462592 4518303

- **111016-01 – SunOS 5.8: /usr/bin/sdiff patch**

4355588

- **111018-01 – SunOS 5.8: /etc/driver_aliases patch for gpio**

4395277

- **111023-03 – SunOS 5.8: /kernel/fs/mntfs and /kernel/fs/sparcv9/mntfs patch**

4367486 4525971 4921970

- **111041-04 – SunOS 5.8: su and su_pnp driver patch**

4252667 4306404 4351894 4367476 4374325 4376935 4377930 4385015 4388147 4401352 4433311
4470545 4487938

- **111049-03 – SunOS 5.8: /platform/SUNW,Ultra-Enterprise-10000/lib/cvcd patch**

4285908 4352273 4362110

- **111069-01 – SunOS 5.8: bsmunconv overwrites root cron tab if cu created /tmp/root**

4383308

- **111071-01 – SunOS 5.8: cu patch**

4406722

- **111073-01 – SunOS 5.8: re_comp header patch**

4345842

- **111075-02 – X11 6.4.1: keyboards patch**

4395929 4405756 4422290 4434254

- **111098-01 – SunOS 5.8: ROC timezone should be avoided for political reasons**

4411173

- **111111-03 – SunOS 5.8: /usr/bin/nawk patch**

4395685 4451613

- **111141-03 – SunOS 5.8: /usr/bin/last patch**

1260759 4353938 4519473

- **111197-02 – SunOS 5.8: nfs mount of a file > 2GB is impossible**

4215075 4389722

- 4348627 4500188

 - **111225-02 – SunOS 5.8: tail reserves 2G when reading from a stdin**
- 4364584 4382052 4428154 4457637 4463576 4479455

 - **111231-04 – SunOS 5.8: Solaris user registration patch**
- 4298915

 - **111232-01 – SunOS 5.8: patch in.fingerd**
- 4298986

 - **111234-01 – SunOS 5.8: patch finger**
- 4384285

 - **111265-01 – SunOS 5.8: patch who**
- 4354567 4394572 4457451

 - **111269-03 – SunOS 5.8: Solaris Management Console patch**
- 4451579 4355669 4437042

 - **111275-01 – SunOS 5.8: New features Solaris 8 Update 5 European**
- 4393386 4399452 4400361

 - **111295-01 – SunOS 5.8: /usr/bin/sparcv7/pstack & /usr/bin/sparcv9/pstack patch**
- 4400361

 - **111297-01 – SunOS 5.8: /usr/lib/libsendfile.so.1 patch**
- 4118738 4247106 4373012 4404390 4406599

 - **111302-03 – SunOS 5.8: EDHCP libraries patch**
- 4247106

 - **111304-01 – SunOS 5.8: /kernel/misc/nfs_dlboot patch**
- 4247106 4402048 4411148 4463870 4670609

 - **111306-05 – SunOS 5.8: ufsboot and inetboot patch**
- 4222368 4247106 4308095 4308252 4384513 4451603 4456270 4617257 4782401 4831968 4846231
4848368 4851334 4856955 4873146 4873154

 - **111308-04 – SunOS 5.8: /usr/lib/libmtmalloc.so.1 patch**
- 4247106

 - **111310-01 – SunOS 5.8: /usr/lib/libdhcpagent.so.1 patch**
- 4415738

 - **111313-01 – SunOS 5.8: Viper tools are very slow to load**
- 4350392 4461715 4503048 4662013 4947516

 - **111317-05 – SunOS 5.8: /sbin/init and /usr/sbin/init patch**
- 4350392 4461715 4503048 4662013 4947516

 - **111319-01 – SunOS 5.8: /usr/sbin/in.rdisc patch**

4304158

- **111321-03 – SunOS 5.8: klmmod and klmops patch**

4370038 4372812 4492876

- **111323-01 – SunOS 5.8: /usr/xpg4/bin/more patch**

4373943

- **111325-02 – SunOS 5.8: /usr/lib/saf/ttymon patch**

4246300 4657339

- **111327-05 – SunOS 5.8: libsocket patch**

4316349 4324375 4356490 4458516 4464883

- **111332-08 – SunOS 5.8: /usr/lib/dcs patch**

4402784 4429775 4453074 4456661 4457741 4460279 4464593 4480306 4483884 4497243 4658527
4673645 4683247 4775925 4810029 4841716 4901725

- **111335-20 – SunOS 5.8: Sun-Fire-15000 dr, gptwo_pci & sc_gptwocfg drivers patch**

4346494 4379810 4385107 4397382 4399138 4399165 4399184 4400692 4404492 4404532 4406374
4406573 4406903 4407043 4407520 4409977 4412070 4414010 4414500 4414580 4416528 4416546
4416565 4416645 4417163 4418267 4418315 4418721 4419158 4419171 4421238 4422498 4422946
4423982 4434338 4446470 4451073 4451120 4451354 4451879 4451940 4453074 4453614 4455850
4456609 4458013 4458210 4459820 4460715 4461330 4461811 4464336 4464593 4465918 4466463
4467405 4467793 4468133 4468450 4469104 4469251 4470271 4470641 4475481 4476158 4477894
4478178 4478393 4481262 4483884 4485627 4487620 4489166 4489890 4491299 4495650 4495712
4496385 4500100 4503287 4506806 4508895 4509391 4509968 4510008 4512458 4513778 4514400
4519712 4520227 4521645 4522151 4522581 4523099 4523109 4523979 4525053 4525286 4526043
4527408 4532551 4609938 4613988 4614002 4616340 4620790 4622938 4630898 4642161 4646811
4652995 4658527 4661605 4664749 4669462 4670106 4673645 4675057 4676706 4680826 4682022
4682824 4692462 4692542 4696700 4700564 4707287 4712228 4728572 4746505 4749709 4756790
4759384 4769147 4810029 4828704 4841716 4848215 4856452 4858710 4901725 4927078

- **111359-02 – SunOS 5.8: SPECIAL PATCH: postinstall replacement scripts (S8U6)**

- **111360-02 – SunOS 5.8: SPECIAL PATCH: postinstall replacement scripts (S8U6)**

- **111368-01 – SunOS 5.8: /usr/bin/groups patch**

4423602

- **111380-01 – solregis: Japanese message patch**

4449182

- **111382-01 – X11 6.4.1: keyboards patch**

4434254

- **111386-01 – SunOS 5.8: s28u6 Euro bug fixing**

4466198 4471313

- **111398-01 – SunOS 5.8: parse_dynamic_clustertoc needs to use dynamic_tests**

4430962

- 4415570 4774256

 - **111400-02 – SunOS 5.8: KCMS configure tool has a security vulnerability**
- 4413076 4426344 4428395 4501631 4502513 4502970 4503472 4505538 4724107 4830572

 - **111415-05 – SunOS 5.8: SPECIAL PATCH: postinstall replacement scripts (S8U&)**
 - **111439-02 – SunOS 5.8: /kernel/fs/tmpfs patch**
- 4356012 4415160 4682537

 - **111471-05 – SunOS 5.8: Bug fixes for mp in asian locale printing bugs**
- 4443940

 - **111481-01 – OpenWindows 3.6.2: clock Patch**
- 4456340 4462332 4473496 4286023 4309431 4351910 4359774 4433935 4493395 4501840 4502088

 - **111498-04 – SunOS 5.8: PS2 Keyboard/mouse patch**
- 4330475 4430971

 - **111504-01 – SunOS 5.8: /usr/bin/tip patch**
- 4392144 4434978

 - **111548-01 – SunOS 5.8: catman, man, whatis, apropos and makewhatis patch**
- 4285279 4288759 4526005

 - **111562-02 – SunOS 5.8: /usr/lib/librt.so.1 patch**
- 4416701 4686442

 - **111570-02 – SunOS 5.8: uucp patch**
- 1101389 4013043 4223214 4445656 4587859 4614329

 - **111588-04 – SunOS 5.8: /kernel/drv/ws and /kernel/fs/specfs patch**
- 4283355 4392250 4456994 4466065

 - **111596-03 – SunOS 5.8: /usr/lib/netsvc/yp/rpc.yppasswdd patch**
- 4244544 4436988 4445755 4446600 4451524 4452705 4714534 4758151

 - **111606-04 – SunOS 5.8: /usr/sbin/in.ftpd patch**
- 4132950 4314498 4343874 4345189 4383820

 - **111624-04 – SunOS 5.8: /usr/sbin/inetd patch**
- 4458476 4690979 4719994

 - **111626-03 – OpenWindows 3.6.2: Xview Patch**
- 4468138

 - **111647-01 – BCP libmle buffer overflow**
- 4466044

 - **111657-01 – SunOS 5.8: Neide, atata and disk_ata.conf driver patch**

- **111661-01 – SunOS 5.8: SPECIAL PATCH: script patch (SU6)**

4467367

- **111697-04 – SunOS 5.8: /usr/ccs/bin/sccs and /usr/ccs/bin/make patch**

4504443 4490233 4654957 4654328 4222874

- **111721-04 – SunOS 5.8: Math Library (libm) patch**

4303578 4366769 4389808 4652341 4664522 4810765 4817713 4820770

- **111741-02 – X11 6.4.1 hwc patch**

4338558 4500611

- **111755-02 – Solstice DiskSuite 4.2.1: Product patch for Japanese**

4471517 4488435

- **111760-02 – SunOS 5.8: SPECIAL PATCH: procedural scripts (SU5)**

4394560 4406401 4406620 4431188 4433365 4460462

- **111775-01 – SunOS 5.8: smdiskless patch**

4464091

- **111777-01 – SunOS 5.8: smosservice patch**

4464091

- **111789-04 – SunOS 5.8: /platform/SUNW,Ultra-Enterprise-10000/kernel/drv/dr patch**

4406573 4417163 4630747

- **111790-17 – SunOS 5.8: ngdr and ngdrmach drivers patch for Ultra-Enterprise-10000**

4346494 4379810 4399184 4414500 4416565 4416645 4422498 4425523 4434338 4451354 4451879
4451940 4453074 4453614 4455850 4458013 4458210 4459820 4461330 4464593 4466463 4467405
4467793 4468133 4468450 4470271 4470641 4474330 4477894 4478393 4483884 4485627 4486481
4491299 4496385 4500100 4507683 4510008 4522151 4523109 4525053 4525286 4527408 4613988
4620790 4622938 4625458 4642161 4654448 4658527 4661605 4669462 4673645 4675057 4696700
4712228 4746505 4759384 4810029 4828704 4841716 4856452 4901725

- **111791-02 – SunOS 5.8: usr platform links patch for SUNW,Sun-Fire-480R**

4410299 4843188

- **111792-10 – SunOS 5.8: PICL plugins patch for SUNW,Sun-Fire-480R**

4410299 4452072 4454148 4454690 4458986 4475419 4478554 4481764 4482308 4503033 4507319
4507321 4507324 4512901 4512906 4513077 4513083 4513515 4515810 4529675 4616050 4658782
4661192 4843188 4934546

- **111794-03 – SunOS 5.8: /usr/lib/libcpc.so.1 patch**

4451120 4726051 4893015

- **111796-04 – SunOS 5.8: Remote Shared Memory patch**

4446198 4461149 4484229 4493394 4519566

4878966 4873132 4878072 4872163 4892531 4899721 4884801 4898660 4894783 4892527 4899720
4915383 4915384 4877395 4915216 4883900 4906860 4924976 4892948 4922948 4925585

■ **111953-04 – SunOS 5.8: zh_CN.GB18030 locale support (part 1)**

4502871 4502970 4508981 4513275 4515844

■ **111958-02 – SunOS 5.8: /usr/lib/nfs/statd patch**

4456871 4515121

■ **111989-01 – SunOS 5.8: usr/bin/egrep patch**

1042934

■ **111995-06 – SunOS 5.8: SPECIAL PATCH: editable file replacements (SU7/HW2)**

4105425 4105459 4105493 4109696 4136950 4171405 4171423 4171429 4171438 4171717 4171731
4171733 4171738 4171747 4249502 4310491 4310501 4310502 4310508 4342624 4377141 4402996
4459104 4470577 4474925 4478315 4479986 4491909 4477346 4491913 4477317 4726057 4726044
4726045 4726046 4726047 4713409 4748504 4776340 4740300 4771216

■ **112001-08 – SunOS 5.8: SPECIAL PATCH: class action replacement scripts (SU7/HW2)**

4514892 4734122 4337350 4723473 4740300 4419540 4787105 4749894 4776340 4654448 4735539
4829272 4825337 4846488

■ **112003-03 – SunOS 5.8: Unable to load fontset in 64-bit Solaris 8 iso-1 or iso-15**

4490186 4614971 4614237

■ **112032-02 – SunOS 5.8: New locale zh_CN.GB18030 support (Apply with 111953-xx)**

4503474 4502883 4508981

■ **112036-02 – SunOS 5.8: en_US.UTF-8 locale XI18N patch**

4470772 4503088 4528408

■ **112039-01 – SunOS 5.8: usr/bin/ckitem patch**

4466215 4482260

■ **112050-02 – SunOS 5.8: ptree patch**

4233996 4757218

■ **112057-01 – SunOS 5.8: Asian mailx and in.comsat update**

4350331 4467096 4497465

■ **112077-08 – SunOS 5.8: usr/kernel/drv/rsm patch**

4479418 4482081 4493394 4513789 4519566 4679690 4700142 4728023 4754589 4780149 4781177
4784242 4792165

■ **112082-02 – SunOS 5.8: Webstart install patch for ja_JP.PCK and ja_JP.UTF-8**

4500679

■ **112084-01 – SunOS 5.8: regression: sdthanja displays garbages using libXm.so.4**

4488389

■ **112097-03 – SunOS 5.8: /usr/bin/cpio patch**

4055701 4302144 4309518 4318063 4328540 4337099 4339368 4358686 4358965 4382185 4480445
4481433 4497628 4503943 4506165 4508105 4508436 4516728 4519794 4626967 4646589 4661824
4674849 4677773 4679533 4679805 4688928 4711504 4738687 4740813 4768749 4771017 4790357
4792482

■ **112109-01 – SunOS 5.8:Some Greek characters are in wrong places**

4405762

■ **112119-04 – SunOS 5.8: vlan driver patch**

4483123 4492592 4619750 4788391 4730657 4847441

■ **112135-01 – SunOS 5.8:: usr/lib/libmapmalloc.so.1 patch**

4487282

■ **112137-02 – SunOS 5.8: Support for Network Equipment Provider platforms**

4298987 4309134 4321825 4365953 4395774 4472749 4679638

■ **112138-01 – SunOS 5.8:: usr/bin/domainname patch**

4502131

■ **112142-01 – Configuration file fix for mp.**

4508775

■ **112144-01 – SunOS 5.8 Packaging error in European Solaris Product Registry**

4507273

■ **112158-04 – SunOS 5.8: patch SUNWhea header files**

4453074 4464593 4483884 4488613 4502800 4509342 4510780 4510804 4519276 4529647 4545704
4614646 4615271 4632643 4633655 4644822 4658527 4661403 4673645 4687260 4703343 4707113
4714771 4715506 4738280 4810029 4841716 4901725

■ **112159-02 – SunOS 5.8: patch wrsm.so wrsmmd.so**

4479673 4486106 4488613 4615271

■ **112160-01 – SunOS 5.8:: platform links SUNW,Netra-T12 SUNW,Netra-T4**

4477317 4477346 4491893

■ **112161-02 – SunOS 5.8:: remove libprtdiag_psr.so.1 of SUNW,Netra-T12
SUNW,Netra-T4 patch**

4477317 4477346 4491902 4495676

■ **112162-03 – SunOS 5.8:: patch Netra T12 Lw8 driver**

4477317 4491913 4507961 4507971 4508537 4508574 4511312 4511315 4512894 4513511

■ **112163-01 – SunOS 5.8:: patch Netra T4 Lombus**

4477346 4491909

■ **112164-01 – SunOS 5.8:: patch Netra-T12 sgfru driver**

4477317 4491917

- **112165-01 – SunOS 5.8:: patch usr/bin/rpcgen**

4485436

- **112167-01 – SunOS 5.8:: patch usr/platform/SUNW,UltraAX-i2 symlink**

4492257

- **112168-02 – SunOS 5.8: patch dmfe and mii header file**

4463714 4492254 4498135 4643212 4646439 4751357

- **112169-01 – SunOS 5.8: patch platform/SUNW,UltraAX-i2/kernel/misc/sparcv9/platmod**

4489547

- **112170-02 – SunOS 5.8: patch platform/sun4u/kernel/tod/sparcv9/todm5819**

4492259 4721451

- **112171-01 – SunOS 5.8:: patch usr/sbin/locator**

4432138 4497297

- **112172-02 – SunOS 5.8:: patch SUNW,UltraSPARC-IIe-NetraCT-40 sc_nct**

4463067 4502610

- **112173-01 – SunOS 5.8:: patch SUNW,UltraSPARC-IIe-NetraCT-40 acebus.conf**

4480971

- **112174-01 – SunOS 5.8:: patch platform link**

4422397

- **112183-03 – SunOS 5.8:translations for s28u7_07**
- **112187-01 – SunOS 5.8::**

4362713

- **112220-04 – SunOS 5.8: kernel/misc/nfssrv patch**

4495944 4531662 4658316 4683308 4716413

- **112223-01 – SunOS 5.8: JFP ja_JP.UTF-8 OWfontpath**

4510706

- **112237-08 – SunOS 5.8: mech_krb5.so.1 patch**

4338622 4360141 4423818 4496679 4521000 4526202 4677605 4691352

- **112254-01 – SunOS 5.8:: /kernel/sched/TS patch**

4468181

- **112274-02 – SunOS 5.8: /usr/bin/acctcom patch**

4233191 4701876

- **112325-01 – SunOS 5.8:: /kernel/fs/udfs and /kernel/fs/sparcv9/udfs patch**

4307839 4307849 4329438 4453923
 ■ **112328-02 – SunOS 5.8: /usr/sbin/rpcbind patch**

1226166 4500062 4690775
 ■ **112345-03 – SunOS 5.8: /usr/bin/pax patch**

4508106 4628110 4766460
 ■ **112369-01 – SunOS 5.8:: environ driver patch**

4514619
 ■ **112371-01 – SunOS 5.8:: /usr/bin/ruptime patch**

4341794
 ■ **112394-01 – SunOS 5.8 : Print euro and other ext. chars**

4512357 4554802
 ■ **112396-02 – SunOS 5.8: /usr/bin/fgrep patch**

4498984
 ■ **112425-01 – SunOS 5.8:: /usr/lib/fs/ufs/mount and /etc/fs/ufs/mount patch**

4618830
 ■ **112438-02 – SunOS 5.8: /kernel/drv/random patch**

4337350 4757915
 ■ **112459-01 – SunOS 5.8:: /usr/lib/pt_chmod patch**

4026558 4394991 4448407
 ■ **112472-01 – SunOS 5.8: Font2DTest2 abort when Lucida Sans Thai Typewriter selected**

4370527
 ■ **112501-01 – CDE 1.4: dtcreate patch**

4623665
 ■ **112597-02 – SunOS 5.8: /usr/lib/acct/runacct patch**

4494635 4853917
 ■ **112607-02 – SunOS 5.8: /usr/bin/on patch**

4520108 4636697
 ■ **112609-02 – SunOS 5.8: /kernel/drv/le and /kernel/drv/sparcv9/le patch**

4105008 4433243
 ■ **112611-02 – SunOS 5.8: /usr/lib/libz.so.1 patch**

4644859 4822658
 ■ **112663-01 – X11 6.4.1: keyboards patch**

4646705

- 4587606 ■ 112666-01 – SunOS 5.8: /usr/lib/acct/acctcon patch
- 4644742 ■ 112668-01 – SunOS 5.8: /usr/bin/gzip patch
- 4638788 ■ 112670-01 – SunOS 5.8: /usr/sbin/clinfo patch
- 4659947 ■ 112781-01 – X11 6.4.1: twm patch
- 4280870 ■ 112792-01 – SunOS 5.8: /usr/lib/pcmcia patch
- 4390335 ■ 112794-01 – SunOS 5.8: /kernel/drv/pcram and /kernel/drv/sparcv9/pcram patch
- 4651310 ■ 112796-01 – SunOS 5.8: /usr/sbin/in.talkd patch
- 4206774 ■ 112798-01 – SunOS 5.8: /usr/kernel/strmod/rlmod patch
- 4317104 4743679 ■ 112844-02 – SunOS 5.8: pfiles and plimit patch
- 4664537 ■ 112846-01 – SunOS 5.8: /usr/lib/netsvc/rwall/rpc.rwalld patch
- 4449203 ■ 112849-01 – SunOS 5.8: /kernel/drv/qe and /kernel/drv/sparcv9/qe patch
- 4647983 ■ 112850-01 – SunOS 5.8: /kernel/drv/icmp6 and /kernel/drv/sparcv9/icmp6 Patch
- 4505678 ■ 112989-01 – SunOS 5.8: /usr/lib/print/conv_lpd patch
- 4663500 ■ 112991-01 – SunOS 5.8: /usr/sbin/prtvtoc patch
- 4687515 ■ 112993-01 – SunOS 5.8: /usr/sbin/passmgmt patch
- 4225930 ■ 112996-01 – SunOS 5.8: /usr/aset/tasks/sysconf patch
- 113128-02 – X11 6.4.1: XKB patch

4526418 4644622 4689365

- **113242-01 – CDE 1.4: libSDtRmedia patch**

4753801

- **113261-02 – SunOS 5.8: UTF-8 locale ICONV patch**

4182076 4220837 4225886 4264093 4264158 4265806 4295452 4414954 4488242 4615109 4804535

- **113372-02 – X11 6.4.1: xpr patch**

4704388

- **113401-01 – SunOS 5.8: UTF-8 iconv modules generate/accept invalid ko 3byte values**

4667222

- **113413-01 – SunOS 5.8: /usr/ccs/bin/lex patch**

4480804

- **113415-01 – SunOS 5.8: gmsgfmt, msgfmt, gettext patch**

4335175 4340959 4475044

- **113417-01 – SunOS 5.8: slp.jar and slpd.jar patch**

4494011 4618817 4625681

- **113419-01 – SunOS 5.8: /usr/bin/sparcv7/prun and usr/bin/sparcv9/prun patch**

4521582

- **113501-01 – SunOS 5.8: Sun GigaSwift Ethernet 1.0 procedural patch**

4735162

- **113648-03 – SunOS 5.8: /usr/sbin/mount patch**

4152876 4353836 4715028 4947516

- **113650-02 – SunOS 5.8: /usr/lib/utmp_update patch**

4659277 4705891

- **113654-01 – SunOS 5.8: /platform/sun4u/kernel/misc/sparcv9/zuluvvm patch**

4749934

- **113655-03 – SunOS 5.8: /usr/platform/SUNW,Sun-Fire/lib/rsmlib/wrsm.so.1 patch**

4484608 4497296 4510402 4620740 4824314 4855825

- **113679-05 – SunOS 5.8: rmc_comm/rmcadm/rmclomv/librsc.so.1 patch**

4716885 4726057 4744680 4744747 4746113 4748510 4748617 4749542 4762548 4771216 4773186
4775419 4778049 4780968 4784977 4794193 4794822 4807724 4815744 4818739 4820668 4832753
4834149 4840725 4842171 4843701 4864535

- **113680-03 – SunOS 5.8: /platform/sun4u/kernel/drv/sparcv9/bge patch**

4726044 4734632 4735281 4741264 4746760 4746966 4748504 4748601 4761834 4825042 4830650

- **113681-03 – SunOS 5.8: /platform/sun4u/kernel/drv/sparcv9/mc-us3i patch**

4726046 4731552 4831983 4832222 4940715

- **113682-02 – SunOS 5.8: /platform/sun4u/kernel/drv/sparcv9/pmugpio patch**

4726047 4843000

- **113683-02 – SunOS 5.8: /platform/sun4u/kernel/tod/sparcv9/todm5819p_rmc patch**

4726048 4736059 4780312

- **113684-04 – SunOS 5.8: /usr/platform/SUNW,Sun-Fire-V240/sbin/scadm patch**

4448914 4726049 4738058 4780968 4799727 4812658

- **113685-05 – SunOS 5.8: logindmux/pts/ms/bufmod/llc1/kb/zs/zsh/ptem patch**

4587859 4639552 4674066 4821833 4875506

- **113687-01 – SunOS 5.8: /kernel/misc/kbtrans patch**

4587859

- **113749-01 – SunOS 5.8: User Manager CLI Patch**

4384714

- **113792-01 – OpenWindows 3.6.2: mailtool patch**

4755258

- **114059-02 – SunOS 5.8: en_US.UTF-8 locale patch**

4633291 4293286 4401254 4402439 4467376 4528684 4588325 4307131 4333060 4635650 4354388
4632368 4688882 4311444 4336840 4789856 4798658 4762506

- **114152-01 – SunOS 5.8: Japanese SunOS 4.x Binary Compatibility(BCP) patch**

4775198 4775194

- **114155-02 – SunOS 5.8: /usr/ccs/bin/m4 patch**

4174383 4837874

- **114157-01 – SunOS 5.8: /platform/sun4u/kernel/drv/power patch**

4776968 4785495

- **114158-01 – SunOS 5.8: /usr/ccs/bin/yacc patch**

4735960

- **114160-01 – SunOS 5.8: avl_tree, avl_node and rnode patch**

4664740

- **114162-01 – SunOS 5.8: /kernel/drv/lofi drivers and /usr/sbin/lofiadm patch**

4302817 4331110 4335489 4342447 4348291 4361731 4389001 4446576 4477843 4505225 4526709
4628272 4649233

- **114246-01 – SunOS 5.8: Truetype fonts of GB18030 in S8U7 should be replaced**

4796094

- 4789750
 - **114278-02 – SunOS 5.8: SPECIAL PATCH: Solaris 8 2/04 /etc/motd copyright patch**
- 4748729
 - **114364-01 – CDE1.4: GNOME/CDE Menu for Solaris 8**
- 4795819
 - **114508-01 – SunOS 5.8: Adds missing entries to euro fontpaths**
- 4790671
 - **114512-02 – SunOS 5.8: SPECIAL PATCH: class action replacement scripts (SU2)**
- 4820147 4820254 4821832 4822149 4822443 4823003 4824233 4827346 4827837 4827720 4832885
 - **114537-19 – SunOS 5.8: Sun XVR-100 Graphics Accelerator Patch**
- 4792630 4812350 4820999 4829583 4856743 4856749 4857946 4850955 4855985 4857143 4858706
 - **114554-12 – SunOS 5.8: Sun XVR-1200 Graphics Accelerator Patch**
- 4860082 4865081 4857383 4868991 4893876 4897985 4902258 4908183 4910095 4916095 4910515
 - **114559-01 – SunOS 5.8: some of ascii characters are not in punct class**
- 4919863
 - **114583-01 – SunOS 5.8: i2c driver patch**
- 4807907 4808263 4767906 4799602 4819200 4822159 4822276 4833546 4830544 4744371 4835514
 - **114610-01 – SUNOS 5.8: ANSI-1251 encodings file errors**
- 4834943 4837418 4837176 4837510 4847177 4860054 4849519 4830549 4838461 4834370 4853020
 - **114667-01 – SunOS 5.8: /usr/ccs/bin/lorder patch**
- 4821638 4881084 4860468 4867922 4893057 4891452 4891715 4891672 4891690 4893813 4899854
 - **114671-01 – SunOS 5.8: /usr/kernel/fs/pcfs patch**
- 4899910 4911553 4913881 4860493 4925735 4907853 4906894 4829846 4904242 4915313 4904711
 - **114673-01 – SunOS 5.8: /usr/sbin/wall patch**
- 4925035 4890241 4925028 4911753 4904716 4901449 4910656 4926474 4932555 4935929 4923657
 - **114675-01 – SunOS 5.8: rwstlock.h, vfs.h and vnode.h headerfile patch**
- 4933144
 - **114773-01 – SunOS 5.8: /usr/bin/dd patch**

- 1209320 4296366 4351979

 - 114802-01 – SunOS 5.8: Patch for assembler
- 4814825 4802900

 - 114882-01 – SunOS 5.8: SPECIAL PATCH: postinstall replacement scripts (S8U&)
 - 114956-02 – CDE 1.4: dtksh patch
- 4520669

 - 114982-01 – SunOS 5.8: /usr/lib/adb/rwstlock patch
- 4711164

 - 114984-01 – SunOS 5.8: /usr/kernel/fs/namefs patch
- 4788230

 - 114986-01 – SunOS 5.8: /usr/sbin/rpc.rexd patch
- 4301020 4832466

 - 114988-02 – SunOS 5.8: /usr/bin/sparcv9/gcore and /usr/bin/sparcv7/gcore patch
- 4339703 4404259

 - 114990-02 – SunOS 5.8: /usr/bin/vmstat patch
- 4749542 4771216 4773186 4784977 4818095 4820668 4828527 4832896 4858641 4860424 4860428

 - 115274-02 – SunOS 5.8: /usr/sbin/raidctl patch
- 4749542 4771216 4773186 4784977 4820668 4825337 4828527 4829758 4829762 4831971 4832896 4846488 4886938 4892419

 - 115275-02 – SunOS 5.8: mpt driver patch
- 4851271

 - 115383-02 – SunOS 5.8: Japanese xlibi18n patch
- 4277890 4278652

 - 115576-01 – SunOS 5.8: /kernel/exec/elfexec and /kernel/exec/sparcv9/elfexec patch
- 4654232 4803469

 - 115579-01 – SunOS 5.8: libtnfprobe.so.1 patch
- 4152876 4353836

 - 115583-01 – SunOS 5.8: /usr/lib/nss_user.so.1 patch
- 4849909

 - 115795-01 – OpenWindows 3.6.2: xwdtopnm sdtimage
- 4484393

 - 115797-01 – CDE 1.4: dtspcd Patch
- 115823-01 – SunOS 5.8: /usr/bin/logger patch

- 4859519 4874048
- **115825-01 – SunOS 5.8: /usr/bin/tnfdump patch**
- 4350769
- **115827-01 – SunOS 5.8: /sbin/sulogin and /sbin/netstrategy patch**
- 4152876 4353836
- **115829-01 – SunOS 5.8: /usr/lib/fm/libdiagcode.so.1 patch**
- 4864979
- **115831-01 – SunOS 5.8: /usr/lib/libuuid.so.1 patch**
- 4622990
- **116038-01 – SunOS 5.8: sun4u platform links patch**
- 4864110
- **116332-01 – SunOS 5.8: kanji command patch**
- 4928656
- **116455-01 – SunOS 5.8: Solaris 2.x sadmind default security level**
- 4079984
- **116602-01 – SunOS 5.8: /sbin/uadmin and /sbin/hostconfig patch**
- 4947516
- **116604-01 – SunOS 5.8: /etc/init.d/sf880dr patch**
- 4843188
- **116605-01 – SunOS 5.8: /usr/sbin/psrinfo patch**
- 4453074 4464593 4483884 4658527 4673645 4810029 4841716 4901725

