

KED/KEX Keypad Editor

KED is the keypad editor for an unmapped monitor; KEX is the same editor adapted to a mapped monitor.

Major KED/KEX Commands

EDIT/CREATE file	Create a file
EDIT/INSPECT file	Inspect only file
[GOLD] [COMMAND] EXIT [ENTER]	Save the edited file
[GOLD] [COMMAND] QUIT [ENTER]	Delete the edited file
[GOLD] [COMMAND] set 132 [ENTER]	Set screen to display 130 characters on a line.
[GOLD] [COMMAND] set 80 [ENTER]	Set screen to display 78 characters on a line.
[GOLD] [COMMAND] SET WRAP [number] [ENTER]	Set the right margin
[GOLD] [COMMAND] SET SECTION number [ENTER]	Set the number of lines for a section
[GOLD] [COMMAND] SET PAGE number [ENTER]	Set the number of lines for a page
[GOLD] number [GOLD] [SPECINS]	Enter the ASCII equivalent (number) of characters
[GOLD] [BOTTOM]	Move cursor to end of file
[GOLD] [TOP]	Move cursor to beginning of file
[GOLD] [FIND] character-string [ADVANCE] or [BACKUP]	Find text

Major KED/KEX Commands

<code>[GOLD] [COMMAND] SET SEARCH EXACT [ENTER]</code>	Distinguish between upper and lowercase letters
<code>[GOLD] [COMMAND] SET SEARCH GENERAL [ENTER]</code>	Not distinguish between upper and lowercase letters
<code>[GOLD] [COMMAND] SET BOUNDED [ENTER]</code>	Limit a search to a page
<code>[GOLD] [COMMAND] SET UNBOUNDED [ENTER]</code>	Extend a search to end of file
<code>[[GOLD]] [DELCHAR]</code>	[Un]delete a character
<code>[[GOLD]] [DELWORD]</code>	[Un]delete a word
<code>[[GOLD]] [DELLINE]</code>	[Un]delete a line
<code>[SELECT] move cursor [CUT]</code>	Place text in buffer
<code>[GOLD] [PASTE]</code>	Restore text from buffer
<code>[GOLD] [COMMAND] CLEAR PASTE [ENTER]</code>	Clear buffer
<code>[GOLD] [COMMAND] OUTPUT filespec [ENTER]</code>	Open a file for output
<code>[GOLD] [COMMAND] CLOSE [ENTER]</code>	Close a file
<code>[GOLD] [COMMAND] WRITE SELECT [ENTER]</code>	Enter text into a file opened for output
<code>[GOLD] [COMMAND] WRITE REST [ENTER]</code>	Write rest of text into a file opened for output
<code>[GOLD] [COMMAND] WRITE number [ENTER]</code>	Write number of lines into a file opened for output
<code>[GOLD] [COMMAND] OPEN INPUT filespec [ENTER]</code>	Open an input file
<code>[GOLD] [COMMAND] INCLUDE rest [ENTER]</code>	Include rest of input file in edited file
<code>[GOLD] [COMMAND] INCLUDE number [ENTER]</code>	Include number of lines from input file in edited file
<code>LEARN [identifier]</code>	Begin the definition of a macro
<code>[GOLD] S</code>	End the definition of a macro

Major KED/KEX Commands

`[GOLD]` M identifier

Execute the macro specified
by identifier

SAVE identifier [filespec]

Copy macro to auxiliary file

LOAD identifier [filespec]

Copy auxiliary file to macro buffer

@filespec

Execute a macro directly from
specified file